



# STM32 development boards portfolio

Ecosystem Marketing Q1'2022

# Development tools overview



STM32 Nucleo

Flexible prototyping

www.st.com/stm32nucleo





Discovery kits

Key feature prototyping


www.st.com/stm32discovery



Evaluation boards

Full feature evaluation

www.st.com/stm32evaltools



STM32 Nucleo expansion

Functionality add-on

www.st.com/x-nucleo



Move Actuate Connect



Power Drive



Sense






Third-party boards


From full evaluation to open hardware





# STM32 Nucleo key assets





Flexible prototyping

Unlimited expansion capabilities

Simply show the whole STM32 portfolio to the communities








## STM32 Nucleo form-factor choices

Ethernet \*\*\* **USB** \*\*\* ST Zio \*\*\* (Uno extended) Arduino Uno \*\* \*\* ST morpho Arduino Nano Nucleo-64 Nucleo-144 Nucleo-32 144-pin MCU 32-pin MCU 64-pin MCU





## STM32 Nucleo-144 structure



Flexible board power supply: through USB or external source

Integrated STLink: drag & drop device Flash programming

One STM32 MCU flavor with 144 pins

Arduino Uno & ST Zio connectors: easy access to add-ons

ST morpho extension pins: direct access to all MCU I/Os


Ethernet & USB OTG (optional)





# Amazing STM32 Nucleo boards

## **Stretching boundaries**



NUCLEO-H745ZI-Q

High performance STM32H745 dual-core CoreMark 3223

**NUCLEO-L412KB** 

Lower power STM32L412 ULPMark-CP 447 ULPMark-PP 167



#### Flash size (bytes) NUCLEO-U57571-0 VIICLEO-H7A3ZI-O NUCLEO-H755Z NUCLEO-E767ZI NUCLEO-H745ZI-NUCLEO-F439ZI NUCLEO-H753Z 2 M NUCLEO-F429ZI NUCLEO-H743Z NUCLEO-LARSZL NUCLEO-LARSZL-I NUCLEO-F413ZH NUCLEO-H723Z( NUCLEO-F412ZG NUCLEO-F756Z 1 M NUCLEO-F207ZG NUCLEO-F746ZG NUCLEO-L4A6ZG NIICLEO-L4P5ZG NUCLEO-WB55RG NUCLEO-L476RG NUCLEO-L496ZG NUCLEO-L496ZG-NUCLEO-L452RE-P NUCLEO-F446RI NUCLEO-F411RE NUCLEO-F446ZE NUCLEO-F722ZE NUCLEO-L552ZE-Q NUCLEO-L152RE NUCLEO-F401R 512 K NUCLEO-F303ZE NUCLEO-F303RE NUCLEO-G491RE NUCLEO-G0B1RE NUCLEO-G474RE 320 K NUCLEO-WB15CC NUCLEO-WL55JC 256 K NUCLEO-F091RC NUCLEO-L433RC-P NUCLEO-L432KC 192 K NUCLEO-L073RZ NUCLEO-F410RB NUCLEO-L010RB NUCLEO-L412RB-P 128 K NUCLEO-F103RB NUCLEO-G431RB NUCLEO-L412KB NUCLEO-F072RB NUCLEO-G071RB NUCLEO-G431KB NUCLEO-F070RB NUCLEO-G070RB NUCLEO-GO31K8 NUCLEO-F334R8 64 K NUCLEO-F303K8 NUCLEO-F030R8 NUCLEO-F302R8 32 K NUCLEO-F031K6 NUCLEO-F042K6 16 K NUCLEO-L011K4 Nucleo-32 Nucleo-64 Nucleo-144

HW crypto/Hash version available


# STM32 Nucleo portfolio







## Association with shields



Specialized functionality add-on

Smooth integration with STM32Cube software library

Multiple IDEs (STM32CubeIDE, IAR, Arm<sup>®</sup>...)





# Nucleo expansion boards from ST

### Sensors and analog





**ENVIRONMENTAL SENSORS** 









X-NUCLEO-CCA02M2
DIGITAL MICROPHONE



life.augmented



X-NUCLEO-AMICAM1 ANALOG MICROCHONE

#### Communication





X-NUCLEO-NFC04A1 DYNAMIC NFC TAG



X-NUCLEO-NFC06A1



X-NUCLEO-PLM01A1
POWER LINE COMMUNICATION







X-NUCLEO-USBPDM1 USB TYPE-C





#### Motor drive















X-NUCLEO-IHM04A1
DUAL BRUSH DC MOTOR
DRIVED



X-NUCLEO-IHM05A1
BIPOLAR STEPPER MOTOR
DRIVER





X-NUCLEO-IHM06A1 LOW VOLTAGE STEPPER MOTOR DRIVER





X-NUCLEO-IHM07M1 STEPPER MOTOR DRIVER





#### **Translate**





X-NUCLEO-IKA01A1
MULTIFUNCTIONAL EXPANSION
BASED ON OPERATIONAL
AMPLIFIERS



















# STM32 power shield key assets

## **Accurate power profiling**





Ultra-low power consumption measurements

Compatible with all Nucleo form factors (32 / 64 / 144)

Graphical analysis with STM32CubeMonitor-Power tool

Custom test sessions with scripting


Reference tool for EEMBC ULPMark benchmark





# STM32 power shield anatomy

## **STM32 Power Shield anatomy**



## Power supply through USB

STM32L496VGT6 MCU @ 80 MHz 3 x 12-bit ADC @ 3.2 Msamples/s

Arduino connectors compatible with Nucleo-32, 64 & 144 boards

4-wire connector for any type of target board

Local display: EEMBC ULPBench score







# STM32 power profiling

### X-NUCLEO-LPM01A

- Ultra-low-power consumption measurements:
  - Supply target board from 1.8 to 3.3V
  - Dynamic current from 100 nA to 50 mA
  - Static current from 1 nA to 200 mA
  - Accuracy approximately 2%
- Intuitive user experience:
  - Two operating modes (stand-alone or PC-controlled)
  - Graphical PC application (multi-OS)
- Resale price (RRP) \$70
- Official EEMBC Energy Monitor v2.0:



Direct computation of ULPMark scores






12




# Nucleo expansion boards from 3rd parties




#### **LoRaWAN** communication

Frequency range from 868 to 930 MHz LoRaWAN-compliant protocol stack



Industrial Ethernet protocols
PROFINET®, Ethernet/IP™, EtherCAT,
POWERLINK, Sercos®, and Modbus®







## Nucleo boards for wireless communication

**NUCLEO-WB55RG** 







## **Multiprotocol RF transceiver**

Bluetooth™ 5.2 and IEEE 802.15.4-2011 compliant

### LoRaWAN node & gateway

LRWAN2 frequency > 800 MHz. LRWAN3 frequency < 500 MHz, LoRaWAN-compliant protocol stack







**P-NUCLEO-LRWAN2** 

**P-NUCLEO-LRWAN3** By ST and RisingHF













## Long Range wireless node

Frequency range 150-960 MHz LoRa, (G)FSK, (G)MSK, BPSK modulations LoRaWAN, Sigfox-compliant protocol stack



# Latest discovery kits









STM32WB5MM-DK

**B-U585I-IOT02A** 

B-L462E-CELL1

STATE OF STA









B-G474E-DPOW1

STM32H735G-DK

**STM32MP157F-DK2** 

# Discovery kit portfolio 1/5

STM32F0

STM32F1

STM32F3

STM32G0

STM32G4

Part number	MCU	USB	Audio	Display	Connectivity	Expansion	STLink
STM32F0DISCOVERY	STM32F051					Proprietary	V2
32F072BDISCOVERY	STM32F072	х				Proprietary	V2
STM32VLDISCOVERY	STM32F100					Proprietary	V2
STM32F3DISCOVERY	STM32F303	х				Proprietary	V2
32F3348DISCOVERY	STM32F334					Proprietary	V2-1
STM32G0316-DISCO	STM32G031						V2-1
STM32G071B-DISCO	STM32G071	Type-C		OLED 128x64		Proprietary	V2-1
B-G431B-ESC1	STM32G431						V2-1
<u>B-G474E-DPOW1</u>	STM32G474	Type-C	х			Proprietary	V2-1





# Discovery kit portfolio 2/5

STM32L0

STM32L1

STM32L4

STM32L4+

STM32L5

STM32U5

Part number	MCU	USB	Audio	Display	Connectivity	Expansion	STLink
32L0538DISCOVERY	STM32L053	х		E-paper 172x72		Proprietary	V2-1
32L152CDISCOVERY	STM32L152			LCD		Proprietary	V2
<u>B-L475E-IOT01A</u>	STM32L475	OTG	Digital mics		BLE, SubGHz, NFC, WiFi	Arduino Uno, Pmod	V2-1
32L496GDISCOVERY	STM32L496	OTG	х	Color LCD 240x240	Add-on (optional)	Arduino Uno, Pmod, STmod+, MikroBus, Grove	V2-1
B-L462E-CELL1	STM32L462	х	х	OLED 128x64	LTE Cat M, NB-IoT	Proprietary, Micro-SIM, SMA antenna, STMod+, MikroBus, Grove	V2-1
STM32L4P5G-DK	STM32L4P5	ОТС	х	Color LCD 240x240	Add-on (optional)	Arduino Uno, STmod+, MikroBus, Grove	V3
32L4R9IDISCOVERY	STM32L4R9	OTG	x	Color AMOLED 390x390	Add-on (optional)	Arduino Uno, Pmod, STmod+, MikroBus, Grove	V2-1
<u>B-L4S5I-IOT01A</u>	STM32L4S5	OTG	Digital mics		BLE, NFC, WiFi	Arduino Uno, Pmod	V2-1
<u>STM32L562E-DK</u>	STM32L562	Type-C	х	Color LCD 240x240	BLE	Arduino Uno, Pmod, STmod+, MikroBus, Grove	V3
<u>B-U585-IOT02A</u>	STM32U585	Type-C	х		BLE, WiFi	Arduino Uno, Pmod, STmod+, MikroBus, Grove	V3



# Discovery kit portfolio 3/5

STM32F4

STM32F7

Part number	MCU	USB	Audio	Display	Connectivity	Expansion	STLink
STM32F4DISCOVERY	STM32F407	OTG	Х			Proprietary	V2
32F411EDISCOVERY	STM32F411	OTG	Х			Proprietary	V2
32F412GDISCOVERY	STM32F412	OTG	x	Color LCD 240x240	Add-on (optional)	Arduino Uno	V2-1
32F413HDISCOVERY	STM32F413	OTG	х	Color LCD 240x240	Wi-Fi	Arduino Uno	V2-1
32F429IDISCOVERY	STM32F429	OTG		Color LCD QVGA	Add-on (optional)	Arduino Uno	V2
32F469IDISCOVERY	STM32F469	OTG	х	Color LCD 800x480	Add-on (optional)	Arduino Uno	V2-1
32F723EDISCOVERY	STM32F723	OTG HS	х	Color LCD 240x240	Add-on (optional)	Arduino Uno, Pmod, STMod+, MikroBus, Grove	V2-1
32F746GDISCOVERY	STM32F746	OTG HS	х	Color LCD 480x272	Ethernet	Arduino Uno	V2-1
STM32F7508-DK	STM32F750	OTG HS	x	Color LCD 480x272	Ethernet	Arduino Uno	V2-1
32F769IDISCOVERY	STM32F769	OTG HS	x	Color LCD 800x480	Ethernet	Arduino Uno	V2-1



# Discovery kit portfolio 4/5

Part number	MCU	USB	Audio	Display	Connectivity	Expansion	STLink
<u>STM32H7B3I-DK</u>	STM32H7B3	OTG	х	Color LCD 480x272	Add-on (optional)	Arduino Uno, STMod+, Mikrobus, Grove	V3
<u>STM32H735G-DK</u>	STM32H735	OTG	х	Color LCD 480x272	Ethernet	Arduino Uno, Pmod, STMod+, Mikrobus, Grove	V3
STM32H745I-DISCO	STM32H745	OTG	х	Color LCD 480x272	Ethernet	Arduino Uno, STMod+, Mikrobus, Grove	V3
STM32H747I-DISCO	STM32H747	OTG HS	х	Color LCD 800x480	Ethernet	Arduino Uno, Pmod, STMod+, Mikrobus, Grove	V3
<u>STM32H750B-DK</u>	STM32H750	OTG	х	Color LCD 480x272	Ethernet	Arduino Uno, STMod+, Mikrobus, Grove	V3
STM32WB5MM-DK	STM32WB5MM	OTG	х	OLED 128x64	BLE v5.2, Zigbee, Thread	Arduino Uno, STMod+, Mikrobus, Grove	V2-1



STM32H7

STM32Wx

# Discovery kit portfolio 5/5













Part number	MCU	Description	Key features	Expansion	STLink
B-L072Z-LRWAN1	STM32L072	All-in-one low-power wireless node	LoRa, Sigfox, WMbus AAA-battery operation	Arduino Uno, ST morpho	V2-1
<u>B-L4S5I-IOT01A</u>	STM32L4S5	All-in-one IoT node with low-power connectivity & multiway sensing	BLE, NFC, Wi-Fi, Sensors (digital microphone, 9-axis navigation, pressure, humidity, temperature, proximity / gesture detection)	Arduino Uno, Pmod	V2-1
<u>B-U585I-IOT02A</u>	STM32U585	All-in-one IoT node with low-power connectivity & multiway sensing	BLE, Wi-Fi, Sensors (digital microphone, 9- axis navigation, pressure, humidity, temperature, proximity/gesture detection)	Arduino Uno, Pmod, STmod+, MikroBus, Grove	V3
B-L462E-CELL1	STM32L462	Worldwide Cellular IoT node LTE catM / NB-IoT	eSIM and MicroSIM, 3-month dataplan included	STmod+, MikroBus, Grove	V2-1







X-CUBE-CLOUD	Cloud connectors as expansion for
	STM32Cube (Amazon Web Services,
	Microsoft Azure, IBM Watson)



X-CUBE-SFOX Sigfox-compliant software expansion for STM32Cube




Cellular software framework as expansion for STM32Cube.



# STM32U5 discovery IoT node...

## Multi-link communication, multiway sensing





# ...Delivers user-friendly cloud access

**Direct connection to cloud services** 

**Low-power communication** 

**Environmental awareness: humidity, pressure, temp** 


**Detection hub: motion, proximity, audio** 

**Direct support of communities** 













## Latest evaluation boards



STM32G081B-EVAL



STM32G474E-EVAL



STM32H757I-EVAL



**STM32U575I-EV** 



# Evaluation board portfolio

Mainstream

Ultra-low-power

High-performance

Part number	MCU	Part number	MCU	Part number	MCU
STM32072B-EVAL	STM32F072	STM32L073Z-EVAL	STM32L073	STM3220G-EVAL	STM32F207
STM3210E-EVAL	STM32F103	STM32L476G-EVAL	STM32L476	STM32429I-EVAL	STM32F429
STM32303E-EVAL	STM32F303	STM32L4R9I-EVAL	STM32L4R9	STM32F769I-EVAL	STM32F769
STM32373C-EVAL	STM32F373	STM32L552E-EV	STM32L552	STM32H7B3I-EVAL	STM32H7B3
STM32G081B-EVAL	STM32G081	STM32U575I-EV	STM32U575	STM32H743I-EVAL	STM32H743
STM32G0C1E-EV	STM32G0C1			STM32H757I-EVAL	STM32H757
STM32G474E-EVAL	STM32G474				





## STM32 boards contribute to communities







# Our technology starts with You



© STMicroelectronics - All rights reserved.

ST logo is a trademark or a registered trademark of STMicroelectronics International NV or its affiliates in the EU and/or other countries. For additional information about ST trademarks, please refer to <a href="https://www.st.com/trademarks">www.st.com/trademarks</a>.
All other product or service names are the property of their respective owners.

