

Digital Camera Processor

DVD

Digital TV

Imaging

IP Cores

Mobile

Product Brief

Zoran Corporation
1390 Kifer Road
Sunnyvale, CA 94086-5305

Tel 408.523.6500
Fax 408.523.6501
www.zoran.com



Description

The COACH 10 highly integrated digital camera processor supports high ISO-6400 while maintaining image details, jitter stabilization for both video and still photos, high definition video capture, Advanced Video Coding (H.264), MPEG-4, DivX, and still picture capture of over five frames per second at eight megapixels, using Zoran's

patent-pending still and video processing technologies.

The COACH 10 family enables platforms from entry and mid-level to DSLR-grade performance and picture quality while also enabling true video recording at high definition resolution.

COACH 10 Family

- **COACH 10D** (part # ZR36487BGCF) – For entry to mid range DSLR
- **COACH 10P** (part # ZR36482BGCF) – For high performance still and video cameras supporting HD (high definition) video capture and HDMI interface
- **COACH 10M** (part # ZR36480BGCF) – For mainstream still and video cameras supporting standard definition video capture
- **COACH 10S** (part # ZR36483BGCF) – For entry level still cameras

Feature List


- Up to 16MP image capture resolution
- 16-bit image processing for highest quality
- Click-to-click performance of over 5 frames per second at 8MP resolution with single buffer
- Dual CPU architecture for advanced image processing algorithms
- Enhanced noise suppression and color reproduction
- Real-time dynamic range enhancement (Z-Light+)
- H.264 video capture and playback of HD (720P) resolution at 30 frames per second
- MPEG-4 encoding uses I, P and B frames for true video quality
- Digital Image Stabilization Technology (DIST) to correct handshaking and object movement
- Digital Video Motion Stabilization Technology to compensate unwanted camera movement
- Stereo microphone and audio playback to headphone; mono to speaker and line out
- On-chip CD quality audio codec
- On-chip HDMI transmitter for native HD (1080i) display support
- Rich color On-Screen Display (OSD) with transparency levels
- Hardware Picture-in-Picture (PIP) with blending support
- Direct output to LCD and TV monitor, on-chip NTSC/PAL encoder and video DAC
- Direct interface to resident flash memory (NAND, OneNAND, NOR) and/or removable memory card support of CompactFlash (CF), SmartMedia (SM), Secure Digital (SD), Secure Digital High Capacity (SDHC), MultiMediaCard (MMC), xD, Memory Stick (MS), Memory Stick Pro (MS-Pro) and ATA-6 hard disks
- Second storage interface to SD, SDIO, MS and MS-Pro
- 16-bit data SDRAM/DDR/DDR2 interface supporting sizes of 128Mbit, 256Mbit, 512Mbit and 1Gbit
- On-chip High Speed USB 2.0 OTG interface
- CCIR-601 input port for capturing from an external TV decoder
- Micro stepping motor control for fast and quiet lens movement
- Generic serial port for interfacing with peripheral hardware units

Firmware Highlights



- Embedded host control (HCE) software architecture enables customer creation of DSC applications with minimal effort
- Backward compatibility with previous COACH software API set
- Open firmware architecture for easy customer modification
- All standard camera operation modes
- Advanced bit rate control (BRC) guarantees size of compressed video clips at maximum visual quality
- Advanced GUI support including rich OSD, bitmaps, picture in picture and more
- Variety of protocols for USB interface supported including:
 - PC Video Capture mode, for capturing real time video to PC
 - WIA, Twain, and Twain 2 protocol for direct retrieving of images and live video
 - Bulk-Only mass storage, for representing camera as a PC drive. No drivers required for most operating systems
 - PTP & MTP
 - Pictbridge



Block Diagram



COACH 10 Package



C10d/C10p: 15mm x 15mm
C10m/C10s: 13mm x 13mm

For more information, contact Zoran's Sunnyvale office or the office nearest you:

Shanghai, China	Shenzhen, China	Hong Kong	Israel	Japan	Korea	Taiwan
Zoran China Office	Zoran China Office	Zoran Asia Pacific Ltd.	Zoran Microelectronics Ltd.	Zoran Japan Office	Zoran Korea Office	Zoran Taiwan Office
Tel: 86-21-6427-6258	Tel: 86-755-8281-5777	Tel: +852-2620-5838	Tel: +972-4-8545-777	Tel: +81-3-5475-1051	Tel: +82-2-761-7471	Tel: +886-2-2659-9797
Fax: 86-21-6427-6260	Fax: 86-755-8322-0889	Fax: +852-2620-5238	Fax: +972-4-8551-550	Fax: +81-3-5475-1053	Fax: +82-2-761-7472	Fax: +886-2-2659-9595