



VirtualBox Lab Overview


- Wazuh-Manager Virtual machine created (Dashboard)
- Linux Agent Virtual Machine created (Simulate Brute force attacks, SSH, FFIM)



Wazuh Dashboard




SSH alerts



- **Rule Description** – rule.description: syslog: User missed the password more than one time
- **MITRE ATT&CK tags** – rule.mitre.technique , rule.mitre.id , rule.mitre.tactic
- **Key Fields** – rule.description , rule.level , data.srcip , full_log . Rule.groups


File Integrity Monitoring (FIM) alerts



MITRE ATT&CK

- Applied Filters: **manager.name: wazuh.manager.wazuh** — Isolates logs handled by The Wazuh main manager.

- **rule.mitre.id: *** — Ensures the dashboard only displays alerts containing valid MITRE data tags.
- Timeframe: Set to **Last 48 hours** in the top-right corner.



Core Security Concepts

- SIEM platforms map real-world alerts automatically.
- Wazuh categorizes logs using standardized frameworks.
- Attacker lifecycles track from entry to escalation.
- Threat intelligence organizes messy security data.

Interpreting Dashboard Visuals

- Timelines track the exact hour spikes happen.
- Donut charts highlight high-level attacker objectives.
- Credential Access dominated my active lab environment.
- Bar charts break down technical execution methods.
- Ring charts isolate threats by specific endpoints.

Filtering and Analysis Skills

- Advanced queries isolate MITRE-tagged log entries.
- Filtering `rule.mitre.id` strips out background noise.
- Custom views focus directly on actionable threats.