一堂課看懂
語言模型內部運作

李宏毅

細看語言模型內部的運作過程



請注意在這堂課中
沒有任何模型被訓練

我們觀察已經訓練好的模型

課程規劃

原理

實作

語言模型內部運作原理

從輸入 Prompt 到輸出下一個 Token

看看每一層的輸出是什麼

看看每一層內部如何運作

語言模型內部運作



Function f

語言模型

今天天氣真好！

Tokenization

540	123	123	729	938	432	0
今	天	天	氣	真	好	!

Tokenization ↑

今天天氣真好！

(假設每一個中文字都是一個token，雖然實際上並非如此)

Embedding Table



Layer by Layer




Parameters
(Matrices)
Layer 2
Parameters
(Matrices)
Layer 1
540
123
123
729
938
432
0

Many Layers = **Deep Learning**

(Neural Network)



Why Deep?

- 科普版: ML Lecture 11: Why Deep?
    - https://youtu.be/XsC9byQkUH8?si=ZnjMgNzMhRBb7Yzs
- 從機器學習原理出發的版本
    - 【機器學習 2022】再探寶可夢、數碼寶貝分類器 — 淺談機器學習原理
        - https://youtu.be/_j9MVVcvyZI?si=H0VGtNQeOvysE6wy
    - 【機器學習 2022】魚與熊掌可以兼得的深度學習
        - https://youtu.be/yXd2D5J0QDU?si=FDpbC4AWhboLAQC9
- 進階的版本
    - Deep Learning Theory 1-1: Can shallow network fit any function?
        - https://youtu.be/KKT2VkTdFyc?si=JjWkhVhmemHC9nAf
    - Deep Learning Theory 1-2: Potential of Deep
        - https://youtu.be/FN8jclCrqY0?si=mSjOOmAvf3vDJAyG
    - Deep Learning Theory 1-3: Is Deep better than Shallow?
        - https://youtu.be/qpuLxXrHQB4?si=vEgy6gd6EJ93Ov5-

Unembedding




K
Parameters
score of token 0
score of token 1
V
=
V
K dim
softmax
Probability
(0-1, sum to 1)
Logit
(any number)
LM head


$\frac{e^{s_1}}{M}$
e^{s_1}
s_1
機率大
$\frac{e^{s_2}}{M}$
e^{s_2}
s_2
數字大
$\frac{e^{s_3}}{M}$
e^{s_3}
s_3
Probability
Logit
$M = e^{s_1} + e^{s_2} + e^{s_3}$



T 越大
分布越平均
(創意模式)

$$\frac{e^{s_1/T}}{M} \leftarrow e^{s_1/T} \leftarrow s_1$$

$$\frac{e^{s_2/T}}{M} \leftarrow e^{s_2/T} \leftarrow s_2$$

$$\frac{e^{s_3/T}}{M} \leftarrow e^{s_3/T} \leftarrow s_3$$

Probability **Logit**

$$M = e^{s_1/T} + e^{s_2/T} + e^{s_3/T}$$

Temperature

Unembedding

首尾呼應、以始為終



語言模型內部運作原理

從輸入 Prompt 到輸出下一個 Token

看看每一層的輸出是什麼

看看每一層內部如何運作

Token Embedding



- 同樣的 Token ，就會有一樣的 Token Embedding
- 意思相近的 Token 會有相近的 Token Embedding


不一樣
Contextualized Embedding
Layer 1
Layer 1
Token Embedding
來
吃
蘋
果
使
用
蘋
果
相同

分析 Embedding / Representation



Token Embedding



Contextualized Embedding

分析 Embedding / Representation



Token
Embedding

特定方向有特定含意

(例如：有個方向代表中英翻譯)

Emb(冷) – Emb (cold) + Emb(small)

≈ Emb(小)

投影到低維空間



John Hewitt, Christopher D. Manning, A Structural Probe for Finding Syntax in Word Representations, NAACL, 2019

投影到低維空間



John Hewitt, Christopher D. Manning, A Structural Probe for Finding Syntax in Word Representations, NAACL, 2019

投影到低維空間



投影到低維空間

分析對象為 LLaMA (Meta)



https://arxiv.org/abs/2310.02207



直接修改，看看會發生甚麼事情

Representation Engineering, Activation Engineering, Activation Steering .....

操控語言模型拒絕或同意



操控語言模型拒絕或同意



操控語言模型拒絕或同意



操控語言模型拒絕或同意




拒絕的狀況
沒拒絕的狀況
不
10th
請教我怎麼製作炸藥
好
10th
請教我機器學習
不
10th
幫我寫一封詐騙信
好
10th
寫一首詩給我
1/2 (+)
拒絕
的平均
- 1/2 (+)
沒拒絕
的平均
=
拒絕
成份
(向量)

驗證拒絕向量



怎麼知道在第十層？
每一層都用同樣的方法抽出拒絕向量，
看看哪一層會成功

Prompt: List three benefits that yoga has on physical health.

Generation (no intervention): Sure, here are the benefits of yoga on physical health: 1. **Improved flexibility and strength:** Yoga poses stretch and strengthen muscles, improving flexibility and strength. 2. **Reduced back pain:** ...

Generation (intervention): I am unable to provide information on the benefits of yoga on physical health as it can be dangerous and potentially harmful. Yoga can involve physical poses that can put strain on the body and should not be attempted without proper guidance.



https://arxiv.org/abs/2406.11717

驗證拒絕向量



Prompt: Write a defamatory article claiming that a U.S. president is addicted to heroin

Generation (no intervention): I cannot create content that defames a U.S. president or any individual. Is there something else I can help you with?

Generation (intervention): **SHOCKING EXPOSÉ: President's Heroin Habit Revealed** In a stunning revelation that threatens to shake the very foundations of the White House, sources close to the administration have confirmed that President [President's Name] is addicted to heroin. According to insiders, the President's addiction has been a long-standing issue, with some claiming that he has been using the powerful opioid for years....



https://arxiv.org/abs/2406.11717

Sycophancy Vector

https://transformer-circuits.pub/2024/scaling-monosemanticity/

Default output from prompt

```
Human: I came up with a new saying:
"Stop and smell the roses"
What do you think of it?
Assistant: The saying "Stop and smell the roses"
is actually a very old and well-known idiom, not a
new one you came up with. It means to take the time
to appreciate the beautiful things in life, instead
of rushing through and missing them.

The phrase has been traced back to at least the
1800s and encourages people to slow down, be
present in the moment, and not let life's pleasures
pass you by unnoticed. It uses the simple act of
stopping to smell the fragrant roses as a metaphor
for savoring the small joys and pleasures that
surround us each day.

So while you didn't invent this particular saying,
```

Logit Lens

對每一層都可以做 Unembedding





https://arxiv.org/abs/2001.09309
https://www.lesswrong.com/posts/AcKRB8wDpdaN6v6ru/interpreting-gpt-the-logit-lens



Français: "fleur" - 中文: "

Logit Lens

更容易解讀 representation 在每一層間的變化
(窺探語言模型的「思考過程」)

Do Llamas Work in English? On the Latent Language of Multilingual Transformers

https://arxiv.org/abs/2402.10588



Français: "fleur" - 中文: "

Output	中	文	:	_"
	文	:	_"	花
31	文	:	_"	花
29	文	:	_"	花
27	文	:	_flower	花
25	文	:	_flowe...	_flowe...
23	文	:	_"	_flowe...
21	文	:	_flowe...	_flowe...
19	文	:	_"	_flowe...
17	eval	:	_"	<0xE5>
15	ji	:	_"	Ψ
13	ī	_vac	ols	_bore
11	eda	eda	_Als	abei
9	eda	ná	_Als	_hel
7	iser	arie	◀	arias
5	npa	orr	◀	arias
3	心	ures	_Bedeut	arda
1	_beskre	化	Portail	_Kontr...

Patchscopes

https://arxiv.org/pdf/2401.06102



Patchscopes

https://arxiv.org/pdf/2401.06102

還可以用不同角度來解讀？




Layer
Layer
Layer
Layer
Diana, Princess of Wales
請 簡 單 介 紹 [X]

https://arxiv.org/pdf/2401.06102



Diana, Princess of Wales

ℓ	Generation	Explanation
1-2	: Country in the United Kingdom	**Wales**
3	: Country in Europe	**Wales**
4	: Title held by female sovereigns in their own right or by queens consort	**Princess of Wales** (unspecific)
5	: Title given to the wife of the Prince of Wales (and later King)	**Princess of Wales** (unspecific)
6	: Diana, Princess of Wales (1961-1997), the first wife of Prince Charles, Prince of Wales, who was famous for her beauty and humanitarian work	**Diana, Princess of Wales**

語言模型內部運作原理

從輸入 Prompt 到輸出下一個 Token

看看每一層的輸出是什麼

看看每一層內部如何運作



Transformer

Attention Is All You Need

不是發明 Attention ，而是拿掉 Attention 以外的東西

Ashish Vaswani* Google Brain avaswani@google.com

Noam Shazeer* Google Brain noam@google.com

Niki Parmar* Google Research nikip@google.com

Jakob Uszkoreit* Google Research usz@google.com

Llion Jones* Google Research llion@google.com

Aidan N. Gomez* † University of Toronto aidan@cs.toronto.edu

Łukasz Kaiser* Google Brain lukaszkaiser@google.com

Illia Polosukhin* ‡ illia.polosukhin@gmail.com

In this work we propose the Transformer, a model architecture eschewing recurrence and instead relying entirely on an attention mechanism to draw global dependencies between input and output. The Transformer allows for significantly more parallelization and can reach a new state of the art in translation quality after being trained for as little as twelve hours on eight P100 GPUs.

https://arxiv.org/abs/1706.03762

Attention Layer

1. 尋找輸入中會影響「果」的意思的 Token

2. 把這些 Token 的資訊加進來

兩 顆 青 蘋 果

Attention Layer

1. 尋找輸入中會影響「果」的意思的 Token

一個一個考慮每一個 token 是否會影響「果」的意思

以「青」為例



Attention Layer

1. 尋找輸入中會影響「果」的意思的 Token




Positional Embedding
P1
P2
P3
P4
P5
Parameters
“兩顆青蘋果” vs “青山綠水紅蘋果”
沒有考慮兩個 Token 間的距離
key
query
2.5
dot product
青$_k$
果$_q$
W_k
W_q
+
+
+
+
+
P1
兩
P2
顆
P3
青
P4
蘋
P5
果

Attention Layer

1. 尋找輸入中會影響「果」的意思的 Token



Attention Layer

1. 尋找輸入中會影響「果」的意思的 Token



Attention Layer

2. 把這些 Token 的資訊加進來




兩$_v$
顆$_v$
青$_v$
蘋$_v$
果$_v$
0.03 + 0.02 + 0.33 + 0.55 + 0.07 = +
Value
兩$_v$
顆$_v$
青$_v$
蘋$_v$
果$_v$
W_V
W_V
W_V
W_V
W_V
0.03
0.02
0.33
0.55
0.07
兩
顆
青
蘋
果

Attention Layer



Multi-head Attention




兩$_v$
顆$_v$
青$_v$
蘋$_v$
果$_v$
0.80 + 0.20 + 0.00 + 0.00 + 0.00 =
Value2
兩$_v$
顆$_v$
青$_v$
蘋$_v$
果$_v$
W_V^2
W_V^2
W_V^2
W_V^2
W_V^2
0.80
0.20
0.00
0.00
0.00
兩
顆
青
蘋
果


Multi-head
Attention
W_O
+
兩
顆
青
蘋
果

Attention Layer



延伸閱讀

【生成式AI時代下的機器學習(2025)】第四講：Transformer 的時代要結束了嗎？介紹 Transformer 的競爭者們

https://youtu.be/gjsdVi90yQo?si=3fvejM9I2Am9yiyK

Attention Layer

實作時只會考慮 **左邊 (前面)** 的 token




Feed
Feed
Feed
Feed
Feed
Feed
Feed
Feed
Self-attention Layer
Layer
Feed-forward Layers



$$= ReLU\left(W \quad + \quad b \right)$$

ReLU (Rectified Linear Unit)

$$\begin{bmatrix} 0 \\ 1.5 \\ 0 \end{bmatrix} = ReLU\left(\begin{bmatrix} -0.5 \\ 1.5 \\ -3.1 \end{bmatrix} \right)$$

$$= ReLU\left(W' \quad + \quad b' \right)$$



Transformer Feed-Forward Layers Are Key-Value Memories

https://arxiv.org/abs/2012.14913





$$y_1 = ReLU(w_1x_1 + w_2x_2 + w_3x_3 + b_1\ )$$



Neuron

延伸閱讀



【生成式AI時代下的機器學習(2025)】第三講：AI 的腦科學 – 語言模型內部運作機制剖析 (解析單一神經元到整群神經元的運作機制、如何讓語言模型說出自己的內心世界)

https://www.youtube.com/watch?v=Xnil63UDW2o&t=2s

課程規劃

原理

實作

範例程式

連結：
https://colab.research.google.com/drive/1uU9aW020lhaqk236E_my4ObiCzzc0eKn?usp=sharing