# Contents

| 1 | conventions |                         |   | 2 |
|---|-------------|-------------------------|---|---|
|   | 1.1         | competetive conventions |   |   |
|   |             | 1.1.1                   | forcing pass  | 2 |
|   |             | 1.1.2                   | vs 1N   | 2 |
|   |             | 1.1.3                   | unusual vs unusual                                      | 2 |
|   |             | 1.1.4                   | support, negative, responsive, Lightner, maximum $X/XX$ | 2 |
|   | 1.2         | non-co                  | ontested conventions                                    | 2 |
|   |             | 1.2.1                   | modified 2-way  | 2 |
|   |             | 1.2.2                   | PLOB (4SF1)   | 3 |
|   | 1.3         | other                   | conventions   | 3 |
|   |             | 1.3.1                   | Leb   | 3 |
|   |             | 1.3.2                   | 2M game try   | 3 |
|   |             | 1.3.3                   | non-serious 3N  | 3 |
|   |             | 1.3.4                   | RKC, ORKC, EKRC, 2RKC                                   | 3 |
|   |             | 1.3.5                   | 5N  | 3 |
|   |             | 1.3.6                   | 5M  | 3 |

# Chapter 1

# conventions

## 1.1 competetive conventions

### 1.1.1 forcing pass

```
FP on if GF
FP if a non-rejected inv(+) forcing bid is interfered below the forcing level
after 2C opening
low level natural XX FP on until 2N
(2X/3X/4X) - P - (5X) - FP on if not PH
(2X/3X/4X) - bid/X - (5X) - FP on
# however, not necessarily FP on after a pen X or converted pen X
```

- 1.1.2 vs 1N
- 1.1.3 unusual vs unusual
- 1.1.4 support, negative, responsive, Lightner, maximum X/XX
- 1.2 non-contested conventions

## 1.2.1 modified 2-way

```
2N = transfer 3C.
    P = s/o. bid = ?
3X = nat ST.

# OFF if interfered, except after 1C - (1D) - X/1H = system on
# PH ON except 2D/3X = nat inv
```

### 1.2.2 PLOB (4SF1)

### 1.3 other conventions

#### 1.3.1 Leb

#### 1.3.2 2M game try

```
sure fit in 2S -
2N = ask
3X = feature in X # at least KJ/QJT. for 1D opener this is spl
3S = min w/o feature. 4S = max w/o feature. # 3N = CoG or non-
serious ?
4X = spl
3X = HSGT/ST in X # request void/x/xx/Qx/A(+)/K(+)
3S = 6+S inv
3N = CoG
4C+ = spl
# for 2H: 2S = ask, and exchange the meaning of 2N and S
```

#### 1.3.3 non-serious 3N

# 1.3.4 RKC, ORKC, EKRC, 2RKC

#### 1.3.5 5N

- RKC if fit
- choice of slam
- GSF

#### 1.3.6 5M

raise to 5M

- ask control if opp. bids one suit
- general inv