

James

BNP9PFR

LINE NO: SE11 Company: WP

PP PROFILE PRODUCTION INSTRUCTION - EXTRUSION

WPKJSHOK

Run Date: 9/25/26 14:32:43

PAGE : 1

T	Mf# / Ord#	Prod Code	Die	Actual Width	Order Size Length	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	PCs./ Stack	Stk./ Plt.	Weight (LBS)	In-str Date	Web Width
Y	H69A039	1	DPP30MB1023	PB204	31 5/8	34 1/4	PPP P RIRIRI WB WB	3.0	631	31 5/8	34 7/8	34 675	30X42	190	365	1	67.270	16-Oct	63 1/4
Special Instructions: SEND TO BAYSEK. MARK LEAD EDGE & MAKE SURE OF PC COUNT. VOIDFORM, PLEASE WATCH WEIGHT (RANGE IS 582 - 600 GSM)																			
Y	H68A088	1	DPP30MB1021	PB204	31 5/8	26 1/2	PPP P RIRIRI WB WB	3.0	514	31 5/8	27 1/8	18,460	30X42	104	355	1	22.558	13-Oct	63 1/4
Special Instructions: SEND TO BAYSEK. MARK LEAD EDGE & MAKE SURE OF PC COUNT. VOIDFORM, PLEASE WATCH WEIGHT (RANGE IS 473 - 488GSM)																			
Y	H63A200	1	DPP30MB1025	PB204	31 1/8	50 1/2	PPP P RIRIRI WB WB	3.0	631	31 1/8	51 1/4	1,080	30X54	6	360	1	3,041	04-Nov	62 1/4
Special Instructions: SEND TO BAYSEK. MARK LEAD EDGE & MAKE SURE OF PC COUNT. VOIDFORM, WEIGHT CHECK EVERY 30 MINS (RANGE 582-600 GSM) 343 PLTS DONE																			
Y	RP26811	1	RPA20MB28	PB204	48	96	PPP A RIRIRI WB WB	2.0	504	48	96 3/4	4,000	48X96	16	250	1	13,160	Stock	48
Y	H69A180	1	RPP30KS1143	PB204	48	95	PPP P R4R4R4 KS KS	3.0	612	48	95 3/4	1,750	48X96	5	350	1	6,913	02-Oct	48
Y	H69A180	2	RPP30KS1109	PB204	55	95	PPP P R4R4R4 KS KS	3.0	612	55	95 3/4	700	60X96	2	350	1	3,171	02-Oct	55
Y	H69A206	1	RPP30BL654	PA204	17 9/16	24 7/16	PPP P RIRIRI BL BL	3.0	602	17 9/16	25 1/16	1,750	36X48	5	350	4	2,520	12-Oct	70 1/4

LINE NO. SE11 Total:

121,880 PCS

118,633 LBS

T	Mfg# / Ord#	Prod Code	Die	Actual Order Size Width	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	PCS./ Stack	Stk./ Plt.	Weight (LBs)	In-str Date	Web Width
Y	RP26821 - 1	RP440W83142	PA3B5	60	120	PPP A RIRIRI W8 W8 W8	4.0	651	60	120 3/4	274,725	60X120	999	275	1	1,826,921	Stock	60
Special Instructions: 30 PLTS DONE																		

Y	RP26511	1	1	SPA40W8772	PA3B5	25	37	PPP A RIRIRI W8 W8 W8	4.0	651	25	37	5/8	110,800	36X48	400	277	2	189,246	Stock	50
Special Instructions: Send to Guillotine. Mark lead edge & make sure of pc count. Sheets must be flat. No curl or leaning pallets. Use PVC slip sheets on top of each pallet. 325 PLTS DONE																					

LINE NO. SE12 Total:

496,325 PCS

2,016,167 LBs

T	Mfg# / Ord#	Prod Code	Die	Actual Order Size Width	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Pkt	PCs./ Stack	Stk./ Pkt.	Weight (LBS)	In-str Date	Web Width	
Y	H69A237	1	RP440WB1856	PA406	42	30	PPP P RIRIRI WB WB WB	4.0	651	42	30 5/8	62,640	30X42	216	290	1	72,662	05-Oct	42
Special Instructions: RUN WITH NEXT																			
45 PLTS DONE																			
Y	RP26618	3	SPA40WB772	PA406	25	37	PPP A RIRIRI WB WB WB	4.0	651	25	37 5/8	100,800	36X48	200	252	2	86,083	Stock	25
Special Instructions: Send to Guillotine. Mark lead edge & make sure of pc count. Sheets must be flat. No curl or leaning pallets. Use PVC slip sheets on top of each pallet. RUN WITH ABOVE																			
Y	RP26506	5	SPA40WB934	PA406	49	37	PPP A RIRIRI WB WB WB	4.0	651	49	37 5/8	110,800	36X48	400	277	1	185,590	Stock	49
Special Instructions: Send to Guillotine. Mark lead edge & make sure of pc count. Sheets must be flat. No curl or leaning pallets. Use PVC slip sheets on top of each pallet. RUN WITH NEXT																			
Y	RP25522	4	SPA40WB772	PA406	25	37	PPP A RIRIRI WB WB WB	4.0	651	25	37 5/8	110,800	36X48	200	277	2	94,623	Stock	25
Special Instructions: Send to Guillotine. Mark lead edge & make sure of pc count. Sheets must be flat. No curl or leaning pallets. Use PVC slip sheets on top of each pallet. RUN WITH ABOVE																			
Y	H69A158	1	RP440WB3715	PA406	32 1/2	25 3/4	PPP A RIRIRI WB WB WB	4.0	651	32 1/2	26 3/8	1,350	35X54	5	270	2	2,079	30-Sep	65
Special Instructions: Send to Guillotine. Mark lead edge & make sure of pc count. Sheets must be flat. No curl or leaning pallets. Use PVC slip sheets on top of each pallet. RUN WITH ABOVE																			
Y	H69A105	3	RP440WB3342	PA406	36	60	PPP A RIRIRI WB WB WB	4.0	651	36	60 3/4	413	35X62	3	275	1	1,644	08-Oct	72
Special Instructions: Send to Guillotine. Mark lead edge & make sure of pc count. Sheets must be flat. No curl or leaning pallets. Use PVC slip sheets on top of each pallet. RUN WITH NEXT																			
Y	RP26618	2	SPA40WB937	PA406	49	37	PPP A RIRIRI WB WB WB	4.0	651	49	37 5/8	100,800	36X48	400	252	1	168,840	Stock	49
Special Instructions: Send to Guillotine. Mark lead edge & make sure of pc count. Sheets must be flat. No curl or leaning pallets. Use PVC slip sheets on top of each pallet. RUN WITH NEXT																			
Y	RP26717	1	RP440WB3051	PA406	48	96	PPP A RIRIRI WB WB WB	4.0	651	48	96 3/4	274,725	48X96	999	275	1	1,167,581	Stock	48

T	Mfg# / Ord#	Prod Code	Die	Actual Order Size Width	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	PCs./ Stack	Stk./ Plt.	Weight (LBS)	In-str Date	Web Width
Special Instructions: RUN WITH NEXT																		
78 PLTS DONE																		

Y	RP26327	-	1	SPA40M8772	PA406	25	37	PPP A RIRIRI W8 W8	4.0	651	25	37	5/8	55,400	36X48	100	277	2	47,312	Stock	25
Special Instructions: Send to Guillotine. Mark lead edge & make sure of pc count. Sheets must be flat. No curl or leaning pallets. Use PVC slip sheets on top of each pallet. RUN WITH ABOVE 419 PLTS DONE																					

Y	RP24C18	-	4	RPA40M83142	PA406	60	120	PPP A RIRIRI W8 W8	4.0	651	60	120	3/4	274,725	60X120	999	275	1	1,826,921	Stock	60
Special Instructions: 355 PLTS DONE																					

LINE NO. SE13 Total:

1,094,216 PCs

3,653,335 LBS

PAGE : 5

T	Mfg# / Ord#	Prod Code	Die	Actual Width	Order Size Length	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# PIt	PCs. / Stack	Stk. / Pit.	Weight (LBs)	In-str Date	Web Width
Y	H69A238 - 3	RPP40KS2126	PB405	50	47 3/4	PPP P R4R4R4	KS KS KS	4.0	651	50	48 3/8	2,500	48X54	10	250	1	5,500	13-Oct	50
Special Instructions: 8 PLTS DONE																			
Y	H69A238 - 5	RPP40KS2136	PB405	93 1/2	30 3/4	PPP P R4R4R4	KS KS KS	4.0	651	93 1/2	31 3/8	2,500	31X94	10	250	1	6,625	13-Oct	93 1/2
Y	H69A238 - 2	RPP40KS1906	PB405	96	47	PPP P R4R4R4	KS KS KS	4.0	651	96	47 5/8	1,000	48X96	4	250	1	4,160	13-Oct	96
Y	H69A238 - 4	RPP40KS2135	PB405	96 1/2	30 3/4	PPP P R4R4R4	KS KS KS	4.0	651	96 1/2	31 3/8	1,500	31X96	6	250	1	4,110	13-Oct	96 1/2
Y	H69A206 - 2	RPP40KS2012	PB405	35 3/16	50 1/4	PPP P R4R4R4	KS KS KS	4.0	651	35 3/16	51	1,520	35X54	16	285	1	7,433	12-Oct	105 9/16
Special Instructions: RUN WITH NEXT																			
Y	H69A255 - 1	RPA40KS824	PB405	50	100	PPP A R1R1R1	KS KS KS	4.0	651	50	100 3/4	275	51X100	1	275	1	1,268	07-Oct	50
Y	RP26810 - 1	RPA40KS744	PB405	48	96	PPP A R1R1R1	KS KS KS	4.0	651	48	96 3/4	9,625	48X96	70	275	1	81,813	Stock	96
Y	RP26424 - 2	RPA40MB3073	PB405	96	48	PPP A R1R1R1	WB WB WB	4.0	651	96	48 5/8	19,250	48X96	70	275	1	81,813	Stock	96
Special Instructions: 46 PLTS DONE																			
Y	RP26527 - 1	RPA40MB3143	PB405	50	100	PPP A R1R1R1	WB WB WB	4.0	651	50	100 3/4	20,625	51X100	150	275	1	190,575	Stock	100
Special Instructions: 78 PLTS DONE																			
Y	RP25818 - 2	RPA40MB3051	PB405	48	96	PPP A R1R1R1	WB WB WB	4.0	651	48	96 3/4	137,363	48X96	999	275	1	1,167,586	Stock	96
Special Instructions: 485 PLTS DONE																			

T	Mfg# / Ord#	Prod Code	Die	Actual Width	Order Size Length	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	PCs./ Stack	Stk./ Plt.	Weight (LBs)	In-str Date	Web Width
Y	RP26512 - 1	DP40MB1235	P8405	47 1/4	45 5/8	PPP P RIRIRI WB WB WB	4.0	753		47 1/4	46 1/4	145,854	44X44	999	292	1	672.387	Stock	94 1/2
										47 1/4	46 1/4	145,854							
										Special Instructions: Send to Bobst. Mark lead edge & make sure of pc count. 525 PLTS DONE									

LINE NO. SE21 Total:

658.519 PCs

2,223.270 LBs

LINE NO: SE22 Company: WP

T	Mf# / Ord#	Prod Code	Die	Actual Order Size Width	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	PCs./ Stack	Stk. Plt.	Weight (LBs)	In-str Date	Web Width	
Y	RP26311	1	RPAA0MB318	P8130	48	96	PPP A RIRIR1 W8 W8	10.0	1.704	48	96 3/4	48	48X96	999	110	1	1,224.175	Stock	96
Special Instructions: 965 PLTS DONE																			

Y	H68A053	1	RPPD0M8176	P8130	96	24	PPP P RIRIR1 W8 W8	13.0	2.691	96	24	3/8	170	48X96	1	85	2	1,496	10-Sep	96
Special Instructions: VOIDFORM, PLEASE WATCH WEIGHT MAKE UP FOR MISSING PLT																				

LINE NO. SE22 Total:

110.060 PCs

1,225.671 Lbs

Run Date: 9/25/26 14:32:43

T	Mfg# / Or-#	Prod Code	Die	Actual Width	Order Size Length	Mat A Sp. Req.	Color	Thk	GSM	Cut Width	Dimensions Length	Total Sheets	pack Code	# Plt	PCs./ Stack	Weight (Lbs)	In-str Date	Web Width	
Y	H67A120 - 1	DPP40WB1670	PB456	31 5/8	38 1/2	PPP P RIRIRI	WB WB WB	4.0	793	31 5/8 31 5/8 31 5/8	39 1/8 39 1/8 39 1/8	14,259 14,259 14,259	30X42	145	295	1	58,562	15-Oct	94 7/8
Special Instructions: SEND TO BAYSEK. MARK LEAD EDGE & MAKE SURE OF PC COUNT. VOIDFORM, PLEASE WATCH WEIGHT (RANGE IS 729 -751)																			
Y	H69A166 - 1	RPP40WB1847	PB456	31 1/8	49 1/2	PPP P RIRIRI	WB WB WB	4.0	793	31 1/8 31 1/8 31 1/8	50 1/4 50 1/4 50 1/4	30,160 30,160 30,160	35X54	312	290	1	156,530	06-Oct	93 3/8
Special Instructions: VOIDFORM, PLEASE WATCH WEIGHT (RANGE IS 729 - 751) COOL SEAL 112 PLTS DONE																			
Y	H68A091 - 1	DPP40WB1669	PB456	31 1/8	50 1/2	PPP P RIRIRI	WB WB WB	4.0	793	31 1/8 31 1/8 31 1/8	51 1/4 51 1/4 51 1/4	184,867 184,867 184,867	30X54	999	295	1	980,535	13-Oct	93 3/8
Special Instructions: SEND TO BAYSEK. MARK LEAD EDGE & MAKE SURE OF PC COUNT. VOIDFORM, WATCH WEIGHT (RANGE IS 729 - 751 GSM) 786 PLTS DONE																			
Y	RP26821 - 2	RPA40WB3051	PB456	48	96	PPP A RIRIRI	WB WB WB	4.0	651	48 48	96 3/4 96 3/4	137,363 137,363	48X96	999	275	1	1,167,586	Stock	96
Y	RP26731 - 2	DPP40WB1235	PB456	47 1/4	45 5/8	PPP P RIRIRI	WB WB WB	4.0	753	47 1/4 47 1/4	46 1/4 46 1/4	145,854 145,854	44X44	999	292	1	672,387	Stock	94 1/2
Special Instructions: Send to Bobst. Mark lead edge & make sure of pc count. CORN BOX 934 PLTS DONE																			
Y	RP26902 - 1	DPP40WB1235	PB456	47 1/4	45 5/8	PPP P RIRIRI	WB WB WB	4.0	753	47 1/4 47 1/4	46 1/4 46 1/4	145,854 145,854	44X44	999	292	1	672,387	Stock	94 1/2
Special Instructions: Send to Bobst. Mark lead edge & make sure of pc count. CORN BOX																			
Y	RP26202 - 1	RPA40WB3143	PB456	50	100	PPP A RIRIRI	WB WB WB	4.0	651	50 50	100 3/4 100 3/4	27,500 27,500	51X100	200	275	1	254,100	Stock	100
Special Instructions: 91 PLTS DONE																			

BP09PFR

LINE NO: SE23 Company: WP

PP PROFILE PRODUCTION INSTRUCTION - EXTRUSION WPKSHOK

Run Date: 9/25/26 14:32:43

PAGE : 9

T	Mfg# / Ord#	Prod Code	Die	Actual Order Size Width	Length	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	Pcs. / Stack	Stk. / Plt.	Weight (LBs)	In-str Date	Web Width

LINE NO. SE23 Total:

1,601,000 PCs

3,962,087 LBs

T	Mfg# / Ord#	Prod Code	Die	Actual Width	Order Size Length	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	PCs./ Stack	Stk./ Plt.	Weight (LBs)	In-str Date	Web Width
Y	RP26901	1	RPA40WB3630	PC607	48	96	PPP A RIRIRI WB WB WB	4.0	651	48	96 3/4	9,600	48X96	48	200	1	40,800	Stock	48
Special Instructions: RUN WITH RPA40WB3051 MUST BE BOX AT 10 PCS PER BOX PUT BETWEEN LINE 7 AND 8 9 COMPLETELY DONE 10 PLTS DONE																			
Y	RP26803	2	RPA40WB3051	PC607	48	96	PPP A RIRIRI WB WB WB	4.0	651	48	96 3/4	137,363	48X96	999	275	1	1,167,586	Stock	96
Special Instructions: 632 PLTS DONE																			
Y	RP26514	1	RPA40WB1795	PC607	48	96	PPP A SISISI WB WB WB	4.0	753	48	96 3/4	5,500	48X96	40	275	1	54,120	Stock	96
Special Instructions: ULTRA SMOOTH																			
Y	RP25710	1	RPP40WB1625	PC607	48	96	PPP P R4R4R4 WB WB WB	4.0	602	48	96 3/4	137,500	48X96	500	275	1	540,375	Stock	48
Special Instructions: DO NOT RUN																			
LINE NO. SE24 Total:													432,826 PCs		1,802,881 LBs				

Y	Mfg# / Ord#	Prod Code	Die	Actual Order Size Width	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	PCs./ Stack	Stk./ Plt.	Weight (Lbs)	In-str Date	Web Width	
Y	H68A153	- 1	SPA40WB953	PC405	48 1/4	92 1/2	PPP A OPOP WB WB	4.0	753	48 1/4	93 1/4	277	48X96	1	277	1	1,322	24-Oct	48 1/4
Special Instructions: Send to Slitter, Mark lead edge & make sure of pc count. Take to converting. Do not double stack so QC can check. Signs 365, sheets must be clean, flat and smooth. Make up for scrap pallet WHITE OPAQUE																			
Y	H69A100	- 13	RPA40WB3466	PC405	48	144	PPP A RIRIRI WB WB	4.0	651	48	144 3/4	138	48X144	1	275	1	1,761	26-Sep	96
Special Instructions: RUN WITH RPA40WB3051																			
Y	H69A225	- 1	RPA40WB3633	PC405	44	74	PPP A RIRIRI WB WB	4.0	651	44	74 3/4	1,160	48X74	4	290	1	3,480	06-Oct	44
Special Instructions: RUN WITH RPA40WB3051 2 PLTS DONE																			
Y	RP26413	- 1	SPA40WB765	PC405	49	37	PPP A RIRIRI WB WB	4.0	651	49	37 5/8	20,775	36X48	150	277	1	69,596	Stock	98
Special Instructions: Send to Guillotine. Mark lead edge & make sure of pc count. Sheets must be flat. No curl or leaning pallets. Use PVC slip sheets on top of each pallet.																			
Y	RP26120	- 1	RPA40WB3051	PC405	48	96	PPP A RIRIRI WB WB	4.0	651	48	96 3/4	137,363	48X96	999	275	1	1,167,586	Stock	96
Special Instructions: 802 PLTS DONE RUN WITH NEXT																			

LINE NO. SE31 Total:

317,989 PCs

1,243,745 LBS

T	Mfg # / Or-#	Prod Code	Die	Actual Order Size Width	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	PCs. / Stack	Stk. / Plt.	Weight (LBs)	In-str Date	Web Width	
Y	RP26731	1	RP440WB3051	PC406	48	96	PPP A RIRIRI WB WB	4.0	651	48	96 3/4	137,363	48X96	999	275	1	1,167,586	Stock	96
Special Instructions: 278 PLTS DONE																			
Y	RP26525	3	SPA40WB755	PC406	48	98	PPP A RIRIRI WB WB	4.0	651	48	98 3/4	69,500	51X100	250	278	1	302,117	Stock	48
Special Instructions: Send to Slitter. Mark edge & make sure of pc count. Take to converting. Do not double stack so QC can check. Extrusion to hold width -0. +1/16. 71 PLTS DONE																			

LINE NO. SE32 Total:

344,226 PCs

1,469,703 Lbs

T	Mfg# / Ord#	Prod Code	Die	Actual Width	Order Size Length	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	PCs./ Stack	Stk./ Plt.	Weight (LBs)	In-str Date	Web Width
Y	H68A111 - 4	RPP40WB890	PB406	102	300	PPP P R2R2R2 WB WB WB	4.0	783		102	303	648	84X96	18	36	1	22.032	26-Sep	102
Special Instructions: Rolls. Rolled material. Each roll counts has 12 pcs. Please put 1 plt tickets on the side of the 2 outside rolls. Put 4 bands together through the cores.NO telescoping. End must be straight. Rolls must be tight. No loose sloppy rolls. Watch weights. 8 PLTS DONE																			
Y	H68A111 - 5	RPP40WB890	PB406	102	300	PPP P R2R2R2 WB WB WB	4.0	783		102	303	648	84X96	18	36	1	22.032	26-Sep	102
Special Instructions: SAME AS ABOVE																			
Y	RP26923 - 1	RPP40WB1186	PB406	108	45	PPP P R2R2R2 WB WB WB	4.0	753		108	45 5/8	1,800	48X96	6	300	1	9.342	Stock	108
Special Instructions: 1 Ticket per pallet & move to repacking area. LTL MATERIAL COLOR DOES NOT MATTER																			
Y	H69A097 - 1	RPP40WB1852	PB406	52	92 1/2	PPP P R1R1R1 WB WB WB	4.0	651		52	93 1/4	2,240	51X93	16	280	1	19.891	21-Sep	104
Special Instructions: Send to Bobst. Mark lead edge & make sure of pc count.																			
Y	H68A127 - 1	DPP40WB1700	PB406	52 3/4	49 5/8	PPP P R1R1R1 WB GT WB	4.0	753		52 3/4	50 3/8	6,424	48X54	44	292	1	35.962	20-Oct	105 1/2
Special Instructions: Send to Bobst. Mark lead edge & make sure of pc count.																			
Y	H68A116 - 1	DPP50WB308	PB406	31 1/8	50 1/2	PPP P R1R1R1 WB WB WB	5.0	1,052		31 1/8	51 1/4	460	30X54	6	230	1	3.237	29-Sep	93 3/8
Special Instructions: SEND TO BAYSEK. MARK LEAD EDGE & MAKE SURE OF PC COUNT. VOIDFORM. PLEASE WATCH WEIGHT (RANGE IS 970 - 1000 GSM) MAKE UP FOR SCRAP PLTS																			
Y	RP26717 - 2	RPP40WB1625	PB406	48	96	PPP P R4R4R4 WB WB WB	4.0	602		48	96 3/4	6,600	48X96	48	275	1	51.876	Stock	96
Special Instructions: 62 PLTS DONE																			
Y	H64A244 - 1	DPP50WB305	PB406	31 5/8	38 1/2	PPP P R1R1R1 WB WB WB	5.0	1,052		31 5/8	39 1/16	80,040	30X42	230	1	436.298	15-Sep	94 7/8	

1044

BPNG9PFR

LINE NO: SE25 Company: WP

PP PROFILE PRODUCTION INSTRUCTION - EXTRUSION WPKJSHOK

Run Date: 9/25/26 14:32:43

PAGE : 12

T	Mfg# / Ord#	Prod Code	Die	Actual Order Size Width	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Pkt	Pcs. / Stack	Weight (LBS)	In-str Date	Web Width
									31 5/8	39 1/16	80,040						
									31 5/8	39 1/16	80,040						
Special Instructions: SEND TO BAYSEK. MARK LEAD EDGE & MAKE SURE OF PC COUNT. VOIDFORM, PLEASE WATCH WEIGHT 822 PLTS DONE (RANGE WEIGHT 970-1000 GSM)																	

LINE NO. SE25 Total:

275,124 PCs

600,670 LBS

Y	Mfg# / Ord#	Prod Code	Die	Actual Order Size Width	Mat A Sp. Req.	Color	Thk	GSM	Cut Width	Dimensions Length	Total Sheets	pack Code	# Pkt	PCs./ Stk./ Stack Pkt.	Weight (LBs)	In-str Date	Web Width	
Y	H68A080 - 1	CPP30KS215	PA205	89 5/16	37 5/16	PPP P RIRIR1 KS KS KS	3.0	660	89 5/16	37 15/16	1,280	36X96	4	320	1	3,999	03-Oct	89 5/16
Special Instructions: Send to printing. Mark lead edge & make sure of pc count. MAKE UP FOR SCRAP PALLETIS																		
PC405																		
Y	RP26410 - 1	DPP40WB1235	PC405	47 1/4	45 5/8	PPP P RIRIR1 WB WB WB	4.0	753	47 1/4	46 1/4	145,854	44X44	999	292	1	672,387	Stock	94 1/2
Special Instructions: Send to Bobst. Mark lead edge & make sure of pc count. CORN BOX 262 PLTS DONE																		

LINE NO. SE42 Total:

292,988 PCs

676,386 LBs

T	Mfg# / Ord#	Prod Code	Die	Actual Width	Order Size Length	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Length	Total Sheets	pack Code	# Plt	PCs./ Stack	Stk./ Plt.	Weight (LBS)	In-str Date	Web Width
Y	RP26915	1	RPA40WB3143	PB405	50	100	PPP A RIRIRI WB WB	4.0	651	50	100 3/4	20,625	51X100	150	275	1	190,575	Stock	100
Special Instructions: 100 PLTS DONE																			
Y	RP26415	1	RPA40WB3073	PB405	96	48	PPP A RIRIRI WB WB	4.0	651	96	48 5/8	41,250	48X96	150	275	1	175,313	Stock	96
Special Instructions: 20 PLTS DONE																			
Y	RP26218	1	RPA40WB3051	PB405	48	96	PPP A RIRIRI WB WB	4.0	651	48	96 3/4	137,363	48X96	999	275	1	1,167,586	Stock	96
Special Instructions: 729 PLTS DONE																			
Y	RP26526	2	RPA40WB3126	PB405	48	120	PPP A RIRIRI WB WB	4.0	651	48	120 3/4	5,500	48X120	40	275	1	58,520	Stock	96
Special Instructions: 19 PLTS DONE																			
LINE NO. SE43 Total:													368,226 PCs		1,591,994 LBs				

T	Mfg# / Ord#	Prod Code	Die	Actual Width	Order Size Length	Mat A Sp. Req.	Color	Thk	GSM	Cut Dimensions Width	Total Sheets	pack Code	# Plt	PCs./ Stack	Stk./ Plt.	Weight (LBS)	In-str Date	Web Width
Y	H68A020	1	RBPA0KS70	BB510	63	54	PPP P RDRDRD KS KS KS	10.0	2.006	63	54 3/4	54X63	40	50	1	19,360	01-Oct	63
Special Instructions: GENESIS, TARGET THICKNESS 10 (RANGE IS 9.50-10.50) 38 PLTS DONE																		
Y	H64A178	1	RBP50EB52	BB510	75	61	BBB P RMR6R6 EB KS EB	5.0	1.502	75 1/8	61 1/4	61X75	3	200	1	5,850	24-Sep	75 1/8
Special Instructions: Bradford, treat both sides minimum 42 dynes. Thickness range 3.3-3.8mm.																		
Y	H64A289	1	RBP50EB52	BB510	75	61	BBB P RMR6R6 EB KS EB	5.0	1.502	75 1/8	61 1/4	61X75	4	200	1	7,800	24-Sep	75 1/8
Y	H64A289	2	RBP50EB45	BB510	85	94	BBB P RMR6R6 EB KS EB	5.0	1.502	85 1/8	94 1/4	84X96	4	200	1	13,624	24-Sep	85 1/8
Special Instructions: 2 PLTS DONE																		
Y	H64A289	3	RBP50EB53	BB510	85	118	BBB P RMR6R6 EB KS EB	5.0	1.502	85 1/8	118 1/4	88X118	8	100	1	17,104	24-Sep	85 1/8
Special Instructions: 1 PLT DONE																		
Y	H64A289	4	RBP50EB54	BB510	85	137	BBB P RMR6R6 EB KS EB	5.0	1.502	85 1/8	137 1/4	88X137	8	100	1	19,856	24-Sep	85 1/8
Y	RP26826	1	RBP50EB10	BB510	84	48	BBB P RDRDRD EB KS EB	5.0	1.503	84 1/8	48 1/4	48X84	60	200	1	103,200	Stock	84 1/8
Special Instructions: 39 PLTS DONE																		

LINE NO. SE61 Total:

Final Total:

** END OF REPORT **

17,800 PCs

6,131,179 PCs

186,794 LBS

20,771,336 LBS

PP PROFILE PRODUCTION INSTRUCTIONS - BOBST DIE CUTTER

Issue Date: 9/25/2026
Page: 1 of 2

LINE NO: SD31 BOBST

Order #	Product Code	Extrusion Status	Semi pc/plt	Semi-Size	Color	Apl.	MM	Flute	Die #	Die Description	Die Status	Plate Status	Ink Color	Total Sheets	Pack Code	# of Pils.	Pc. / Plt.	Req. Date
H5BA121-1	DPP30WB1047	53 OF 52	383	49 12/16 X 44 12/16	WB	P	3	P	B0979	Broccoli Box	IN	NA	NA	19,760	48x48	52	380	23-Feb
H5BA122-1	DPP30WB1047	52 OF 52	383	49 12/16 X 44 12/16	WB	P	3	P	B0979	New Lock Push								
H5BA123-1	DPP30WB1047	52 OF 52	383	49 12/16 X 44 12/16	WB	P	3	P	B0979	Broccoli Box	IN	NA	NA	19,760	48x48	52	380	2-Mar
H68A032-1	DPP30WB675	6 OF 17	360	29x44 3/8	WB	P	3	P	B0737	Apac Paper D/C Pad	IN	NA	NA	6,000	48x54	10	600	15-Sep
H68A025-1	DPP30WB1026	0 OF 68	388	35 6/16 X 35	WB	P	3	P	B0963	1/2 BUSHEL	IN	RA821	-7458 BLU	25,840	35x38	68	380	18-Sep
H68A160-1	DPP40WB882	12 OF 12	260	53 7/8x42 3/8	WB	P	4	P	B0411	PRODUCE BOX	IN	NA	A-2746 BLUE			14 DONE		
H68A169-1	DPP40WB1164	14 OF 14	255	38x37 3/4	WB	P	4	P	B0773	Lid	IN	NA	NA	3,000	48x54	12	250	14-Oct
H68A245-1	DPP50KS186	0 OF 20	215	67 8/16 X 34 8/16	KS	P	5	P	B1004	Orora Group D/C Pad	IN	NA	NA	14,000	40x40	14	1000	8-Oct
H68A244-1	DPP50KS185	20 OF 20	215	67 8/16 X 34 8/16	KS	P	5	P	B1005	33" FLANGE	NA	NA	NA	8500	35X66	20	425	13-Oct
H69A067-1	DPP40KS202	8 OF 8	255	62 1/4x38 3/4	KS	P	4	P	B0807	900041004, ARD	NA	NA	NA	8500	35X66	20	425	12-Oct
H68A170-1	DPP40KS303	20 OF 20	255	52 4/16 X 37 6/16	KS	P	4	P	B0940	900041005, ARD	IN	NA	NA	2,000	42x62	8	250	30-Oct
H69A133-1	DPP30KS105	8 of 8	320	27 1/2x34 3/4	KS	P	3	P	B0831	CDR Coil Shipping Cover	IN	NA	NA	5,000	35x54	20	250	1-Oct
Exact qty only. No over or short.																		
H69A139-1	DPP40KS303	20 OF 20	260	52 4/16 X 37 6/16	KS	P	4	P	B0940	Cope Plastics Insulation	IN	NA	NA	5,000	35x54	20	250	5-Oct
H68A107-1	CPP40NS362	10 OF 10	215	75 3/4x49 3/8	NS	P	4	P	B0604	Stop								
H68A127-1	DPP40WB1700	0 OF 44	292	52 12/16 X 49 10/16	GT	P	4	P	B0976	Recycle Bin	IN	NA	NA	2,150	48x36	10	215	9-Oct
										No print								
										REV. 40976 CAB BOX	IN	NA	NA	12,760	48X54	44	290	30-Sep
EXT TAB & PANEL																		

For Corn Boxes below: Please stack on pallets with the flutes facing the open end of the pallet. Please keep this consistent.

PP PROFILE PRODUCTION INSTRUCTIONS - BOBST DIE CUTTER

Issue Date: 9/25/2026
Page: 2 of 2

LINE NO: SD31 BOBST

Order #	Product Code	Extrusion Status	Semi pc/plt	Semi-Size	Color	Apl.	MM	Flute	Die #	Die Description	Die Status	Plate Status	Ink Color	Total Sheets	Pack Code	# of Plts.	Pc. / Plt.	Req. Date
They need to be stacked the same direction on ALL pallets. USE BOARD USED FROM OTHER ORDER RP26731-2 & RP26731-2																		
****MUST BE AT 290 & ONLY USE 44X44 REGULAR PALLET****																		
H5CA066-1	DPP40WB1235	0 OF 56	292	47 1/4x45 5/8	WB	P	4	P	B759A	Sustainer 8.5 Corn Box (Rev 8.5")	IN	NA	NA	16,240	44x44	56	290	1-Sep
H5CA090-1	DPP40WB1235	0 OF 56	292	47 1/4x45 5/8	WB	P	4	P	B759A	Sustainer 8.5 Corn Box (Rev 8.5")	IN	NA	NA	16,240	44x44	56	290	1-Sep
H5CA202-1	DPP40WB1235	24 OF 190	292	47 1/4x45 5/8	WB	P	4	P	B759A	Sustainer 8.5 Corn Box (Rev 8.5")	IN	NA	NA	16,240	44x44	56	290	1-Sep
H5CA203-1	DPP40WB1235	0 OF 56	292	47 1/4x45 5/8	WB	P	4	P	B759A	Sustainer 8.5 Corn Box (Rev 8.5")	IN	NA	NA	16,240	44x44	56	290	1-Sep
H5CA205-1	DPP40WB1235	36 OF 84	292	47 1/4x45 5/8	WB	P	4	P	B759A	Sustainer 8.5 Corn Box (Rev 8.5")	IN	NA	NA	16,240	44x44	56	290	1-Sep
RP26731-2	DPP40WB1235	934 OF 999	292	47 1/4x45 5/8	WB	P	4	P	B759A	Sustainer 8.5 Corn Box (Rev 8.5")	IN	NA	NA	16,240	44x44	56	290	1-Sep
RP26731-2	DPP40WB1235	0 OF 999	292	47 1/4x45 5/8	WB	P	4	P	B759A	Sustainer 8.5 Corn Box (Rev 8.5")	IN	NA	NA	16,240	44x44	56	290	1-Sep

PP PROFILE PRODUCTION INSTRUCTIONS - DIE CUTTER

Issue Date: 9/25/2026
Page: 1 of 1

LINE NO: SD11/SD12 ROTARY/ PRINTING

Order #	Product Code	Extrusion Status	Semi pc/pli	Semi-Size	Color	Appl	MM	Flute	Die #	Die Description	Die Status	Plate Status	Ink Color	Total Sheets	Pack Code	# of Plts.	Pc. / Plt.	Req. Date
***Cover sheets must be put on all pallets produced before being sent to Packers. ***Please put pallet tickets on all 4 sides, not all 4 together on 1 side. Packers will not do this for you.																		
H68A080-1	CPP30KS215	0 OF 4	320	89 5/16 X 37 5/16	KS	P	3	P	D0343	NORDSTROM FOLTT	IN	RA835	WHITE	1,200	39X87	4	300	30-Sep
H68A252-1	DPP40WB1453	6 OF 6	255	87 8/16X37 8/16	WB	P	4	P	D0309	HMC WATSONTOWN	IN	RA766	Black	1470	35X86	6	245	26-Oct
H68A252-2	DPP40WB1454	7 OF 7	260	51 10/16X51 14/16	WB	P	4	P	D0310	BRICK 1/2 SURROUND	IN	NA	187 RED	1785	52X54	7	255	26-Oct
										BRICK SURROUND LID								

For next use pallet tickets without Intoplast Logo. Must be packed well to prevent boxes from getting dirty during shipment.

H68A142-1	CPP40WB320	29 of 29	300	88 15/16X37 1/8	WB	P	4	P	D0263	Flexcon/Nemera	IN	NA	NA	8700	48x40	29	300	16-Oct
48x40 pallet 120pcs laid flat. Alternate direction of boxes so they lay flat. Place 2 bndl vertical on the 48" side at 5 pcs per bundle & 2 on the 40" side for a total of 140 pcs.																		
Should not be over 49" tall.																		
*Must use specially purchased "new" heat treated pallets for this order. These pallets must be stored indoors.																		
Must use plastic slip and cover sheets. Use paper board corner protectors.																		

SD11/SD12

PP PROFILE PRODUCTION INSTRUCTIONS - FLAT-BED

Issue Date: 9/25/2026

Page: 1 of 1

LINE NO: SD21 FLAT-BED

Order #	Product Code	Extrusion Status	Semi pc/plt	Semi-Size	Color Apt.	MM	Flute	Die #	Die Description	Die Status	Plate Status	Ink Color	Total Sheets	Pack Code	# of Plts.	Pc. / Plt.	Req. Date
***Cover sheets must be put on all pallets produced before being sent to Packers.																	
***Please put pallet tickets on all 4 sides, not all 4 together on 1 side. Packers will not do this for you.																	

H68A170-2	DPP40KS409	10 OF 10	255	51 4/16 X 73 12/16	KS	P	4	P	F0324	INSULATION STOP	IN	NA	2,500	52X74	10	250	1-Oct
H69A074-1	DPP40WB1552	20 OF 20	255	56 X 56	WB	P	4	P	F0309	DRC IND. 55"ODX24"ID	IN	NA	5,000	55X55	20	250	13-Oct
MUST BE AT 250																	

SD21

Issue Date: 9/25/2026
Page: 1 of 2

Order #	Product Code	Extrusion Status	Semi pc/plt	Semi-Size	Color	Apl.	MM	Flute	Die #	Die Description	Die Status	Plate Status	Ink Color	Total Sheets	Pack Code	# of Plts.	Pc. / Plt.	Req. Date	
**For next please make full pallets only. No partial pallets or pallets with overages.																			
H64A244-1	DPP50WB305	823 OF 1044	230	60 4/16 X 36 4/16	WB	P	5	P	Y0002	6x29.625 Partition	IN	NA	NA	1,431,000	35X62	560	2700	4-Jun	
Watch weights. Target wt is 0.2358. Acceptable range is 0.2240 - 0.2476																			
Mark 5mm 6" 9 slot 205#. No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																			
																229 DONE			

H61A218-1	DPP40WB1673	6 OF 6	292	31	10/16X42	4/16	WB	P	4	P	Y0005	10x29.625	Partition	IN	NA	NA	6960	42X62	3	2320	20-Jun
Watch weights. Target wt is 0.2988. Acceptable range is 0.2779 - 0.3197																					
Mark with 4mm 10" 9 slot 154#. No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																					
MAKE UP FOR SCRAP PALLETS																					

H63A200-1	DPP30WB1025	368 OF 374	360	31 2/16 X 50 8/16	WB	P	3	P	Y0004	New 12x29.63	9 Slot Partition	IN	NA	NA	526,400	48X62	188	2800	30-Jun
Watch weights. Target wt is 0.2891. Acceptable range is 0.2746 - 0.3035																			
Mark with 12" 9 Slot 3mm 123#. No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																			
56 DONE																			

Pallets to be loaded on this form. Pallets only. No partial pallets or pallets with overages.									
H63A199-1	DPP40WB1673	432 OF 432	292	31	10/16X42 4/16	WB	P	4	P
Watch weights. Target wt is 0.2988. Acceptable range is 0.2839 - 0.3137									
Mark with 4mm 10" 9 slot 154#. No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.									
						NA		NA	
						501,120		42X62	
						216		2320	
						151 DONE			

H65A163-1	DPP30WB1025	145 OF 141	360	31 2/16 X 50 8/16	WB	P	3	P	Y0004	New 12x29.63	9 Slot Partition	IN	NA	201.6	48X62	72	2800	22-Jul
Watch weights. Target wt is 0.2891. Acceptable range is 0.2746 - 0.3035																		
Mark with 12" 9 Slot 3mm 123#. No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																		
17 DONE																		

Mark 5mm 6" 9 slot 205#. No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																		
Watch weights. Target wt is 0.3978. Acceptable range is 0.3779 - 0.4176																		
H66A005-1	DPP50WB307	28 OF 28	230	31	10/16 X 42 4/16	WB	P	5	P	Y0005	10" 9-SLOT Partition	IN	NA	25,200	42X62	14	1800	20-Aug
Planks only, no panel panels or pallets with overages.																		

[illegible]

Issue Date: 9/25/2026
Page: 2 of 2

Order #	Product Code	Extrusion Status	Semi pc/plt	Semi-Size	Color	Appl.	MM	Flute	Die #	Die Description	Die Status	Plate Status	Ink Color	Total Sheets	Pack Code	# of Plts.	Pc. / Plt.	Req. Date	SD22
H68A091-1	DPP40WB1669	786 OF 1880	295	31 2/16 X 50 8/16	WB	P	4	P	Y0004	12x29.63 9 Slot Partition	IN	NA	NA	2,204,000	48X62	950	2320	8-Oct	
Watch weights. Target wt is 0.3619. Acceptable range is 0.3438- 0.3800																			
Mark with 12" 9 Slot 4mm 154#. No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																			
																			256 DONE
																			234 DONE IN COOLSEAL
																			490 TOTAL DONE
**For next please make full pallets only. No partial pallets or pallets with overages.																			
H69A039-1	DPP30WB1023	0 OF 190	365	31 10/16 X 34 4/16	WB	P	3	P	Y0003	8x29.63 9 Slot Partition	IN	NA	NA	274,400	35X62	98	2800	1-Oct	
Watch weights. Target wt is 0.1903. Acceptable range is 0.1808- 0.1998																			
Mark with 3mm 8" 9 slot.123# No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																			
H68A007-1	DPP30WB1066	84 OF 84	305	39 4/16 X 32	WB	P	3	P	Y0015	VERITIV 3MM	IN	NA	NA	504,000	30X35	84	6000	28-Sep	
MUST BE AT 6,000																			
																			900020015

**For next please make full pallets only. No partial pallets or pallets with overages.																		
H68A088-1	DPP30WB1021	0	OF 104	355	31 10/16 X 26 8/16	WB	P	3	P	Y0006	4" 9-SLOT PARTITION	IN	NA	218,400	30x48	52	4200	8-Oct
Watch weights. Target wt is 0.0758. Acceptable range is 0.0720 - 0.0796																		
Mark 3mm 4" 9 slot 100#. No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																		
**For next please make full pallets only. No partial pallets or pallets with overages.																		
**For next please make full pallets only. No partial pallets or pallets with overages.																		
H69A041-1	DPP40WB1672	181	OF 181	294	31 10/16 x32 14/16	WB	P	4	P	Y0003	8x29.63 9 Slot Partition	IN	NA	211,120	35X62	91	2320	5-Oct
Watch weights. Target wt is 0.2382. Acceptable range is 0.2263 - 0.2501																		
Mark with 4mm 8" 9 slot.154# No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																		
**For next please make full pallets only. Exact qty only. No over runs. No partial pallets or pallets with overages.																		
H66A116-1	DPP50WB308	0	OF 6	230	31 2/16 X 50 8/16	WB	P	5	P	Y0004	12x29.63 9 Slot Partition	IN	NA	5,400	48X62	3	1800	30-Sep
Watch weights. Target wt is 0.4818. Acceptable range is 0.4577 - 0.5058																		
Mark with 12" 9 Slot 5mm 205#. No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																		
**For next please make full pallets only. No partial pallets or pallets with overages.																		
H67A120-1	DPP40WB1670	0	OF 145	295	60 4/16 X 36 4/16	WB	P	4	P	Y0002	6x29.625 Partition	IN	NA	254,040	35X62	73	3480	9-Sep
Watch weights. Target wt is 0.1771. Acceptable range is 0.1683 - 0.1860																		
Mark 4mm 6" 9 slot 154#. No pinched edges. Please use pallet sizes shown as agreed to by VoidForm. Need PALLET TICKETS ON ALL 4 SIDES.																		

Issue Date: 9/25/2026
Page: 1 of 2

Order #	Product Code	Extrusion Status	Semi pc/plt	Semi-Size	Color	Apl.	MM	Flute	Die #	Die Description	Die Status	Total Sheets	Pack Code	# of Pkts.	Pc. / Pkt.	Req. Date	
***Use the LEAD EDGE of the semi-finished sheets to square up. Put lead edge against back fence first so the trail edge is cut off first.																	
***Please put pallet tickets on all 4 sides, not all 4 together on 1 side. Packers will not do this for you.																	
PUT SEMI-FINISHED PALLET TICKET BEHIND THE FINISHED GOODS TICKET. NOT ANYWHERE ELSE!																	
All stock sign blank orders should have Order number & Product code at the bottom of the extrusion pallet ticket. Don't mix orders unless instructed.																	
BOARD USE FROM OTHER ORDER RP26423-1 96 OF 100																	
RP26422-6	SPA40WB937	200 OF 200	252	49X37	WB	A	4	P	G0001	24X18 SQ. CUT	NA	300,000	48X36	150	2000	23-May	
Please package 100pcs. Per box													20 boxes per pallet				152 DONE

RP25A08-6	SPA40YF117	40 OF 40	277	49x37	YF	A	4	P	G0001	24x18 Sq. cut	NA	44,000	48x36	40	1100
-----------	------------	----------	-----	-------	----	---	---	---	-------	---------------	----	--------	-------	----	------

RP26618-2	SPA40WB937	372 OF 400	252	49X37	WB	A	4	P	G0001	24X18 SQ. CUT	NA	600,000	48X36	300	2000	22-Jul
Please package 100pcs. Per box																
20 boxes per pallet																
235 DONE																

RP26506-4	SPA40WB762	120 OF 120	277	37x49	WB	A	4	P	G0007	36x24 Sq. cut	NA	66,000	48x36	120	550	22-Aug
													134 DONE			
RP26604-2	SPA40WB935	120 OF 120	277	37x49	WB	A	4	P	G0002	18x24 Sq. cut	NA	132,000	48x36	120	1100	24-Sep
													71 DONE			
RP26413-1	SPA40WB765	0 OF 150	277	49x37	WB	A	4	P	G0010	48x36 Sq cut	NA	41,250	48x36	150	275	27-Sep
H68A223-1	SPA40WB810	4 OF 4	255	48 X 49	WB	A	4	P	G0335	47 X 48 SQ CUT	NA	1,000	48X48	4	250	16-Sep

RP26506-5	SPA40WB934	200 OF 400	277	49x37	WB	A	4	P	G0001	24x18 Sq. cut	NA	550,000	48x36	500	1100	2-Nov
H69A062-1	SPA40WM7	7 OF 7	245	49x49	WM	A	4	P	G0214	24x16 Sq cut	NA	10,010	48x48	7	1430	21-Sep

H69A062-5	SPA40WM11	7 OF 7	280	37x49	WM	A	4	P	G0002	18x24 Sq. cut	NA	7700	48x36	7	1100	21-Sep
-----------	-----------	--------	-----	-------	----	---	---	---	-------	---------------	----	------	-------	---	------	--------

PP PROFILE PRODUCTION INSTRUCTIONS - GUILLOTINE

Issue Date: 9/25/2026
Page: 2 of 2

LINE NO: SD41 & 42 GUILLOTINE

Order #	Product Code	Extrusion Status	Semi pc/pit	Semi-Size	Color	Apl.	MM	Flute	Die #	Die Description	Die Status	Total Sheets	Pack Code	# of Plts.	Pc. / Plt.	Req. Date
H69A062-6	SPA40WM10	3 OF 3	285	49 X 37	WM	A	4	P	G0001	24 X 18 SQ CUT	NA	3300	48x36	3	1100	21-Sep
H69A066-4	SPA40WM15	4 OF 4	280	49x37	WM	A	4	P	G0005	24x36 Sq. cut	NA	2,200	48x36	4	550	25-Sep
H69A066-6	SPA40WM10	12 OF 12	285	49 X 37	WM	A	4	P	G0001	24 X 18 SQ CUT	NA	13,200	48x36	12	1100	25-Sep
H69A031-3	SPA60WM1	26 OF 26	155	49x49	WM	A	6	P	G0057	48x48 Sq cut	NA	3,900	48x48	26	150	21-Sep
H69A071-1	SPA60KS24	6 OF 6	175	35 X 37 8/16	KS	A	6	P	G0351	34" X 36.5" SQ CUT	NA	1,020	35X38	6	170	7-Oct
H69A004-1	SPA40KS155	6 OF 6	255	37x49	KS	A	4	P	G0002	18x24 Sq. cut	NA	6,000	48x36	6	1000	16-Sep

SD41/SD42

1 DONE

Issue Date: 9/25/2026
Page: 1 of 2

Order #	Product Code	Extrusion Status	Semi pc/plt	xtrusid Start	Semi-Size	Color	Apl. MM	Flute	Die #	Die Description	Die Status	Total Sheets	Pack Code	# of Plts.	Pc. / Plt.	Req. Date
***Cover sheets must be put on all pallets produced before being sent to Packers.																
***Please have operators wear gloves when operating Slitter to protect dyne level & keep sheets clean.																
*** For ALL Slitter orders. Please cut length on everything to maximum tolerance unless noted otherwise.																
***Please put pallet tickets on all 4 sides, not all 4 together on 1 side. Packers will not do this for you.																
PUT SEMI-FINISHED PALLET TICKET BEHIND THE FINISHED GOODS TICKET. NOT ANYWHERE ELSE!																

RP26525-3	SPA40WB755	71 OF 250	278	####	48x98	WB	A	4	P	DUM61	48x96 Sq cut	NA	#####	48x96	250	275	20-Sep
59 DONE																	

H69A066-2	SPA40WM8	6 OF 6	278	####	51 X 100	WM	A	4	P	SL297	51" X 98" SQ CUT	NA	1,100	100X51	4	275	21-Sep
Please allow sufficient cure time for these. Up to 10 days if possible.																	
Width -0, +1/8, Length -0, +1/8 (try to keep +1/16), Curl & Hump/Warpage <1/4"																	
Must be on a heat treated pallet.																	
H69A062-4	SPA40WM9	8 OF 8	278	####	51 X 96 8/16	WM	A	4	P	SL330	51 X 94.5 SQ CUT	NA	1,650	51X96	6	275	21-Sep
Please allow sufficient cure time for these. Up to 10 days if possible.																	
Width -0, +1/8, Length -0, +1/8 (try to keep +1/16), Curl & Hump/Warpage <1/4"																	
Must be on a heat treated pallet.																	
H69A066-1	SPA40WM14	5 OF 5	278	####	51 X 100	WM	A	4	P	SL297	51" X 98" SQ CUT	NA	1,100	100X51	4	275	25-Sep
Please allow sufficient cure time for these. Up to 10 days if possible.																	
Width -0, +1/8, Length -0, +1/8 (try to keep +1/16), Curl & Hump/Warpage <1/4"																	
Must be on a heat treated pallet.																	
H69A066-3	SPA40WM13	5 OF 5	278	####	48x98	WM	A	4	P	DUM61	48x96 Sq cut	NA	1,100	48x96	4	275	25-Sep
Please allow sufficient cure time for these. Up to 10 days if possible.																	
Width -0, +1/8, Length -0, +1/8 (try to keep +1/16), Curl & Hump/Warpage <1/4"																	
Must be on a heat treated pallet.																	

PP PROFILE PRODUCTION INSTRUCTIONS - SLITTER

Issue Date: 9/25/2026
Page: 2 of 2

LINE NO: SD51 SLITTER

Order #	Product Code	Extrusion Status	Semi pc/plt	xtinsic Start	Semi-Size	Color	Apl.	MM	Flute	Die #	Die Description	Die Status	Total Sheets	Pack Code	# of Plts.	Pc. / Plt.	Req. Date
H69A066-5	SPA40WM9	5 OF 5	278	####	51 X96 8/16	WM	A	4	P	SL330	51 X 94.5 SQ CUT	NA	1,100	51X96	4	275	25-Sep
Please allow sufficient cure time for these. Up to 10 days if possible.																	
Width -0, +1/8, Length -0, +1/8 (try to keep +1/16), Curl & Hump/Warpage <1/4"																	
Must be on a heat treated pallet.																	
H68A153-1	SPA40WB953	24 OF 24	277	####	48 4/16 X 92 8/16	WB	A	4	P	SL351	48.25 X 91	NA	6,600	48X96	24	275	19-Oct
H69A105-4	SPA40WB776	4 OF 4	278	####	96x50	WB	A	4	P	DUM54	96x48 Sq cut	NA	1,100	48x96	4	275	8-Oct
23 DONE																	
3 DONE																	

SD51

Issue Date: 9/25/2026
Page: 1 of 1

SC31

Order #	Product Code	Extrusion Status	Semi pc/plt	Semi-Size	Color	Apl.	MM	Flute	Die #	Die Description	Die Status	Plate Status	Ink Color	Total Sheets	Pack Code	# of Plts.	Pc. / Plt.	Req. Date
***Cover sheets must be put on all pallets produced before being sent to Packers. ***Please put pallet tickets on all 4 sides, not all 4 together on 1 side. Packers will not do this for you.																		
H68A080-1	CPP30KS215	0 OF 4	320	89 5/16 X 37 5/16	KS	P	3	P	D0343	NORDSTROM	IN	RA835	WHITE	1,200	39X87	8	150	30-Sep
NEW ORDER PLEASE LET ME KNOW WHAT WILL WORK BETTER																		
For next use pallet tickets without Inteplast Logo. Must be packed well to prevent boxes from getting dirty during shipment.																		
H67A063-1	CPP40WB320	29 of 29	300	88 15/16x37 1/8	WB	P	4	P	D0263	Flexcon/Nemera	IN	NA	NA	8400	48x40	60	140	30-Sep
48x40 pallet 120pcs laid flat. Alternate direction of boxes so they lay flat. Place 2 bndl vertical on the 48" side at 5 pcs per bundle & 2 on the 40" side for a total of 140 pcs.																		
Should not be over 49" tall.																		
*Must use specially purchased "new" heat treated pallets for this order. These pallets must be stored indoors.																		
Must use plastic slip and cover sheets. Use paper board corner protectors.																		
For next use pallet tickets without Inteplast Logo. Must be packed well to prevent boxes from getting dirty during shipment.																		
H68A142-1	CPP40WB320	29 of 29	300	88 15/16x37 1/8	WB	P	4	P	D0263	Flexcon/Nemera	IN	NA	NA	8400	48x40	60	140	16-Oct
48x40 pallet 120pcs laid flat. Alternate direction of boxes so they lay flat. Place 2 bndl vertical on the 48" side at 5 pcs per bundle & 2 on the 40" side for a total of 140 pcs.																		
Should not be over 49" tall.																		
*Must use specially purchased "new" heat treated pallets for this order. These pallets must be stored indoors.																		
Must use plastic slip and cover sheets. Use paper board corner protectors.																		
H68A107-1	CPP40NS362	10 OF 10	215	75 3/4x49 3/8	NS	P	4	P	B0604	Recycle Bin	IN	NA	NA	2,000	48x36	20	100	9-Oct

Line 1 (SE11) Formulations

9/25/26

Order #	Formula Code	Hopper 1		Hopper 2		Hopper 3		Hopper 4		Hopper 5		AC = 1
		Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	
H69A039-1 H68A088-1 H63A200-1	FU0022WB3	WB-W26038A	50	HiTalc ZS (or N40109A)	15	F1203K	16	PP Virgin-silo 3 (6502A)	45	CaCO3 -Heritage HM-10MAX	6	(For VOIDFORM order only)
RP26811-1	FUA151WB2	WB-W26038A	60	HiTalc ZS (or N40109A)	21	F1203K	21	PP Virgin-silo 3 (F6502A)	35	Exxon - Vistamaxx 6102FL	34	
H69A180-1 H69A180-2	RU0000KS3	KS-MDI PE-500 (or Spartech B60009 or NPC PE90000F)	45			PP Mix Reclaim	95					
H69A206-1	FU0151BL3	BL-B26003A (OR NPC-B60387)	43	HiTalc ZS (or N40109A)	15	F1203K	12	PP Virgin-silo 3 (6502A)	58	CaCO3 -Heritage HM-10MAX	11	Match color and opacity with QC sample

Note: For KS orders, increase Hopper 1 setting if the board looks too gray, because the PP Mix Reclaim from the boxes/silo 8 might be too much WB (or others) colored.
Note: CaCO3 means calcium carbonate.

Line 2 (SE12) Formulations

9/25/26

Order #	Formula Code	Hopper 1		Hopper 2		Hopper 3		Hopper 4		Hopper 5		AC = 90
		Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	
RP26821-1	FUA152WB4	WB-W26038A	50	HiTalc ZS (or N40109A)	27	F1203K	14	PP Virgin-silo 3 (6502A)	71			
RP26511-1	FUA152WB4	WB-W26038A	50	HiTalc ZS (or N40109A)	41	F1203K	20	PP Virgin-silo 3 (6502A)	71			(For sign blank orders only)

Note: CaCO3 means calcium carbonate.

Line 3 (SE13) Formulations

9/25/26

Order #	Formula Code	Hopper 1		Hopper 2		Hopper 3		Hopper 4		Hopper 5		AC = 90
		Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	
H69A237-1 RP26618-3 RP26506-5 RP25522-4 RP26618-2 RP26717-1 RP26327-1	FUA152WB4			HiTalc ZS (or N40109A)	60	F1203K	33	PP Virgin-silo 3 (F6502A)	45	WB-W26038A	16	(For sign blank orders only)
H69A158-1 H69A105-3 RP24C18-4	FUA152WB4			HiTalc ZS (or N40109A)	48	F1203K	25	PP Virgin-silo 3 (F6502A)	48	WB-W26038A	15	

Note: CaCO3 means calcium carbonate.

Line 4 (SE21) Formulations

9/25/26

Order #	Formula Code	Hopper 1		Hopper 2		Hopper 3		Hopper 4		Hopper 5		Note
		Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	
H69A238-3 H69A238-5 H69A238-2 H69A238-4 H69A206-2	RU0000KS4					PP Mix Reclaim	99	KS-MDI PE-500 (or PolyOne LD-250 or NPC PE9000F)	10			
H69A139-1	FU0041KS4	PP Virgin-silo 3 (F6502A)	32	HiTalc ZS (or N40109A)	6	PP Mix Reclaim	70	KS- NPC PE9000F (or Spartech B60009 or MDI PE-500)	35	CaCO3 -Heritage HM-10MAX	28	
H69A255-1 RP26810-1	FUA152KS4	PP Virgin-silo 3 (F6502A)	53	HiTalc ZS (or N40109A)	6	F1203K	13	KS- NPC PE9000F (or Spartech B60009 or MDI PE-500)	24	CaCO3 -Heritage HM-10MAX	24	
RP26424-2 RP26527-1	FUA152WB4	PP Virgin-silo 3 (F-6502A)	47	HiTalc ZS (or N40109A)	8	F1203K	25	WB-W26038A	21			
RP25818-2	FUA152WB4	PP Virgin-silo 3 (F-6502A)	47	HiTalc ZS (or N40109A)	8	F1203K	25	WB-W26038A	21			
RP26512-1	FU0041WB4	PP Virgin-silo 3 (F6502A)	40	HiTalc ZS (or N40109A)	5	PP WB Reclaim	30	WB-W26038A	16	CaCO3 -Heritage HM-10MAX	18	
	FU0031WB4	PP Virgin-silo 3 (F6502A)	80	HiTalc ZS (or N40109A)	10	PP WB Reclaim	60	WB-W26038A	32	CaCO3 -Heritage HM-10MAX	36	
	FU0011WB4	PP Virgin-silo 3 (F6502A)	48	HiTalc ZS (or N40109A)	5	F1203K	16	WB-W26038A	24	CaCO3 -Heritage HM-10MAX	22	(Use this formula in case PP WB Reclaim is run out)

Note: For KS orders, increase Hopper 4 setting if the board looks too gray, because the PP Mix Reclaim from the boxes/silo 8 might be too much WB (or others) colored.
Note: CaCO3 means calcium carbonate.

Line 5 (SE22) Formulations

9/25/26

Order #	Formula Code	Hopper 1		Hopper 2		Hopper 3		Hopper 4		Hopper 5		Note
		Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	
RP26311-1	FUA060WBA	PP Virgin-silo 3 (6502A)	20	HiTalc ZS (or N40109A)	5	PP WB Reclaim	90	WB-W26038A	7	CaCO3 -Heritage HM-10MAX	4	
	FUA060WBA	PP Virgin-silo 3 (6502A)	30	HiTalc ZS (or N40109A)	5	PP WB Reclaim	75	WB-W26038A	7	CaCO3 -Heritage HM-10MAX	4	
	FUA010WBA	PP Virgin-silo 3 (6502A)	70	HiTalc ZS (or N40109A)	6			WB-W26038A	15	CaCO3 -Heritage HM-10MAX	5	(Use this formula in case PP WB Reclaim is run out)
H68A053-1	FU0001WBD	PP Virgin-silo 3 (6502A)	64	HiTalc ZS (or N40109A)	4			WB-W26038A	13	CaCO3 -Heritage HM-10MAX	4	For VOIDFORM order only
	FU0061WBD	PP Virgin-silo 3 (6502A)	22	HiTalc ZS (or N40109A)	4	PP WB Reclaim	99	WB-W26038A	6	CaCO3 -Heritage HM-10MAX	4	

Note: CaCO3 means calcium carbonate.

Line 6 (SE23) Formulations

9/25/26

Order #	Formula Code	Hopper 1		Hopper 2		Hopper 3		Hopper 4		Hopper 5		AC = 1
		Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	
H67A120-1	FU0021WB4	PP Virgin-silo 4 (6502A)	85	HiTalc ZS (or N40109A)	12	F1203K	28	WB-W26038A	24			For VOIDFORM order only
H69A166-1		PP Virgin-silo 4 (F6502A)	99	HiTalc ZS (or N40109A)	18	F1203K	54	WB-W26038A	43			
H68A091-1		PP Virgin	45	HiTalc ZS (or N40109A)	10	PP WB Reclaim	60	WB-W26038A	20			
RP26821-2	FUA152WB4											
RP26731-2 RP26902-1	FU0021WB4	PP Virgin	99	HiTalc ZS (or N40109A)	14	F1203K	32	WB-W26038A	28			(CORN BOX FORMULA)
												(CORN BOX FORMULA) (Use this formula in case pp WB Reclaim is run out)
RP26202-1	FUA152WB4	PP Virgin-silo 4 (F6502A)	99	HiTalc ZS (or N40109A)	18	F1203K	54	WB-W26038A	43			

Note: CaCO3 means calcium carbonate.

Line 7 (SE24) Formulations

9/25/26

Order #	Formula Code	Extruder A					Extruder B				Extruder C				Note
		V1	V2	V3	V4	V5	V1	V2	V3	V4	V1	V2	V3	V4	
		Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	
		Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	
RP26901-1 RP26803-2	FUA152WB4	WB- W26038A		HiTalc ZS (or N40109A)	PP Virgin-silo 4 (F6502A)	F1203K									
		2.7		9	73.3	15									
RP26514-1	FSA200WB4	FOAM – Bergen XO- 256		CaCO3 -Heritage HM-10HP	PP Virgin-silo 4 (F6502A)		WB- W26038A		HiTalc ZS (or N40109A)	PP Virgin- silo 4 (F6502A)	WB- W26038A		HiTalc ZS (or N40109A)	PP Virgin- silo 4 (F6502A)	
		1.0		10	89		6		30	64	6		30	64	
RP25710-1	RU0000WB4				PP WB Reclaim										
					100										

Note: CaCO3 means calcium carbonate.

Line 8 (SE31) Formulations

9/25/26

Order #	Formula Code	Extruder A					Extruder B				Extruder C				Note
		V1	V2	V3	V4	V5	V1	V2	V3	V4	V1	V2	V3	V4	
		Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	
		Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	
H68A153-1	FXA020WB4	PP Virgin-silo 4 (6502A) 60	F1203K 23	HiTalc ZS (or N40109A) 18	WB-W40020M 60	NPC NPC PE-W22151 26									
H69A100-I3 RP26120-1 H69A225-1	FUA152WB4	PP Virgin-silo 4 (6502A) 48	F1203K 26	HiTalc ZS (or N40109A) 8	WB-W26038A 20										
RP26413-1	FUA152WB4	PP Virgin-silo 4 (6502A) 45	F1203K 33	HiTalc ZS (or N40109A) 11	WB-W26038A 18										New formulation for sign blank

Note: CaCO3 means calcium carbonate.

Line 9 (SE32) Formulations

9/25/26

Order #	Formula Code	Extruder A					Extruder B				Extruder C				Note
		V1	V2	V3	V4	V5	V1	V2	V3	V4	V1	V2	V3	V4	
		Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	Material	
		Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	Set	
RP26731-1	FUA152WB4	PP Virgin-silo 4 (6502A) 48	F1203K 16	HiTalc ZS (or N40109A) 9	WB-W26038A 18										
RP26525-3	FUA152WB4	PP Virgin-silo 4 (6502A) 40	F1203K 18	HiTalc ZS (or N40109A) 10	WB-W26038A 17										
Note: CaCO3 means calcium carbonate.															
														SIGN BLANK	

9/25/26

Line 10 (SE25) Formulations

9/25/26

Order #	Formula Code	Hopper 1		Hopper 2		Hopper 3		Hopper 4		Hopper 5		AC = 1
		Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	
H68A111-4 H68A111-5	FU0021WB4	PP Virgin-silo 4 (F6502A)	40	PP WB Reclaim	60	CaCO3 -Heritage HM-10MAX	20	WB-W26038A	15	HiTalc ZS (or N40109A)	28	(For roll material only) Check weight
	FU0001WB4	PP Virgin-silo 4 (F6502A)	45	F1203K	22	CaCO3 -Heritage HM-10MAX	17	WB-W26038A	17	HiTalc ZS (or N40109A)	28	(For roll material only) (Use this formula in case PP WB Reclaim is run out)
RP26923-1	RU0001WB4	PP WB Reclaim	99									
H69A097-1	FU0021WB4	PP Virgin-silo 4 (F6502A)	40	PP WB Reclaim	60			WB-W26038A	16	HiTalc ZS (or N40109A)	16	
	FU0021WB4	PP Virgin-silo 4 (F6502A)	45	F1203K	16			WB-W26038A	16	HiTalc ZS (or N40109A)	16	(Use this formula in case PP WB Reclaim is run out)
H68A127-1	FU001GTW4	PP Virgin-silo 4 (F6502A)	45	F1203K	15	CaCO3 -Heritage HM-10MAX	3	WB GT Premix	14	HiTalc ZS (or N40109A)	35	WB : EA = 9 : 1 WB - W26038A, GT - D26002M
H66A116-1	FU0011WB5	PP Virgin-silo 3 (F6502A)	40	PP WB Reclaim	60	CaCO3 -Heritage HM-10HP	3	WB-W26038A	10	HiTalc ZS (or N40109A)	10	(For VOIDFORM orders only)
	FUA011WB5	PP Virgin-silo 4 (F6502A)	52	F1203K	26			WB-W26038A	16	HiTalc ZS (or N40109A)	32	
RP26717-2	RU0001WB4	PP WB Reclaim	99									
H64A244-1	FU0011WB5	PP Virgin-silo 3 (F6502A)	40	PP WB Reclaim	60	CaCO3 -Heritage HM-10HP	3	WB-W26038A	10	HiTalc ZS (or N40109A)	10	(For VOIDFORM orders only)
	FUA011WB5	PP Virgin-silo 4 (F6502A)	52	F1203K	26			WB-W26038A	16	HiTalc ZS (or N40109A)	32	

Note: CaCO3 means calcium carbonate.

Line 12 (SE42) Formulations

9/25/26

Order #		Formula Code		9/25/26																	
				V1		V2		V3		V4		V5		V6		V7		V8		V9	
				Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	Material	Set	Material	Set
H68A080-1	FU0151KS3	HiTalc ZS (or N40109A)								PP Virgin (F6502A)				F1102K		KS-MDI PE-500 (or Spartech B60009)					
		5								78				15		2					
RP26410-1	FU0021WB4	HiTalc ZS (or N40109A)				Q1203K				PP Virgin (F6502A)				White Reclaim		WB-W26038A					
		8				10				49				30		3					

Line 13 (SE43) Formulations

9/25/26

9/25/26																			
Order #	Formula Code	V1	V2	V3	V4	V5	V6	V7	V8	V9	Note								
		Material	Material	Material	Material	Material	Material	Material	Material	Material									
		Set	Set	Set	Set	Set	Set	Set	Set	Set									
RP26915-1	FUA151WB4	HiTalc ZS (or N40109A)				pp Virgin (F6502A)			F1203K	WB-W26038A									
RP26415-1																			
RP26218-1																			
RP26526-2		8					74.0		15	3.0									

Line 16 (SE61) Formulations

9/25/26

Order #	Formula Code	Extruder A						Extruder B	Extruder C						Extruder D	Note
		1	2	3	4	5	6		1	2	3	4	5	6		
H68A020-1	BF00000KSA	PP Mix Reclaim	F6502A	KS-MDI PE-500 (or Spartech B60009 or NPC PE90000F)	HiTalc ZS (or N40109A)			PP Yungsox 5050S		F6502A		HiTalc ZS (or N40109A)		KS-MDI PE-500 (or Spartech B60009 or NPC PE90000F)	PP Yungsox 5050S	
H64A178-1	BF00000EB5	50	Auto	1.0	10			100		Auto		5		2.0	100	
H64A289-1		PP Mix Reclaim	F6502A	KS-MDI PE-500 (or Spartech B60009 or NPC PE90000F)	HiTalc ZS (or N40109A)			PP Yungsox 5050S		F6502A	OG-D26074A	HiTalc ZS (or N40109A)			PP Yungsox 5050S	
H64A289-2																
H64A289-3		50	Auto	2.0	10			100		Auto		5			100	
H64A289-4																
RP26826-1																