# 開放平台軟體 期末報告

張友澤,李政憲,游登翔,張哲郡,劉彥麟

June 11, 2019

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- O Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- Oataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation



- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- Oataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation



- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- Open Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- O Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation



- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- Oataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- Oataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- Oataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve

#### 2 Methodology

- Input of your model
- Output of your model
- Each layer of your model
- How you save your model?
- File size of your model
- What's your loss functions, and why?
- What's your optimizer and the setting of hyperparameter?

#### O Dataset

- The size of our dataset should be larger than 1K
- How you collect/build dataset?
- How many paired training samples in dataset?
- How many paired validating samples in dataset?
- How many paired testing samples in dataset?

#### 4 Experimental Evaluation

- Experimental environment (CPU, GPU, memory,...,etc.)
- How many epochs you set for training?
- Qualitative evaluation
- Quantitative evaluation

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- Oataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- O Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation

#### The size of our dataset should be larger than 1K



Figure: It's our Datasize

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- O Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation



How you collect/build dataset?

1.把音樂下載成MP3的格式

2.用裁切軟體裁剪成每10秒一個人聲的音訊檔

3.把這些資料取mfcc特徵向量並製作成.npy這個壓縮檔

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- O Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation



How many paired training samples in dataset?

#### 使用800筆資料去訓練成模組



Figure: 所有類別的Train Data

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- O Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation



How many paired validating samples in dataset?

總共200筆資料來驗證模組的準確度



Figure: 所有類別的Validating Data

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- O Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation

How many paired testing samples in dataset?

#### 總共200筆資料來測試模組



Figure: 所有類別的Test Data

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- Open Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation



- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- O Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation



- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- O Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation

- Introduction
  - Introduction to your team
  - Introduction to the problem you're trying to solve
- 2 Methodology
  - Input of your model
  - Output of your model
  - Each layer of your model
  - How you save your model?
  - File size of your model
  - What's your loss functions, and why?
  - What's your optimizer and the setting of hyperparameter?
- O Dataset
  - The size of our dataset should be larger than 1K
  - How you collect/build dataset?
  - How many paired training samples in dataset?
  - How many paired validating samples in dataset?
  - How many paired testing samples in dataset?
- 4 Experimental Evaluation
  - Experimental environment (CPU, GPU, memory,...,etc.)
  - How many epochs you set for training?
  - Qualitative evaluation
  - Quantitative evaluation

