File Edit Selection View Go Run Terminal Help

Explorer

- php_act
  - css
    - index.css
    - login.css
    - register.css
  - sections
    - about.php
    - cta.php
    - features.php
    - footer.php
    - header.php
    - home.php
  - db.php
  - index.php
  - login.php
  - register.php

Outline

Timeline

header.php

sections > header.php > html > body

```php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>W4schools</title>
  <link rel="stylesheet" href="./css/index.css" />
</head>
<body>

  <header class="navbar">
    <div class="container nav-container">
      <a href="index.php" class="logo">W4schools</a>
      <nav>
        <ul class="nav-links">
          <li><a href="index.php">Home</a></li>
          <li><a href="#features">Features</a></li>
          <li><a href="#about">About</a></li>
          <li><a href="#contact" class="btn btn-secondary">Get Started</a></li>
        </ul>
      </nav>
    </div>
  </header>
```

Chat

Sessions

Tip: Use /create-agent to scaffold a custom agent for your workflow.

header.php

Describe what to build

Agent Auto Balance

Local Default permissions

0 0 Connect

Ln 24, Col 1 Spaces: 2 UTF-8 CRLF {} PHP

File Edit Selection View Go Run Terminal Help

Explorer

- php_act
  - css
    - index.css
    - login.css
    - register.css
  - sections
    - about.php
    - cta.php
    - features.php
    - footer.php
    - header.php
    - home.php
  - db.php
  - index.php
  - login.php
  - register.php

Outline

Timeline

footer.php

sections > footer.php > ...

```php
<footer class="footer">
    <div class="container">
      <p>&copy; 2026 W4schools. All rights reserved.</p>
    </div>
  </footer>

</body>
</html>
```

Chat

Sessions

Tip: Use /create-agent to scaffold a custom agent for your workflow.

footer.php

Describe what to build

Agent Auto Balance

Local Default permissions

0 0 Connect

Ln 8, Col 8 Spaces: 2 UTF-8 CRLF {} PHP


File Edit Selection View Go Run Terminal Help
php_act
Explorer
index.php
Chat
Sessions
php_act
css
index.css
login.css
register.css
sections
about.php
cta.php
features.php
footer.php
header.php
home.php
db.php
index.php
login.php
register.php
include 'sections/header.php';
include 'sections/home.php';
include 'sections/features.php';
include 'sections/about.php';
include 'sections/cta.php';
include 'sections/footer.php';
?>
Outline
Timeline
Tip: Use /create-agent to scaffold a custom agent for your workflow.
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Connect
Ln 10, Col 3
Spaces: 4
UTF-8
CRLF
PHP


localhost/php_act/index.php
School
W4SCHOOLS
HOME
FEATURES
ABOUT
GET STARTED
BUILD YOUR NEXT BIG IDEA FASTER
A simple, modern, and lightweight landing page built purely with HTML and CSS. No extra scripts, just pure design.
START FREE TRIAL
LEARN MORE
WHY CHOOSE US



```php
<?php
session_start();

$validEmail = "user@gmail.com";
$validPassword = "user123";

if (!isset($_SESSION['remainingAttempts'])) {
    $_SESSION['remainingAttempts'] = 5;
}

$errors = [];
$errorMessage = "";
$email = "";

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $email = trim($_POST['email'] ?? '');
    $password = $_POST['password'] ?? '';

    if ($_SESSION['remainingAttempts'] <= 0) {
        $errorMessage = "Account locked due to too many failed attempts.";
    } else {
        if (empty($email)) {
            $errors['email'] = "Email is required.";
        } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
            $errors['email'] = "Please enter a valid email address.";
        }

        if (empty($password)) {
            $errors['password'] = "Password is required.";
        }

        if (empty($errors)) {
            if ($email === $validEmail && $password === $validPassword) {
                $_SESSION['user'] = $email;
                unset($_SESSION['remainingAttempts']);

                header("Location: index.php");
                exit();
            } else {
                $_SESSION['remainingAttempts']--;

                if ($_SESSION['remainingAttempts'] > 0) {
                    $errorMessage = "Invalid credentials. Attempts remaining: "
                        . $_SESSION['remainingAttempts'];
                } else {
                    $errorMessage = "Account locked due to too many failed attempts.";
                }
            }
        }
    }
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```



```php
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Login Form</title>
    <link rel="stylesheet" href="./css/login.css">
</head>
<body>
    <div class="login-container">
        <h2>LOGIN</h2>

        <?php if (!empty($errorMessage)): ?>
            <div class="error-message" style="margin-bottom: 15px;">
                <?= htmlspecialchars($errorMessage) ?>
            </div>
        <?php endif; ?>

        <form action="login.php" method="POST">
            <div class="input-group">
                <label for="email">Email</label>
                <input
                    type="text"
                    id="email"
                    name="email"
                    placeholder="Enter your email"
                    value="<?= htmlspecialchars($email) ?>"
                    <?= $_SESSION['remainingAttempts'] <= 0 ? 'disabled' : '' ?>
                >

                <?php if (!empty($errors['email'])): ?>
                    <span class="email-error" style="display:block; text-align:left;">
                        <?= htmlspecialchars($errors['email']) ?>
                    </span>
                <?php endif; ?>
            </div>

            <div class="input-group">
                <label for="password">Password</label>
                <input
                    type="password"
                    id="password"
                    name="password"
                    placeholder="Enter your password"
                    <?= $_SESSION['remainingAttempts'] <= 0 ? 'disabled' : '' ?>
                >

                <?php if (!empty($errors['password'])): ?>
                    <span class="password-error" style="display:block; text-align:left;">
                        <?= htmlspecialchars($errors['password']) ?>
                    </span>
                <?php endif; ?>
            </div>

            <button
                type="submit"
                class="login-btn"
                <?= $_SESSION['remainingAttempts'] <= 0 ? 'disabled' : '' ?>
            >
                Login
            </button>
        </form>

        <div class="signup">
            Don't have an account?
            <a href="register.php">Register</a>
        </div>
    </div>
</body>
</html>
```






```php
<?php
include 'db.php';

$errors = [];
$success = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $name = trim($_POST['name'] ?? '');
    $contact = trim($_POST['contact_number'] ?? '');
    $email = trim($_POST['email'] ?? '');
    $password = $_POST['password'] ?? '';
    $confirm_password = $_POST['confirm_password'] ?? '';

    if (empty($name)) {
        $errors['name'] = "Please enter your full name.";
    } elseif (strlen($name) < 7 || strlen($name) > 30) {
        $errors['name'] = "Full name must be between 7 and 30 characters.";
    }

    if (empty($contact)) {
        $errors['contact'] = "Please enter your contact number.";
    } elseif (!preg_match('/^[0-9]{10,15}$/', $contact)) {
        $errors['contact'] = "Contact number must contain only numbers and be 10-15 digits long.";
    }

    if (empty($email)) {
        $errors['email'] = "Please enter a email address";
    } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors['email'] = "Please enter a valid email address";
    }

    if (empty($password)) {
        $errors['password'] = "Please enter your password.";
    } elseif (strlen($password) < 9) {
        $errors['password'] = "Password must be at least 9 characters.";
    }

    if (empty($confirm_password)) {
        $errors['confirm'] = "Please confirm your password.";
    } elseif ($confirm_password !== $password) {
        $errors['confirm'] = "Passwords do not match.";
    }

    if (empty($errors)) {
        $hashed_password = password_hash($password, PASSWORD_DEFAULT);
        $stmt = $pdo->prepare("INSERT INTO users (name, contact_number, email, password) VALUES (?, ?, ?, ?)");
        try {
            $stmt->execute([$name, $contact, $email, $hashed_password]);
            $success = "Account created successfully! <a href='login.php'>login here</a>";
        } catch (PDOException $e) {
            $errors['db'] = "Registration failed: " . $e->getMessage();
        }
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
```



```php
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Register</title>
    <link rel="stylesheet" href="./css/register.css">
</head>
<body>
    <main class="auth-container">
        <section class="auth-card register-card">
            <div class="brand">
                <h1>REGISTER</h1>
            </div>
            <?php if (!empty($success)): ?>
                <p style="color: #00F0ff; text-align: center;"><?php echo $success; ?></p>
            <?php endif; ?>
            <form action="register.php" method="post">
                <div class="name-row">
                    <div class="form-group">
                        <label for="full-name">Full Name</label>
                        <input type="text" id="full-name" name="name" placeholder="Full Name" value="<?php echo htmlspecialchars($name ?? ''); ?>">
                        <span class="error-message"><?php echo $errors['name'] ?? ''; ?></span>
                    </div>
                    <div class="form-group">
                        <label for="contact-number">Contact Number</label>
                        <input type="text" id="contact-number" name="contact_number" placeholder="Contact Number" value="<?php echo htmlspecialchars($contact ?? ''); ?>">
                        <span class="error-message">
                    </div>
                </div>
                <div class="form-group">
                    <label for="register-email">Email Address</label>
                    <input type="text" id="register-email" name="email" placeholder="Enter your email" value="<?php echo htmlspecialchars($email ?? ''); ?>">
                    <span class="error-message"><?php echo $errors['email'] ?? ''; ?></span>
                </div>
                <div class="form-group">
                    <label for="register-password">Password</label>
                    <input type="password" id="register-password" name="password" placeholder="Create a password">
                    <span class="error-message"><?php echo $errors['password'] ?? ''; ?></span>
                </div>
                <div class="form-group">
                    <label for="confirm-password">Confirm Password</label>
                    <input type="password" id="confirm-password" name="confirm_password" placeholder="Confirm your password">
                    <span class="error-message"><?php echo $errors['confirm'] ?? ''; ?></span>
                </div>
                <button type="submit" class="btn">Create Account</button>
            </form>
            <p class="account-text" style="margin-top: 20px;">
                Already have an account? <a href="login.php">Login here</a>
            </p>
        </section>
    </main>
</body>
</html>
```