



String Number	Length (in)	Length (m)	Light Count	Max Power (w)
1	202.07	5.13	154	46.2
2	48.00	1.22	37	11.0
3	202.07	5.13	154	46.2
4	96.00	2.44	73	21.9
5	221.70	5.63	169	50.7
6	144.00	3.66	110	32.9
7	221.70	5.63	169	50.7
8	192.00	4.88	146	43.9
9	221.70	5.63	169	50.7
10	195.14	4.96	149	44.6
11	190.00	4.83	145	43.4
12	195.14	4.96	149	44.6
13	142.00	3.61	108	32.5
14	195.14	4.96	149	44.6
15	94.00	2.39	72	21.5
16	202.07	5.13	154	46.2
17	46.00	1.17	35	10.5
18	202.00	5.13	154	46.2
19	29.70	0.75	23	6.8
20	77.70	1.97	59	17.8
21	125.70	3.19	96	28.7
22	145.43	3.69	111	33.2
23	147.14	3.74	112	33.6
24	99.14	2.52	76	22.7
25	51.14	1.30	39	11.7
26	215.00	5.46	164	49.1
27	215.00	5.46	164	49.1
28	215.00	5.46	164	49.1
29	215.00	5.46	164	49.1
30	215.00	5.46	164	49.1
31	215.00	5.46	164	49.1
32	215.00	5.46	164	49.1
33	215.00	5.46	164	49.1
34	80.00	2.03	61	18.3
35	169.00	4.29	129	38.6
36	215.00	5.46	164	49.1
37	192.00	4.88	146	43.9
38	238.00	6.05	181	54.4
Total	6300.68	160.04	4801	1440.3

