

Table Making with Estauto and Estwide

James J. Feigenbaum*

May 22, 2019

*Boston University and NBER, email: jamesf@bu.edu.

Table 1: Regular Estauto

	White			Black		
	Women	Men	All	Women	Men	All
	(1)	(2)	(3)	(4)	(5)	(6)
A long variable name needs a new line		−0.07*** (0.01)		−0.03** (0.01)	0.01*** (0.00)	0.00* (0.00)
Weight × Blah	−3.21*** (0.75)		−6.61 (5.25)	−2.50*** (0.89)		
Cylinders FE	Yes	No	No	Yes	No	Yes
Transmission FE	No	No	Yes	Yes	No	Yes
Observations	32	32	12	32	32	32
Adjusted R ²	0.82	0.59	NA	0.84	0.42	0.71
Y Mean	20.09	20.09	0.83	20.09	3.22	3.22

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

Table 2: Regular Estauto with Panel Title

	Panel: Probability Better Off Than Parents					
	White			Black		
	Women	Men	All	Women	Men	All
	(1)	(2)	(3)	(4)	(5)	(6)
Horse power		−0.07*** (0.01)		−0.03** (0.01)	0.01*** (0.00)	0.00* (0.00)
Weight	−3.21*** (0.75)		−6.61 (5.25)	−2.50*** (0.89)		
Cylinders FE	Yes	No	No	Yes	No	Yes
Transmission FE	No	No	Yes	Yes	No	Yes
Observations	32	32	12	32	32	32
Adjusted R ²	0.82	0.59	NA	0.84	0.42	0.71
Y Mean	20.09	20.09	0.83	20.09	3.22	3.22

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

Table 3: Regular Estwide

	White			Black		
	Women	Men	All	Women	Men	All
	(1)	(2)	(3)	(4)	(5)	(6)
Horsepower		−0.07** (0.03)		−0.02 (0.06)	−0.07** (0.03)	−0.03 (0.03)
Weight	−1.91*** (0.73)			−0.33 (2.61)		
Cylinders FE	No	No	No	Yes	No	Yes
Transmission FE	No	No	Yes	Yes	No	No
Observations	32	32	12	32	32	32
Y Mean	0.44	0.44	0.83	0.44	0.44	0.44

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$