

Rule Book — Set Speeds Quick Reference

Sources: TW1 Iss 22 · TW5 Iss 14 · S5 Iss 13 · T3 Iss 13 · TW7 Iss 10 · TW8 Iss 10

At Caution (TW1 s25): Proceed at a speed which takes account of conditions (such as the distance you can see to be clear) that will allow you to stop the train short of any train, vehicle, obstruction or the end of your movement authority — in addition to not exceeding any specified speed.

PERMISSIBLE SPEED

NORMAL LINE SPEED · AS PER SECTIONAL APPENDIX

S5 / TW5

PSAD — single line working in the correct direction

When travelling in the right direction during SLW, may proceed at up to permissible speed
S5 s4.2c

PSAD — pilot working on single or bi-directional lines

When operating under pilotman working, may proceed at up to permissible speed
S5 s4.2c

Defective AWS or DSD — competent person provided

With a competent person in the cab, proceed at normal permissible speed — reduces to 40 mph during poor visibility
TW5 s9/s11

CAUTION

VARIABLE · STOP SHORT OF ANY OBSTRUCTION

TW1 s25

Passing a signal at danger (default)

Unless authorised to proceed at up to 50 mph — default is always at caution
S5 s4.2a

Examining the line ahead

Must proceed over the affected portion at caution
TW1 s12.1

Level crossing — told to approach at caution

Approach at caution and pass over only when safe
TW7/TW8

Movements within a Protection Zone

All movements at caution throughout the PZ
T3

EBW — approach points/crossings (first train)

First train into EBW section must approach all points at caution
S5 s4.1

Propelling movements

Proceed at caution throughout — also must not exceed 20 mph
TW1 s26.4

Absolute block — after failed train removed

Next train proceeds at caution through the cleared section
S5 s1.1

3 mph
MAXIMUM

EMR Depot

Depot movements — wheel lathe, wash plant and fuel line

Must not exceed 3 mph when approaching or passing through wheel lathe, wash and fuel line roads in depot
EMR local

5 mph
MAXIMUM

TW1 / T3

Pass under a struck overline bridge

No obvious damage or debris — proceed under at no more than 5 mph
TW1 s16

Movement in a possession worksite

No greater than 5 mph within the worksite unless ES gives specific instructions
T3 s9

Siding, maintenance depot or stabling area

Must not exceed 5 mph in any siding, maintenance depot, servicing or stabling area
SS2

Floodwater up to top of rail head

May continue if water is no deeper than top of rail head — must not exceed 5 mph
M3

10 mph

TO BE REVIEWED

20 mph MAXIMUM	
Through any tunnel — PSAD movement or examining the line Must not exceed 10 mph through any tunnel when passing signal at danger or when examining the line S5 s7.3 / TW1 s12.1	
Through tunnel — divided train recovery When told to proceed at caution past affected location in a tunnel TW1 s14	
Propelling / dead train movements (general max) Maximum speed during movement — reduces to 5 mph over points and crossings TW5 s6	
Brakes not fully released If brakes cannot be fully released — 10 mph max, 5 mph over points TW5 s3	
15 mph MAXIMUM	S5
Points/crossings during PSAD movement Must not pass over any points, switch diamonds or swing-nose crossings at more than 15 mph S5 s7.3	
Points/crossings — EBW first train into section After approaching at caution and checking position, must not exceed 15 mph over points S5 s4.1	
20 mph MAXIMUM	TW1 / TW5
Suspected track defect — line examination Signaller says examination is because of a suspected track defect TW1 s12.1	
Hot axle box — failed exam, 2nd or lineside activation Unable to examine within 10 min / second activation of same system / lineside detection — proceed at no more than 20 mph TW5 s9	
AC — OLE examined from adjacent line, no defect found Next electric train on the affected line must proceed at caution not exceeding 20 mph AC s15	
AC — Driver asked to examine the overhead line Proceed at caution and not exceed 20 mph while looking out for damage to the OLE AC s15	
AC — Passed 'do not raise pantograph' sign without raising Must reduce speed to 20 mph before attempting to raise the pantograph AC s15	
25 mph MAXIMUM	T3 s9
All movements entering, within or leaving a possession Must not exceed 25 mph at any point in the journey — movements inside the worksite are 5 mph T3 s9	
Assisting train moving towards a failed train During the movement towards the failed train, proceed at caution not exceeding 25 mph M2 s3.3	
40 mph MAXIMUM	TW1 / TW5
Poor visibility — line where AWS is not provided Cannot see signals soon enough during poor visibility and no AWS fitted on this line (see Sectional Appendix Table A) TW1 s22	
Hot axle box / defective AWS or DSD — during poor visibility Even when competent person is provided, must not exceed 40 mph during poor visibility TW5 s9/s11	
50 mph MAXIMUM	S5 / TW5
PSAD — authorised to proceed at up to 50 mph Single line working wrong direction; emergency permissive working; certain other S5 circumstances S5 s4.2b	

Extended Block Working (EBW) — section maximum

Must not exceed 50 mph at any point throughout the EBW section

S5 s5

Points/crossings in EBW — if specifically permitted

May pass over points at up to 50 mph only if given permission to do so during EBW

S5 s4.1

Defective AWS/DSD — freight or OTM (no competent person)

Freight trains and OTMs without competent person — proceed to next location at no more than 50 mph

TW5 s9/s11

60 mph

MAXIMUM

TW5

Defective AWS/DSD — passenger train (no competent person)

Passenger trains without competent person — proceed to next location at no more than 60 mph

TW5 s9/s11

Radio network failure — through the affected area

When told of a radio network failure, max speed through the affected area is 60 mph

TW5 s13

75 / 80 / 100 mph

MAXIMUM

TW5 · AC

75 mph — defective headlight, portable headlight provided

No other headlight available — train may only start if portable headlight fitted; speed restricted to 75 mph

TW5 s12

80 mph — raising pantographs (AC lines)

You may raise pantographs at any speed up to 80 mph, or higher if authorised by company instructions

AC s5

100 mph — radio network failure (overall line max)

May be told not to exceed 100 mph on the line; 60 mph specifically through the affected radio area

TW5 s13