TfL Nexus API

Contents

Section	
General Information	Skip
Transport for London Network Intelligence API	Skip
• Key Features	Skip
• RESTful Design	Skip
• Data Sources	Skip
Operations	Skip
• Journeys	Skip
• ○ `GET /journeys/{origin}/to/{destination}` (get_journey_journeys__origin__to__destination__get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip

Section	
• ○ `GET /journeys` (list_routing_strategies_journeys_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• Lines	Skip
• ○ `GET /lines` (list_lines_lines_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip

Section	
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /lines/{line_id}` (get_line_lines__line_id__get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /lines/{line_id}/stations` (get_line_stations_lines__line_id__stations_get)	Skip
• ○ ▪ Path Parameters	Skip

Section	
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /lines/{line_id}/disruptions` (get_line_disruptions_lines__line_id__disruptions_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip

Section	
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• Stations	Skip
• ○ `GET /stations` (list_stations_stations_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip

Section	
• ○ `GET /stations/{station_id}` (get_station_stations__station_id__get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /stations/{station_id}/lines` (get_station_lines_stations__station_id__lines_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip

Section	
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /stations/{station_id}/crowding` (get_station_crowding_stations__station_id__crowding_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip

Section	
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /stations/{station_id}/connections` (get_station_connections_stations__station_id__connections_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• Disruptions	Skip
• ○ `GET /disruptions` (list_disruptions_disruptions_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip

Section	
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /disruptions/{disruption_id}` (get_disruption_disruptions__disruption_id__get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip

Section	
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /disruptions/{disruption_id}/affected-stations` (get_disruption_affected_stations_disruptions__disruption_id__affected_stations_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• Reports	Skip
• ○ `POST /reports` (create_report_reports_post)	Skip
• ○ ▪ Path Parameters	Skip

Section	
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `201 Created`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /reports` (list_reports_reports_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip

Section	
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /reports/{report_id}` (get_report_reports__report_id__get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `DELETE /reports/{report_id}` (delete_report_reports__report_id__delete)	Skip

Section	
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `204 No Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• Network	Skip
• ○ `GET /network/topology` (get_network_topology_network_topology_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip

Section	
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /network/topology/visualization` (get_network_visualization_network_topology_visualization_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /network/crowding` (get_network_crowding_network_crowding_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip

Section	
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• Data Imports	Skip
• ○ `GET /data-imports` (list_data_imports_data_imports_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `POST /data-imports` (create_data_import_data_imports_post)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip

Section	
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `201 Created`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /data-imports/{job_id}` (get_data_import_status_data_imports__job_id__get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ ▪ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip

Section	
• ○ ▪ ▪ ▪ Response Body	Skip
• System	Skip
• ○ `GET /system/health` (health_check_system_health_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /system/statistics` (get_system_statistics_system_statistics_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip

Section	
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /` (root_handler__get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• Reference Data	Skip
• ○ `GET /disruption-categories` (list_disruption_categories_disruption_categories_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip

Section	
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /modes` (list_modes_modes_get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip
• ○ ▪ ▪ `200 OK`	Skip
• ○ ▪ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ ▪ Response Body	Skip
• ○ `GET /modes/{mode_id}` (get_mode_modes__mode_id__get)	Skip
• ○ ▪ Path Parameters	Skip
• ○ ▪ Query Parameters	Skip
• ○ ▪ Request Headers	Skip
• ○ ▪ Cookies	Skip
• ○ ▪ Request Body	Skip
• ○ ▪ Responses	Skip

Section	
• ○ ■ ■ `200 OK`	Skip
• ○ ■ ■ ■ Response Headers	Skip
• ○ ■ ■ ■ Response Body	Skip
• ○ ■ ■ `422 Unprocessable Content`	Skip
• ○ ■ ■ ■ Response Headers	Skip
• ○ ■ ■ ■ Response Body	Skip

General Information

TfL Nexus API v2.0.0

Transport for London Network Intelligence API

A comprehensive RESTful API for analyzing, routing, and monitoring the Transport for London network with real-time disruption tracking, intelligent journey planning, and network health reporting.

Key Features

- **Intelligent Journey Planning**: True REST resource-based journey queries
- **Real-time Disruptions**: Automatic polling and storage of service disruptions
- **Network Analysis**: Graph-based network analysis and visualization
- **Crowding Information**: Real-time crowding data for stations and lines
- **AI-Powered Reports**: Optional LLM-generated network status summaries
- **HATEOAS Support**: Hypermedia links for API discoverability

RESTful Design

This API follows REST principles with:

- Resources identified by URLs
- Standard HTTP methods (GET, POST, PUT, DELETE)
- Hypermedia links (HATEOAS) for navigation
- Consistent response formats with metadata
- Proper status codes

Data Sources

All data is sourced from the official Transport for London (TfL) Unified API.

Operations

- Journeys
- Lines
- Stations
- Disruptions
- Reports
- Network
- Data Imports
- System
- Reference Data

Journeys

Journey planning between stations with multiple optimization strategies. Request journey plans as resources using natural semantics.

- `GET /journeys/{origin}/to/{destination}` (get_journey_journeys__origin__to__destination__get)
- `GET /journeys` (list_routing_strategies_journeys_get)

`GET /journeys/{origin}/to/{destination}` (get_journey_journeys__origin__to__destination__get)

Get Journey Between Stations

Path Parameters

Key	Type	Required	Example	Notes
origin	string	Yes	-	-
destination	string	Yes	-	-

Query Parameters

Key	Type	Required	Example	Notes
time	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `time`				
time	string	No	-	-
strategy	string	No	-	• Pattern: ^(fastest
alternatives	boolean	No	-	Include alternative route strategies • Default: false
max_changes	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `max_changes`				
max_changes	integer	No	-	• Maximum: 5 • Minimum: 0
accessible	boolean	No	-	Wheelchair accessible routes only • Default: false
avoid_lines	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `avoid_lines`				
avoid_lines	string	No	-	-

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.origin	object	Yes	-	-
data.origin.id	string	Yes	-	-
data.origin.name	string	Yes	-	-
data.origin.lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.origin.lat`				
data.origin.lat	number	No	-	-
data.origin.lon	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.origin.lon`				
data.origin.lon	number	No	-	-
data.origin.modes	array	No	-	-
data.origin.modes[*]	string	No	-	-
data.destination	object	Yes	-	-
data.destination.id	string	Yes	-	-
data.destination.name	string	Yes	-	-
data.destination.lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.destination.lat`				
data.destination.lat	number	No	-	-

Key	Type	Required	Example	Notes
data.destination.lon	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.destination.lon`				
data.destination.lon	number	No	-	-
data.destination.modes	array	No	-	-
data.destination.modes[*]	string	No	-	-
data.requested_time	string	Yes	-	-
data.strategy	string	Yes	-	-
data.primary_route	object	Yes	-	-
data.primary_route.total_time_minutes	number	Yes	-	-
data.primary_route.total_stops	integer	Yes	-	-
data.primary_route.changes	integer	Yes	-	-
data.primary_route.segments	array	Yes	-	-
data.primary_route.segments[*]	object	No	-	-
data.primary_route.segments[*].station	object	Yes	-	-
data.primary_route.segments[*].station.id	string	Yes	-	-
data.primary_route.segments[*].station.name	string	Yes	-	-
data.primary_route.segments[*].station.lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.primary_route.segments[*].station.lat`				
data.primary_route.segments[*].station.lat	number	No	-	-
data.primary_route.segments[*].station.lon	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.primary_route.segments[*].station.lon`				
data.primary_route.segments[*].station.lon	number	No	-	-
data.primary_route.segments[*].station.modes	array	No	-	-
data.primary_route.segments[*].station.modes[*]	string	No	-	-
data.primary_route.segments[*].line	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.primary_route.segments[*].line`				
data.primary_route.segments[*].line	string	No	-	-
data.primary_route.segments[*].arrival_time	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.primary_route.segments[*].arrival_time`				

Key	Type	Required	Example	Notes
data.primary_route.segments[*].arrival_time	string	No	-	-
data.primary_route.segments[*].departure_time	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.primary_route.segments[*].departure_time`				
data.primary_route.segments[*].departure_time	string	No	-	-
data.primary_route.segments[*].wait_time_minutes	number	No	-	• Default: 0
data.primary_route.has_disruptions	boolean	No	-	• Default: false
data.primary_route.disruption_warnings	array	No	-	-
data.primary_route.disruption_warnings[*]	string	No	-	-
data.alternatives	array	No	-	-
data.alternatives[*]	object	No	-	-
data.alternatives[*].total_time_minutes	number	Yes	-	-
data.alternatives[*].total_stops	integer	Yes	-	-
data.alternatives[*].changes	integer	Yes	-	-
data.alternatives[*].segments	array	Yes	-	-
data.alternatives[*].segments[*]	object	No	-	-
data.alternatives[*].segments[*].station	object	Yes	-	-
data.alternatives[*].segments[*].station.id	string	Yes	-	-
data.alternatives[*].segments[*].station.name	string	Yes	-	-
data.alternatives[*].segments[*].station.lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.alternatives[*].segments[*].station.lat`				
data.alternatives[*].segments[*].station.lat	number	No	-	-
data.alternatives[*].segments[*].station.lon	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.alternatives[*].segments[*].station.lon`				
data.alternatives[*].segments[*].station.lon	number	No	-	-
data.alternatives[*].segments[*].station.modes	array	No	-	-
data.alternatives[*].segments[*].station.modes[*]	string	No	-	-
data.alternatives[*].segments[*].line	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.alternatives[*].segments[*].line`				

Key	Type	Required	Example	Notes
data.alternatives[*].segments[*].line	string	No	-	-
data.alternatives[*].segments[*].arrival_time	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.alternatives[*].segments[*].arrival_time`				
data.alternatives[*].segments[*].arrival_time	string	No	-	-
data.alternatives[*].segments[*].departure_time	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.alternatives[*].segments[*].departure_time`				
data.alternatives[*].segments[*].departure_time	string	No	-	-
data.alternatives[*].segments[*].wait_time_minutes	number	No	-	• Default: 0
data.alternatives[*].has_disruptions	boolean	No	-	• Default: false
data.alternatives[*].disruption_warnings	array	No	-	-
data.alternatives[*].disruption_warnings[]	string	No	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				

Key	Type	Required	Example	Notes
detail[*].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`GET /journeys` (list_routing_strategies_journeys_get)

List Available Routing Strategies

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].name	string	Yes	-	-
data[*].description	string	Yes	-	-
data[*].priority	string	Yes	-	-
meta	object	Yes	-	-

Key	Type	Required	Example	Notes
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

Lines

Transport line information including routes, schedules, and disruption status. Access details for tube, overground, DLR, and other TfL lines.

- `GET /lines` (list_lines_lines_get)
- `GET /lines/{line_id}` (get_line_lines__line_id__get)
- `GET /lines/{line_id}/stations` (get_line_stations_lines__line_id__stations_get)
- `GET /lines/{line_id}/disruptions` (get_line_disruptions_lines__line_id__disruptions_get)

`GET /lines` (list_lines_lines_get)

List All Lines

Path Parameters

No Path Parameters.

Query Parameters

Key	Type	Required	Example	Notes
mode	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `mode`				
mode	string	No	-	-
page	integer	No	-	Page number • Minimum: 1 • Default: 1
per_page	integer	No	-	Items per page • Maximum: 100 • Minimum: 1 • Default: 50

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	string	Yes	-	-
data[*].name	string	Yes	-	-
data[*].mode	string	Yes	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`GET /lines/{line_id}` (get_line_lines__line_id__get)

Get Line Details

Path Parameters

Key	Type	Required	Example	Notes
line_id	string	Yes	-	Line ID

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.id	string	Yes	-	-
data.name	string	Yes	-	-
data.mode	string	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-

Key	Type	Required	Example	Notes
detail[*].ctx	object	No	-	-

`GET /lines/{line_id}/stations` (get_line_stations_lines__line_id__stations_get)

Get Stations on Line

Path Parameters

Key	Type	Required	Example	Notes
line_id	string	Yes	-	Line ID

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	string	Yes	-	-
data[*].name	string	Yes	-	-
data[*].lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lat`				
data[*].lat	number	No	-	-
data[*].lon	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lon`				
data[*].lon	number	No	-	-

Key	Type	Required	Example	Notes
data[*].modes	array	No	-	-
data[*].modes[*]	string	No	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-

Key	Type	Required	Example	Notes
detail[*].ctx	object	No	-	-

`GET /lines/{line_id}/disruptions` (get_line_disruptions_lines__line_id__disruptions_get)

Get Disruptions for Line

Path Parameters

Key	Type	Required	Example	Notes
line_id	string	Yes	-	Line ID

Query Parameters

Key	Type	Required	Example	Notes
active	boolean	No	-	Filter active disruptions only • Default: true

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	string	Yes	-	-
data[*].line_id	string	Yes	-	-
data[*].type	string	Yes	-	-
data[*].category	string	Yes	-	-
data[*].category_description	Any of The Options	No		May match multiple options simultaneously.

Key	Type	Required	Example	Notes
Option 1 for `data[*].category_description`				
data[*].category_description	string	No	-	-
data[*].summary	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].summary`				
data[*].summary	string	No	-	-
data[*].description	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].description`				
data[*].description	string	No	-	-
data[*].additional_info	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].additional_info`				
data[*].additional_info	string	No	-	-
data[*].created	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].created`				
data[*].created	string	No	-	-
data[*].last_update	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].last_update`				
data[*].last_update	string	No	-	-
data[*].is_active	boolean	No	-	• Default: true
data[*].affected_stops_count	integer	No	-	• Default: 0
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-

Key	Type	Required	Example	Notes
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

Stations

Station search and information including connectivity, crowding, and graph status. Query station details and relationships.

- `GET /stations` (list_stations_stations_get)
- `GET /stations/{station_id}` (get_station_stations__station_id__get)
- `GET /stations/{station_id}/lines` (get_station_lines_stations__station_id__lines_get)
- `GET /stations/{station_id}/crowding` (get_station_crowding_stations__station_id__crowding_get)
- `GET /stations/{station_id}/connections` (get_station_connections_stations__station_id__connections_get)

`GET /stations` (list_stations_stations_get)

List or Search Stations

Path Parameters

No Path Parameters.

Query Parameters

Key	Type	Required	Example	Notes
q	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `q`				
q	string	No	-	-
line_id	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `line_id`				
line_id	string	No	-	-
mode	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `mode`				
mode	string	No	-	-
page	integer	No	-	Page number • Minimum: 1 • Default: 1
per_page	integer	No	-	Items per page • Maximum: 100 • Minimum: 1 • Default: 50

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	string	Yes	-	-

Key	Type	Required	Example	Notes
data[*].name	string	Yes	-	-
data[*].lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lat`				
data[*].lat	number	No	-	-
data[*].lon	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lon`				
data[*].lon	number	No	-	-
data[*].modes	array	No	-	-
data[*].modes[]	string	No	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.

Key	Type	Required	Example	Notes
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`GET /stations/{station_id}` (get_station_stations__station_id__get)

Get Station Details

Path Parameters

Key	Type	Required	Example	Notes
station_id	string	Yes	-	Station ID or name

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.id	string	Yes	-	-
data.name	string	Yes	-	-

Key	Type	Required	Example	Notes
data.lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.lat`				
data.lat	number	No	-	-
data.lon	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.lon`				
data.lon	number	No	-	-
data.modes	array	No	-	-
data.modes[*]	string	No	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-

Key	Type	Required	Example	Notes
detail[*].ctx	object	No	-	-

`GET /stations/{station_id}/lines` (get_station_lines_stations__station_id__lines_get)

Get Lines Serving Station

Path Parameters

Key	Type	Required	Example	Notes
station_id	string	Yes	-	Station ID

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	string	Yes	-	-
data[*].name	string	Yes	-	-
data[*].mode	string	Yes	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50

Key	Type	Required	Example	Notes
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`GET /stations/{station_id}/crowding` (get_station_crowding_stations__station_id__crowding_get)

Get Station Crowding Data

Path Parameters

Key	Type	Required	Example	Notes
station_id	string	Yes	-	Station ID

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].station_id	string	Yes	-	-
data[*].line_id	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].line_id`				
data[*].line_id	string	No	-	-
data[*].crowding_level	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].crowding_level`				
data[*].crowding_level	string	No	-	-
data[*].capacity_percentage	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].capacity_percentage`				
data[*].capacity_percentage	number	No	-	-
data[*].timestamp	string	Yes	-	-
data[*].lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lat`				
data[*].lat	number	No	-	-

Key	Type	Required	Example	Notes
data[*].lon	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lon`				
data[*].lon	number	No	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-

Key	Type	Required	Example	Notes
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`GET /stations/{station_id}/connections` (get_station_connections_stations__station_id__connections_get)

Get Connected Stations

Path Parameters

Key	Type	Required	Example	Notes
station_id	string	Yes	-	Station ID

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	string	Yes	-	-
data[*].name	string	Yes	-	-
data[*].lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lat`				
data[*].lat	number	No	-	-
data[*].lon	Any of The Options	No		May match multiple options simultaneously.

Key	Type	Required	Example	Notes
Option 1 for `data[*].lon`				
data[*].lon	number	No	-	-
data[*].modes	array	No	-	-
data[*].modes[]	string	No	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-

Key	Type	Required	Example	Notes
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

Disruptions

Service disruption tracking and analysis with historical data. Query disruptions across the network with flexible filtering.

- `GET /disruptions` (list_disruptions_disruptions_get)
- `GET /disruptions/{disruption_id}` (get_disruption_disruptions__disruption_id__get)
- `GET /disruptions/{disruption_id}/affected-stations` (get_disruption_affected_stations_disruptions__disruption_id__affected_stations_get)

`GET /disruptions` (list_disruptions_disruptions_get)

List All Disruptions

Path Parameters

No Path Parameters.

Query Parameters

Key	Type	Required	Example	Notes
active	boolean	No	-	Filter active disruptions only • Default: true
line_id	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `line_id`				
line_id	string	No	-	-
category	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `category`				
category	string	No	-	-
severity	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `severity`				
severity	string	No	-	-
start_date	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `start_date`				
start_date	string	No	-	-
page	integer	No	-	Page number • Minimum: 1 • Default: 1
per_page	integer	No	-	Items per page • Maximum: 100 • Minimum: 1

Key	Type	Required	Example	Notes
				• Default: 50

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	string	Yes	-	-
data[*].line_id	string	Yes	-	-
data[*].type	string	Yes	-	-
data[*].category	string	Yes	-	-
data[*].category_description	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].category_description`				
data[*].category_description	string	No	-	-
data[*].summary	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].summary`				
data[*].summary	string	No	-	-
data[*].description	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].description`				
data[*].description	string	No	-	-

Key	Type	Required	Example	Notes
data[*].additional_info	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].additional_info`				
data[*].additional_info	string	No	-	-
data[*].created	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].created`				
data[*].created	string	No	-	-
data[*].last_update	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].last_update`				
data[*].last_update	string	No	-	-
data[*].is_active	boolean	No	-	• Default: true
data[*].affected_stops_count	integer	No	-	• Default: 0
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`GET /disruptions/{disruption_id}` (get_disruption_disruptions__disruption_id__get)

Get Disruption Details

Path Parameters

Key	Type	Required	Example	Notes
disruption_id	string	Yes	-	Disruption ID

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.id	string	Yes	-	-
data.line_id	string	Yes	-	-
data.type	string	Yes	-	-
data.category	string	Yes	-	-
data.category_description	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.category_description`				
data.category_description	string	No	-	-
data.summary	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.summary`				
data.summary	string	No	-	-
data.description	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.description`				
data.description	string	No	-	-
data.additional_info	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.additional_info`				
data.additional_info	string	No	-	-
data.created	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.created`				
data.created	string	No	-	-
data.last_update	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.last_update`				
data.last_update	string	No	-	-
data.is_active	boolean	No	-	• Default: true
data.affected_stops_count	integer	No	-	• Default: 0
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-

Key	Type	Required	Example	Notes
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`GET /disruptions/{disruption_id}/affected-stations` (get_disruption_affected_stations_disruptions__disruption_id__affected_stations_get)

Get Stations Affected by Disruption

Path Parameters

Key	Type	Required	Example	Notes
disruption_id	string	Yes	-	Disruption ID

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	string	Yes	-	-
data[*].name	string	Yes	-	-
data[*].lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lat`				
data[*].lat	number	No	-	-
data[*].lon	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lon`				
data[*].lon	number	No	-	-
data[*].modes	array	No	-	-
data[*].modes[]	string	No	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-

Key	Type	Required	Example	Notes
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

Reports

Network status reports with AI-powered summaries and historical tracking. Generate, retrieve, and manage network health reports.

- `POST /reports` (create_report_reports_post)
- `GET /reports` (list_reports_reports_get)
- `GET /reports/{report_id}` (get_report_reports__report_id__get)
- `DELETE /reports/{report_id}` (delete_report_reports__report_id__delete)

`POST /reports` (create_report_reports_post)

Generate Network Report

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

Required.

Media Type: `application/json`

Key	Type	Required	Example	Notes
report_type	string	No	-	• Pattern: ^(snapshot

Responses

- `201 Created`
- `422 Unprocessable Content`

`201 Created`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.id	integer	Yes	-	-
data.timestamp	string	Yes	-	-
data.report_type	string	Yes	-	-
data.summary	string	Yes	-	-
data.total_disruptions	integer	Yes	-	-
data.active_lines_count	integer	Yes	-	-
data.affected_lines_count	integer	Yes	-	-
data.graph_connectivity_score	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.graph_connectivity_score`				
data.graph_connectivity_score	number	No	-	-
data.average_reliability_score	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.average_reliability_score`				

Key	Type	Required	Example	Notes
data.average_reliability_score	number	No	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`GET /reports` (list_reports_reports_get)

List Network Reports

Path Parameters

No Path Parameters.

Query Parameters

Key	Type	Required	Example	Notes
start_date	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `start_date`				
start_date	string	No	-	-
end_date	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `end_date`				
end_date	string	No	-	-
report_type	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `report_type`				
report_type	string	No	-	-
page	integer	No	-	Page number • Minimum: 1 • Default: 1
per_page	integer	No	-	Items per page • Maximum: 100 • Minimum: 1 • Default: 50

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	integer	Yes	-	-
data[*].timestamp	string	Yes	-	-

Key	Type	Required	Example	Notes
data[*].report_type	string	Yes	-	-
data[*].summary	string	Yes	-	-
data[*].total_disruptions	integer	Yes	-	-
data[*].active_lines_count	integer	Yes	-	-
data[*].affected_lines_count	integer	Yes	-	-
data[*].graph_connectivity_score	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].graph_connectivity_score`				
data[*].graph_connectivity_score	number	No	-	-
data[*].average_reliability_score	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].average_reliability_score`				
data[*].average_reliability_score	number	No	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`GET /reports/{report_id}` (get_report_reports__report_id__get)

Get Report Details

Path Parameters

Key	Type	Required	Example	Notes
report_id	integer	Yes	-	Report ID

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.id	integer	Yes	-	-
data.timestamp	string	Yes	-	-
data.report_type	string	Yes	-	-
data.summary	string	Yes	-	-
data.total_disruptions	integer	Yes	-	-
data.active_lines_count	integer	Yes	-	-
data.affected_lines_count	integer	Yes	-	-
data.graph_connectivity_score	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.graph_connectivity_score`				
data.graph_connectivity_score	number	No	-	-
data.average_reliability_score	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.average_reliability_score`				
data.average_reliability_score	number	No	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-

Key	Type	Required	Example	Notes
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`DELETE /reports/{report_id}` (delete_report_reports__report_id__delete)

Delete Report

Path Parameters

Key	Type	Required	Example	Notes
report_id	integer	Yes	-	Report ID

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `204 No Content`
- `422 Unprocessable Content`

`204 No Content`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

No Response Body

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

Network

Transport network topology and analysis including graph metrics and visualization. Access network-wide crowding information.

- `GET /network/topology` (get_network_topology_network_topology_get)
- `GET /network/topology/visualization` (get_network_visualization_network_topology_visualization_get)
- `GET /network/crowding` (get_network_crowding_network_crowding_get)

`GET /network/topology` (get_network_topology_network_topology_get)

Get Network Topology Metrics

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.nodes	integer	Yes	-	-
data.edges	integer	Yes	-	-
data.average_degree	number	Yes	-	-
data.connected_components	integer	Yes	-	-
data.network_health	string	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`GET /network/topology/visualization` (get_network_visualization_network_topology_visualization_get)

Get Network Topology Visualization

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

No Response Body

`GET /network/crowding` (get_network_crowding_network_crowding_get)

Get Network-Wide Crowding Data

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].station_id	string	Yes	-	-
data[*].line_id	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].line_id`				
data[*].line_id	string	No	-	-
data[*].crowding_level	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].crowding_level`				
data[*].crowding_level	string	No	-	-

Key	Type	Required	Example	Notes
data[*].capacity_percentage	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].capacity_percentage`				
data[*].capacity_percentage	number	No	-	-
data[*].timestamp	string	Yes	-	-
data[*].lat	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lat`				
data[*].lat	number	No	-	-
data[*].lon	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].lon`				
data[*].lon	number	No	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

Data Imports

Data import job management for loading TfL network data. Monitor import progress and status.

- `GET /data-imports` (list_data_imports_data_imports_get)
- `POST /data-imports` (create_data_import_data_imports_post)
- `GET /data-imports/{job_id}` (get_data_import_status_data_imports__job_id__get)

`GET /data-imports` (list_data_imports_data_imports_get)

List Data Import Jobs

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	string	Yes	-	-
data[*].status	string	Yes	-	-
data[*].started_at	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].started_at`				
data[*].started_at	string	No	-	-
data[*].completed_at	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].completed_at`				
data[*].completed_at	string	No	-	-
data[*].error	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data[*].error`				
data[*].error	string	No	-	-
data[*].progress_message	Any of The Options	No		May match multiple options simultaneously.

Key	Type	Required	Example	Notes
Option 1 for `data[*].progress_message`				
data[*].progress_message	string	No	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`POST /data-imports` (create_data_import_data_imports_post)

Start Data Import Job

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

Required.

Media Type: `application/json`

Key	Type	Required	Example	Notes
full_refresh	boolean	No	-	• Default: false

Responses

- `201 Created`
- `422 Unprocessable Content`

`201 Created`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.id	string	Yes	-	-
data.status	string	Yes	-	-
data.started_at	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.started_at`				
data.started_at	string	No	-	-
data.completed_at	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.completed_at`				
data.completed_at	string	No	-	-
data.error	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.error`				
data.error	string	No	-	-
data.progress_message	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.progress_message`				
data.progress_message	string	No	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

`GET /data-imports/{job_id}` (get_data_import_status_data_imports__job_id__get)

Get Data Import Job Status

Path Parameters

Key	Type	Required	Example	Notes
job_id	string	Yes	-	-

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.id	string	Yes	-	-
data.status	string	Yes	-	-
data.started_at	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.started_at`				
data.started_at	string	No	-	-
data.completed_at	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.completed_at`				
data.completed_at	string	No	-	-
data.error	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.error`				
data.error	string	No	-	-
data.progress_message	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.progress_message`				
data.progress_message	string	No	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-

Key	Type	Required	Example	Notes
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-

System

System health, statistics, and operational metrics. Monitor database state and service availability.

- `GET /system/health` (health_check_system_health_get)
- `GET /system/statistics` (get_system_statistics_system_statistics_get)
- `GET /` (root_handler__get)

`GET /system/health` (health_check_system_health_get)

Health Check

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.status	string	Yes	-	-
data.message	string	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`GET /system/statistics` (get_system_statistics_system_statistics_get)

Get System Statistics

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.lines	integer	Yes	-	-
data.routes	integer	Yes	-	-

Key	Type	Required	Example	Notes
data.stations	integer	Yes	-	-
data.schedules	integer	Yes	-	-
data.disruptions	integer	Yes	-	-
data.last_updated	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `data.last_updated`				
data.last_updated	string	No	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`GET /` (root_handler__get)

API Root

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Type	Example	Notes
-	-	-

Reference Data

Reference data including transport modes and disruption categories. Access metadata from TfL API.

- `GET /disruption-categories` (list_disruption_categories_disruption_categories_get)
- `GET /modes` (list_modes_modes_get)
- `GET /modes/{mode_id}` (get_mode_modes__mode_id__get)

`GET /disruption-categories` (list_disruption_categories_disruption_categories_get)

List Disruption Categories

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.categories	array	Yes	-	-
data.categories[*]	string	No	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET

Key	Type	Required	Example	Notes
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`GET /modes` (list_modes_modes_get)

List Transport Modes

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	array	Yes	-	-
data[*]	object	No	-	-
data[*].id	string	Yes	-	-
data[*].name	string	Yes	-	-
data[*].is_tfl_service	boolean	Yes	-	-
data[*].is_scheduled_service	boolean	Yes	-	-
meta	object	Yes	-	-
meta.total	integer	Yes	-	-
meta.count	integer	Yes	-	-
meta.page	integer	No	-	• Default: 1

Key	Type	Required	Example	Notes
meta.per_page	integer	No	-	• Default: 50
meta.total_pages	integer	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`GET /modes/{mode_id}` (get_mode_modes__mode_id__get)

Get Transport Mode Details

Path Parameters

Key	Type	Required	Example	Notes
mode_id	string	Yes	-	Mode ID

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `422 Unprocessable Content`

`200 OK`

Successful Response

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
data	object	Yes	-	-
data.id	string	Yes	-	-

Key	Type	Required	Example	Notes
data.name	string	Yes	-	-
data.is_tfl_service	boolean	Yes	-	-
data.is_scheduled_service	boolean	Yes	-	-
links	object	Yes	-	-
links.self	object	Yes	-	-
links.self.href	string	Yes	-	-
links.self.method	string	No	-	• Default: GET
links.self.rel	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `links.self.rel`				
links.self.rel	string	No	-	-

`422 Unprocessable Content`

Validation Error

RESPONSE HEADERS

No Specific Response Headers.

RESPONSE BODY

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-
detail[*].input	undefined	No	-	-
detail[*].ctx	object	No	-	-