

Student Number

Semester 1 Assessment, 2020

School of Mathematics and Statistics

MAST10007 Linear Algebra

This exam consists of 21 pages (including this page)

Authorised materials: printed one-sided copy of the Exam or the Masked Exam made available earlier (or an offline electronic PDF reader), 2 double-sided A4 sheets of notes (handwritten or printed), and blank A4 paper

Instructions to Students

- During exam writing time you may only interact with the device running the Zoom session with supervisor permission. The screen of any other device must be visible in Zoom from the start of the session.
- If you have a printer, print out the exam single-sided and hand write your solutions into the answer spaces.
- If you do not have a printer, or if your printer fails on the day of the exam,
 - (a) download the exam paper to a second device (not running Zoom), disconnect it from the internet as soon as the paper is downloaded and read the paper on the second device;
 - (b) write your answers on the Masked Exam PDF if you were able to print it single-sided before the exam day.

If you do not have the Masked Exam PDF, write single-sided on blank sheets of paper.

- If you are unable to answer the whole question in the answer space provided then you can append additional handwritten solutions to the end of your exam submission. If you do this you MUST make a note in the correct answer space or page for the question, warning the marker that you have appended additional remarks at the end.
- Assemble all the exam pages (or template pages) in correct page number order and the correct way up, and add any extra pages with additional working at the end.
- Scan your exam submission to a single PDF file with a mobile phone or a scanner. Scan from directly above to avoid any excessive keystone effect. Check that all pages are clearly readable and cropped to the A4 borders of the original page. Poorly scanned submissions may be impossible to mark.
- Upload the PDF file via the Canvas Assignments menu and submit the PDF to the GradeScope tool by first selecting your PDF file and then clicking on Upload PDF.
- Confirm with your Zoom supervisor that you have GradeScope confirmation of submission before leaving Zoom supervision.
- You should attempt all questions.
- Marks may be awarded for
 - Using appropriate mathematical techniques.
 - Accuracy of the solution.
 - Showing full working, including results used.
 - Using correct mathematical notation.
- There are 11 questions with marks as shown. The total number of marks available is 100.

Question 1 (8 marks)

(a) Let
$$A = \begin{bmatrix} 1 & 2 \end{bmatrix}$$
, $B = \begin{bmatrix} 1 \\ -1 \end{bmatrix}$, and $C = \begin{bmatrix} 3 & 1 \\ 4 & 2 \end{bmatrix}$.

Calculate the following, if they exist:

- (i) *AC*
- (ii) BA
- (iii) A^TC

(b) Let
$$M = \begin{bmatrix} 2 & -1 & 1 \\ 1 & 2 & -1 \\ 0 & 1 & 3 \end{bmatrix}$$
 and $N = \begin{bmatrix} 1 & 2 & -1 & 1 \\ 1 & 1 & 2 & -1 \\ 1 & 0 & 1 & 3 \\ a & 0 & 0 & 0 \end{bmatrix}$ where $a \in \mathbb{R}$.


(i) Use row operations to calculate det(M).

(ii) Write det(N) in terms of det(M) and a.




Question 2 (8 marks)

Consider the following flow diagram where the flow into any vertex must equal the flow out, and $x, y, z, \lambda \in \mathbb{R}$.



(a) Set up a linear system in the unknowns x, y and z using equations corresponding to the flow at each of the vertices.



		_
() F: 1		
	all solutions to the consistent linear system (for correctly chosen λ) such that and $z \geq 0$.	x
<i>v</i> =		

Question 3 (12 marks)

Consider the four points O(0,0,0), A(1,1,0), B(0,1,1) and C(1,2,4) in \mathbb{R}^3 .


- (a) Find a vector equation of the line L containing B and C.
- (b) Find a Cartesian equation for the plane Π_1 containing O, A and B.
- (c) Find a Cartesian equation for the plane Π_2 containing A, B and C.

(e) Find	the volume of the paral	lelepiped having OA	A, OB and OC as edge	S.


Question 4 (10 marks)

In each part of this question, determine whether W is a subspace of the real vector space V. For each part, give a complete proof using the subspace theorem, or a specific counterexample to show that some subspace property fails.

(a) $V = \mathbb{R}^4$, $W = \{(a, b, c, d) \in \mathbb{R}^4 : ab = cd\}$



(b) $V = M_{3,3}, W = \{A \in M_{3,3} : A^2 = 3A\}$



(c) $V = \mathcal{P}_3, W = \{p(x) \in \mathcal{P}_3 : p(20) = p(19)\}$

Question 5 (7 marks)

You are given the following matrices related by a sequence of elementary row operations:

$$A = \begin{bmatrix} 1 & 0 & -2 & 2 \\ -2 & 1 & 7 & 0 \\ 1 & 2 & 4 & 11 \\ 1 & 1 & 1 & 6 \end{bmatrix}, \qquad B = \begin{bmatrix} 1 & 0 & -2 & 0 \\ 0 & 1 & 3 & 0 \\ 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 \end{bmatrix}$$

Using this information (or otherwise), answer the following questions:

(a) Show that

$$\{1-2x+x^2+x^3, x+2x^2+x^3, -2+7x+4x^2+x^3, 2+11x^2+6x^3\}$$

is not a linearly independent subset of \mathcal{P}_3 by writing one of the polynomials as a linear combination of the others.

(b) Is

$$\{(1,-2,1,1),(0,1,2,1),(-2,7,4,1),(2,0,11,6)\}$$

a spanning set for \mathbb{R}^4 ? Explain your answer.

(c) Find a basis for the subspace of $M_{2,2}$ defined by

$$W = \operatorname{Span} \left\{ \begin{bmatrix} 1 & 0 \\ -2 & 2 \end{bmatrix}, \begin{bmatrix} -2 & 1 \\ 7 & 0 \end{bmatrix}, \begin{bmatrix} 1 & 2 \\ 4 & 11 \end{bmatrix}, \begin{bmatrix} 1 & 1 \\ 1 & 6 \end{bmatrix} \right\}.$$

What is the dimension of W?

1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	

Question 6 (10 marks)

Let $\mathcal{B} = \{\mathbf{b}_1, \mathbf{b}_2, \mathbf{b}_3\}$ be an ordered basis for a real vector space V, and suppose that

$$c_1 = b_1, \quad c_2 = b_1 - b_2, \quad c_3 = b_1 - 3b_2 + b_3$$

- (a) Write down the coordinate vectors $[\mathbf{c}_1]_{\mathcal{B}}$, $[\mathbf{c}_2]_{\mathcal{B}}$ and $[\mathbf{c}_3]_{\mathcal{B}}$.
- (b) Show that $C = \{\mathbf{c}_1, \mathbf{c}_2, \mathbf{c}_3\}$ is a basis for V.
- (c) Find the transition matrix $P_{\mathcal{B},\mathcal{C}}$ (that converts coordinates with respect to \mathcal{C} to coordinates with respect to \mathcal{B}).

(d)	Find the transition matrix $P_{\mathcal{C},\mathcal{B}}$ (that converts coordinates with respect to \mathcal{B} to coordinates with respect to \mathcal{C}).

(e) Using your answer to part (d), find $[2\mathbf{b}_1 + 3\mathbf{b}_2 - \mathbf{b}_3]_{\mathcal{C}}$.


Question 7 (10 marks)

Consider the function $T: \mathcal{P}_2 \to \mathcal{P}_2$ given by

$$T(p(x)) = p''(x) + xp'(x) - p(x),$$

where p'(x) and p''(x) are the first and second derivatives of p(x). Let $\mathcal{B} = \{1, x, x^2\}$ be the standard ordered basis of \mathcal{P}_2 .

(a) Prove that T is a linear transformation.



(b) Find the matrix $[T]_{\mathcal{B}}$ of T with respect to the basis \mathcal{B} .

(d) Fine	d a basis for the kernel of T .
(a) Dot	ermine whether T is injective, surjective or neither.
(e) Det	stilline whether T is injective, surjective of hertiler.

Question 8 (7 marks)

Let $T: \mathbb{R}^2 \to \mathbb{R}^2$ be the linear transformation given by

$$T(x,y) = (x+y, 2x+y).$$

Consider the following two ordered bases of \mathbb{R}^2

$$S = \{(1,0), (0,1)\}$$
 and $B = \{(1,2), (3,4)\}.$

- (a) Find the matrix $[T]_{\mathcal{S}}$ of T with respect to the basis \mathcal{S} .
- (b) Is T invertible? (You should explain your reasoning.)
- (c) Find the matrix $[T]_{\mathcal{B}}$ of T with respect to the basis \mathcal{B} .

Question 9 (12 marks)

A student gets some exercise by going for a walk each day, either to the local park or to the nearby river.

- If the student goes to the park one day, then the next day she goes to the park with probability $\frac{1}{4}$.
- If she goes to the river one day, then the next day she goes to the river with probability $\frac{1}{2}$.

Let p_n be the probability that the student goes to the park on day n, and r_n be the probability that the student goes to the river on day n.


(a) Explain briefly why

$$\begin{bmatrix} p_{n+1} \\ r_{n+1} \end{bmatrix} = A \begin{bmatrix} p_n \\ r_n \end{bmatrix},$$

where

$$A = \begin{bmatrix} \frac{1}{4} & \frac{1}{2} \\ \frac{3}{4} & \frac{1}{2} \end{bmatrix}.$$

(b) Find the eigenvalues and corresponding eigenvectors for A.



(d) Desc	ribe the limiting behaviour of A^n as $n \to \infty$	
(e) Wha	t is the long term probability that the stude	ent visits the river?
(0) 11110	o to the tong term prosability that the state	110 110100 0110 111011

Question 10 (10 marks)

Consider \mathcal{P}_1 with the inner product given by

$$\langle p(x), q(x) \rangle = p(1)q(1) + 2p(2)q(2).$$

(a) Prove that the formula for $\langle p(x), q(x) \rangle$ defines an inner product on \mathcal{P}_1 .

(c) L	at $W \subset \mathcal{D}_1$ be the subspace spanned by x . Find the point of W that is closest to
	et $W \subset \mathcal{P}_1$ be the subspace spanned by x . Find the point of W that is closest to ing this inner product.
	et $W \subset \mathcal{P}_1$ be the subspace spanned by x . Find the point of W that is closest to ing this inner product.

Question 11 (6 marks)

Let A be an arbitrary $n \times n$ matrix with complex entries.

(a) Prove that if λ is an eigenvalue of A then λ^2 is an eigenvalue of A^2 .

- (b) Is it always true that every eigenvector of A^2 is also an eigenvector of A? Justify your
- answer by either giving a general proof, or by giving an example of a matrix A where this does not hold.

End of Exam—Total Available Marks = 100