UserTickets

```
Create table UserTickets(MatchID bigint,
                             ProductID int,
                             BetType int,
                             CompanyID int,
                             TicketID bigint,
                             TicketTime bigint,
                             ConfirmedTime bigint,
                             CompanyCustomerID
text,
                             NBCustomerID bigint,
                             BetAmount double,
                             BetCurrency int,
                             CurrencyRate double,
                             BetSystemAmount double,
                             MasterTicketID bigint,
                             CustomerWin double,
                             CustomerRisk double,
                             Profit double,
                             LastCancelTime bigint,
                             TicketStatus int,
                             RunningStage int,
                             MatchResult text,
                             OptionID bigint,
                             OptionOrder int,
                             OptionName text,
                             GroupType int,
                             BetStage int,
                             BetBar text,
                             GameType int,
                             MatchName text,
                             MatchStartTime bigint,
                             TournamentName text,
                             TournamentID bigint,
                             TourLevel int,
                             SportID int,
                             BillTime bigint,
                             BetOption text,
                             InsHomeScore int,
                             InsAwayScore int,
                             Odds double,
                             OddsView text,
                             ViewFmt int,
                             OldOddsView text,
                                                          OldViewFmt int,
                             OptionResult int,
                                                          cancelMsq Text,
                             IPAddress Text,
                             DomainName Text,
                                                          ClientType int,
                             Primary key((ProductID, CompanyID,
```

```
CompanyCustomerID), TicketTime, BetAmount,Ticketid))
WITH CLUSTERING ORDER BY (tickettime DESC, BetAmount DESC);

CREATE INDEX idx_Usertickets_matchid ON tickets.UserTickets(matchid);
Create index idx_Usertickets_ticketid on tickets.UserTickets(ticketid);
Create index idx_Usertickets_nbCustomerId on tickets.UserTickets
(nbcustomerid);
CREATE INDEX idx_Usertickets_ticketstatus ON tickets.UserTickets
(ticketstatus);
```