

Nymphalidae	<i>Limnitis archippus</i>	<i>Limnitis arthemis</i>					0.000	[2]		0.500	[1]		HRSI	S		Y	87, 158, 161
Nymphalidae	<i>Limnitis lorquini</i>	<i>Limnitis archippus</i>					0.500	[1]					HRL1	S		Y	159
Nymphalidae	<i>Amantia weidemeyeri</i>	<i>Amantia archippus</i>					0.000	[1]						S		Y	159
Nymphalidae	<i>Amantia amathia</i>	<i>Amantia fatima</i>					0.200	¹		0.000	[2]			S		Y	57
Nymphalidae	<i>Heliconius erato</i>	<i>Heliconius linera</i>					0.280	¹		0.000	[2]			S		Y	139
Nymphalidae	<i>Heliconius cydno</i>	<i>Heliconius melponome</i>					0.247	²		0.000	[1]		HRSI	S		Y	205
Nymphalidae	<i>Heliconius ismenius</i>	<i>Heliconius cydno</i>					0.396	²		0.000	[1]		HRSI	S		Y	205
Nymphalidae	<i>Heliconius pachtius</i>	<i>Heliconius cydno</i>					0.162	²		0.000	[1]			S		Y	205
Nymphalidae	<i>Heliconius melponome (Panama)</i>	<i>Heliconius melponome (French Guiana)</i>					0.182	²		0.000	[2]		HRSI	A		N/A	204
Papilionidae	<i>Papilio aegaeus</i>	<i>Papilio maclintus</i>					0.500	[1]		1.000	[1]		HRL1	A		N/A	13
Papilionidae	<i>Papilio alexartus</i>	<i>Papilio glaucus</i>					0.159	¹		0.000	[2]			S		?	86, 172
Papilionidae	<i>Papilio alphenor</i>	<i>Papilio polytes</i>					0.000	[1]		0.000	[1]			S		?	15
Papilionidae	<i>Papilio asterius</i>	<i>Papilio machaon</i>					0.000	[2]						S		?	36
Papilionidae	<i>Papilio bairdi brucei</i>	<i>Papilio hippocrates</i>					0.000	[1]						S		?	9
Papilionidae	<i>Papilio bairdy brucei</i>	<i>Papilio xuthus</i>					1.000	[1]		1.000	[1]			S		?	4
Papilionidae	<i>Papilio bairdy brucei</i>	<i>Papilio polytes</i>					0.250	[2]		0.250	[2]		HRL1	S		?	9
Papilionidae	<i>Papilio bianor</i>	<i>Papilio arcturus</i>					1.000	[1]		1.000	[1]			S		?	13
Papilionidae	<i>Papilio bianor amanienensis</i>	<i>Papilio b. dehaani</i>					0.000	[1]						A		N/A	15
Papilionidae	<i>Papilio bianor dehaani</i>	<i>Papilio b. junia</i>					0.000	[2]					HRL1	A		N/A	15
Papilionidae	<i>Papilio bianor dehaani</i>	<i>Papilio hippocrates</i>					0.750	[2]		1.000	[1]			S		?	15
Papilionidae	<i>Papilio bianor junia</i>	<i>Papilio b. okinawensis</i>					0.250	[2]					HRL1	A		N/A	15
Papilionidae	<i>Papilio bianor okinawensis</i>	<i>Papilio b. takasago</i>					0.000	[2]						A		N/A	15
Papilionidae	<i>Papilio bianor okinawensis</i>	<i>Papilio b. amanienensis</i>					0.000	[1]		0.000	[1]		HRL1	A		N/A	15
Papilionidae	<i>Papilio bianor okinawensis</i>	<i>Papilio b. dehaani</i>					0.000	[1]		0.500	[1]		HRL1, HRSI	A		N/A	15
Papilionidae	<i>Papilio bianor takasago</i>	<i>Papilio b. dehaani</i>					0.000	[1]						A		N/A	15
Papilionidae	<i>Papilio bianor tokurenensis</i>	<i>Papilio b. okinawensis</i>					0.500	[1]					HRL1	A		N/A	15
Papilionidae	<i>Papilio bianor tokurenensis</i>	<i>Papilio b. dehaani</i>					0.000	[1]						A		N/A	15
Papilionidae	<i>Papilio bianor dehaani</i>	<i>Papilio maackii</i>					0.500	[1]		1.000	[1]		HRL1	S		?	5, 13
Papilionidae	<i>Papilio brevicauda</i>	<i>Papilio machaon</i>					0.000	[1]		0.500	[1]		HRSI	A		N/A	31
Papilionidae	<i>Papilio brevicauda</i>	<i>Papilio polytes</i>					0.000	[1]		0.000	[1]		HRSI	S		?	31
Papilionidae	<i>Papilio canadensis</i>	<i>Papilio glaucus</i>					0.154	¹		0.000	[2]			S		Y	86, 196
Papilionidae	<i>Papilio constantinus</i>	<i>Papilio phloxus</i>					0.677	⁴		0.500	[1]		HRL1	S		Y	46
Papilionidae	<i>Papilio demoleus</i>	<i>Papilio hippocrates</i>								1.000	[1]			A		N/A	13
Papilionidae	<i>Papilio demoleus</i>	<i>Papilio maackii</i>					0.977	⁴		1.000	[1]			S		?	13
Papilionidae	<i>Papilio demoleus</i>	<i>Papilio xuthus</i>					0.418	¹		1.000	[1]			S		?	13
Papilionidae	<i>Papilio eurymedon</i>	<i>Papilio glaucus</i>					0.092	¹		0.250	[2]		HRL1	S		?	38, 86, 173, 191
Papilionidae	<i>Papilio eurymedon</i>	<i>Papilio rutulus</i>					0.000	[2]		0.250	[2]			S		Y	173, 182
Papilionidae	<i>Papilio eurymedon</i>	<i>Papilio multicaudatus</i>					0.403	¹		0.000	[1]			S		?	173
Papilionidae	<i>Papilio fuscus</i>	<i>Papilio maclintus</i>								0.500	[1]		HRL1	A		N/A	13
Papilionidae	<i>Papilio glaucus</i>	<i>Papilio cleus</i>								1.000	[1]			S		?	174
Papilionidae	<i>Papilio glaucus</i>	<i>Papilio multicaudatus</i>					0.334	¹		0.000	[1]			S		?	86, 174, 191
Papilionidae	<i>Papilio glaucus</i>	<i>Papilio rutulus</i>					0.355	¹		0.000	[2]		ESI	S		Y	35, 86, 173, 191
Papilionidae	<i>Papilio glaucus</i>	<i>Papilio xuthus</i>					0.511	²		0.000	[1]			S		?	174
Papilionidae	<i>Papilio glaucus</i>	<i>Papilio scamander</i>					1.161	⁴		1.000	[1]			A		N/A	13
Papilionidae	<i>Papilio gothica</i>	<i>Papilio xuthus</i>								0.250	[2]		EL1	S		?	165
Papilionidae	<i>Papilio helemus</i>	<i>Papilio aegaeus</i>								0.500	[1]		HRL1	A		N/A	13
Papilionidae	<i>Papilio helemus</i>	<i>Papilio hysaxys</i>								0.000	[1]			S		?	13
Papilionidae	<i>Papilio helemus</i>	<i>Papilio memnon</i>								0.500	[1]		HRL1	S		?	13, 8
Papilionidae	<i>Papilio helemus</i>	<i>Papilio nepheles</i>								0.000	[1]			S		?	13

Pteridae	<i>Colias australis</i>	<i>Colias hyale</i>	0.198 ¹	0.000	[11]	0.500	[11]	HR.S1	S	?	135, 201
Pteridae	<i>Colias crocea</i>	<i>Colias hyale</i>	0.446 ¹	0.000	[11]				S	Y	136, 201
Pteridae	<i>Colias erate</i>	<i>Colias eurytheme</i>	0.621 ²	0.000	[11]	1.000	[11]		A	N/A	16
Pteridae	<i>Colias eurytheme</i>	<i>Colias alexandria</i>	0.305 ¹	0.000	[11]				S	?	3
Pteridae	<i>Colias eurytheme</i>	<i>Colias philodice</i>	0.207 ¹	0.000	[12]	0.000	[12]		S	Y	3, 75, 81
Pteridae	<i>Colias eurytheme</i>	<i>Colias interior</i>		0.000	[11]				S	Y	1, 3
Pteridae	<i>Pieris addawinda</i>	<i>Pieris bryoniae</i>	0.030 ¹	0.000	[12]	0.000	[11]		S	?	21
Pteridae	<i>Pieris addawinda</i>	<i>Pieris napi</i>	0.030 ¹	0.000	[11]	0.000	[11]		S	?	21
Pteridae	<i>Pieris bryoniae</i>	<i>Pieris dubiosa</i>		0.000	[11]				A	N/A	135
Pteridae	<i>Pieris bryoniae</i>	<i>Pieris napi</i>	0.000 ¹	0.000	[12]	0.000	[11]		S	?	20, 23
Pteridae	<i>Pieris collidice</i>	<i>Pieris nelsoni</i>		1.000	[11]	1.000	[11]		A	N/A	180
Pteridae	<i>Pieris ergane</i>	<i>Pieris napi</i>	0.371 ¹	0.000	[11]	0.000	[11]		S	?	135
Pteridae	<i>Pieris flavescens</i>	<i>Pieris bryoniae</i>		0.000	[11]	0.000	[11]		S	?	20, 21
Pteridae	<i>Pieris manni</i>	<i>Pieris napi</i>	0.511 ¹	0.000	[11]				S	?	135, 201
Pteridae	<i>Pieris manni</i>	<i>Pieris rapae</i>	0.105 ¹	0.000	[12]	0.500	[11]		S	?	136, 201
Pteridae	<i>Pieris melete</i>	<i>Pieris napi</i>	0.211 ¹	0.000	[11]	0.500	[11]	HR.S1	A	N/A	135
Pteridae	<i>Pieris napi</i>	<i>Pieris dulcinea pseudonapi</i>		0.000	[11]	0.500	[11]	HR.S1	A	N/A	135
Pteridae	<i>Pieris neobryoniae</i>	<i>Pieris addawinda</i>		0.000	[11]	0.000	[11]				21
Pteridae	<i>Pieris nesis</i>	<i>Pieris napi</i>	0.151 ¹	0.000	[11]	0.500	[11]	HR.S1	A	N/A	135
Pteridae	<i>Pieris protodice</i>	<i>Pontia daplidice</i>		0.000	[11]				A	N/A	135
Pteridae	<i>Pieris rapae</i>	<i>Pieris napi</i>	0.673 ¹	0.000	[11]				S	?	135, 201
Pteridae	<i>Pontia daplidice</i>	<i>Pieris rapae</i>	0.844 ¹	1.000	[11]	1.000	[11]		S	?	135
Pteridae	<i>Pontia edusa</i>	<i>Pontia daplidice</i>	0.174 ¹	0.000	[11]				A	N/A	74
Psychidae	<i>Funera affinis</i>	<i>Funera nitidella</i>		0.500	[12]			HR.L2			87
Psychidae	<i>Solenobia homani</i>	<i>Solenobia generosensis</i>		0.000	[12]	0.750	[12]	HR.S1			194, 200
Rosidae	<i>Ectropis bistorata</i>	<i>Ectropis crepuscularia</i>		0.000	[12]	0.000	[12]		A	N/A	47, 50, 87, 101
Saturniidae	<i>Callosamia angulifera</i>	<i>Callosamia secriffera</i>	0.085 ³	0.000	[12]	0.000	[12]		S	?	153
Saturniidae	<i>Callosamia angulifera</i>	<i>Hydophora cecropia</i>	0.680 ³	0.250	[12]	1.000	[11]		S	?	29
Saturniidae	<i>Callosamia promethica</i>	<i>Callosamia angulifera</i>	0.042 ³	0.000	[12]				S	?	153
Saturniidae	<i>Callosamia secriffera</i>	<i>Hydophora glomeri</i>	0.130 ³	0.000	[11]				S		153
Saturniidae	<i>Hydophora cecropia</i>	<i>Hydophora glomeri</i>	0.281 ³	0.000	[12]	0.500	[12]	HR.S2	S	Y	187, 194, 197
Saturniidae	<i>Hydophora cecropia</i>	<i>Hydophora nekoniis</i>		0.000	[11]	0.500	[11]	HR.S1	S	Y	187
Saturniidae	<i>Hydophora euryalis</i>	<i>Hydophora cecropia</i>	0.194 ³	0.000	[11]	0.500	[11]	HR.S1	S	Y	194, 197
Saturniidae	<i>Hydophora euryalis</i>	<i>Hydophora glomeri</i>	0.173 ³	0.000	[11]	0.500	[11]	HR.S1	S	Y	54, 190
Saturniidae	<i>Philosamia ricini</i>	<i>Philosamia cynthia</i>	0.070 ¹	0.000	[11]	0.000	[11]				107, 108
Saturniidae	<i>Saturnia mendocino</i>	<i>Saturnia walterorum</i>		0.000	[12]	0.000	[12]		S	Y	188
Saturniidae	<i>Saturnia pavonia</i>	<i>Saturnia spini</i>		0.000	[12]	0.500	[12]	HR.S2	S	?	87, 119
Saturniidae	<i>Saturnia pavonia</i>	<i>Saturnia pyri</i>		0.000	[11]	0.500	[11]	HR.S1	S	?	87
Sphingidae	<i>Amorpha austanti</i>	<i>Smerinthus atlanticus</i>		0.000	[12]				S	?	87
Sphingidae	<i>Amorpha austanti</i>	<i>Smerinthus atlanticus</i>		0.000	[11]				A	N/A	87
Sphingidae	<i>Amorpha populi</i>	<i>Smerinthus atlanticus</i>		0.500	[12]			HR.L1	S	?	87
Sphingidae	<i>Amorpha populi</i>	<i>Smerinthus ocellata</i>		0.500	[11]			HR.L1	S	Y	50, 87, 184
Sphingidae	<i>Celerio dahi</i>	<i>Celerio gylli</i>		0.500	[11]			HR.L1	S	?	115
Sphingidae	<i>Celerio elenor</i>	<i>Celerio livornica</i>		0.250	[12]			HR.L1	S	?	24, 50, 143
Sphingidae	<i>Celerio euphorbiae</i>	<i>Celerio gylli</i>		0.000	[12]	0.000	[11]		S	?	24, 27, 194
Sphingidae	<i>Celerio euphorbiae</i>	<i>Celerio hippophaeus</i>		0.000	[12]	0.000	[12]		S	?	27
Sphingidae	<i>Celerio euphorbiae</i>	<i>Celerio tinetata</i>		0.000	[12]	0.000	[11]		A	N/A	27
Sphingidae	<i>Celerio euphorbiae</i>	<i>Celerio vespertilio</i>		0.000	[12]	0.000	[12]		S	?	27
Sphingidae	<i>Celerio euphorbiae</i>	<i>Deilephila elenor</i>		0.500	[12]	1.000	[11]	HR.L2	S	?	27

1. Ae, S. A. Hybrids between Colias eurytheme and C interior (Pieridae). *Lepidopterist's News* **10**, 9-14 (1956).
2. Ae, S. A. Hybrids between *Colias eurytheme* and *C. interior* (Pieridae). *Lepidopterists' News* **10**, 9-14 (1956).
3. Ae, S. A. A study of hybrids in *Colias* (Lepidoptera, Pieridae). *Evolution* **13**, 64-88 (1959).
4. Ae, S. A. A study of hybrids between Papilio xuthus and the P. polyxenes - machaon group. *Journal of the Lepidopterist's Society* **14**, 5-16 (1960).
5. Ae, S. A. A study of interspecific hybrids in black swallowtails in Japan. *Journal of the Lepidopterists' Society* **15**, 175-190 (1961).
6. Ae, S. A. The hybrids between *Papilio hippocrates* female and *P. maackii* and other *Papilio* males in Japan. *Entomologist* **95**, 277-284 (1962).
7. Ae, S. A. A further study of interspecific hybrids in black swallowtails in Japan. *Journal of the Lepidopterists' Society* **17**, 163-169 (1963).
8. Ae, S. A. The hybrids between Papilio polyxenes and P. maackii. *Kontyu* **32**, 91-99 (1964).
9. Ae, S. A. A study of hybrids in the Papilio machaon group. *Bulletin of the Japan Entomological Academy* **1**, 1-10 (1964).
10. Ae, S. A. Hybrids between *Papilio memnon* and *P. helenus* and between *P. memnon* and *P. protenor*. *Journal of Research on the Lepidoptera* **3**, 55-62 (1964).
11. Ae, S. A. A further study of hybrids in the Papilio machaon group. *Bulletin of the Japan Entomological Academy* **2**, 19-30 (1966).
12. Ae, S. A. A study of the immature stage of *Papilio rumanzovia* hybrids between *P. rumanzovia* and *P. memnon*. *Phillipine Scientist*, 60-64 (1974).
13. Ae, S. A. The phylogeny of some Papilio species based on interspecific hybridization data. *Systematic Entomology* **4**, 1-16 (1979).
14. Ae, S. A. A study of the *Papilio bianor* group mainly based on hybridization (Lepidoptera, Papilionidae). *Tyo to Ga* **41**, 13-19 (1990).
15. Ae, S. A. in *Swallowtail butterflies: Their ecology and evolutionary biology* (ed. J.M. Scriber, Y. T., and R.C. Lederhouse) 229-235 (Scientific Publishers, Gainesville, 1995).
16. Ae, S. A. A study of hybridization between *Colias erate* and *C. eurytheme* (Pieridae). *Journal of the Lepidopterists' Society* **50**, 345-347 (1996).
17. Arkle, J. Natural pairings of Amphidasys betularia and var. Doubledayaria. *Entomologist* **22**, 236 (1889).
18. Aubert, J., Barascud, B., Descimon, H. & Michel, F. Ecology and genetics of interspecific hybridization in the swallowtails, *Papilio hospiton* Gene and *P. machaon* L., in Corsica (Lepidoptera: Papilionidae). *Biological Journal of the Linnean Society* **60**, 467-492 (1997).
19. Bascot, A. Current notes? *Entomologist's Record and Journal of Variation* **14**, 106-109 (1902).
20. Bowden, S. R. Hybrids within the European Pieris napi L. species-group. *Proceedings and Transactions of the South London Entomological and Natural History Society* **1954-55**, 135-159 (1954).

21. Bowden, S. R. Sexual mosaics in Pieris. *The Lepidopterist's News* **12**, 6-13 (1958).
22. Bowden, S. R. Übertragungen von Pieris napi-Genen auf Pieris bryoniae durch wiederholte Rückkreuzung (Lep. Pieridae). *Zeitschrift der Arbeitsgemeinschaft österreichischer Entomologen* **14**, 12-18 (1962).
23. Bowden, S. R. "Sex-ratio" in Pieris hybrids. *Journal of the Lepidopterists' Society* **20**, 189-196 (1966).
24. Bytinski-Salz, H. Untersuchungen an Lepidopterenhybriden I. Morphologie und Cytologie einiger Bastarde der Celerio hzbr. galiphorbiae-Gruppe. *Zeitschrift für induktive Abstammungs- und Vererbungslehre* **53**, 153-234 (1930).
25. Bytinski-Salz, H. Untersuchungen an Lepidopterenhybriden. II. Entwicklungsphysiologische Experimente über die Wirkung der disharmonischen Chromosomenkombinationen. *Wilhelm Roux's Archiv für Entwicklungsmechanik der Organismen* **129**, 356-378 (1933).
26. Bytinski-Salz, H. Untersuchungen an Lepidopterenhybriden IV. *Entomologische Zeitschrift* **46**, 209-211, 220-225 (1933).
27. Bytinski-Salz, H. Verwandtschaftsverhältnisse zwischen den Arten der Gattungen Celerio und Pergesa nach Untersuchungen über die Zytologie und Fertilität ihrer Bastarde. *Biologisches Zeitblatt* **54**, 300-313 (1934).
28. Carde, R. T., Roelofs, W. L., Harrison, R. G., Vawter, A. T. & Brussard, P. R. European corn borer: pheromone polymorphism or sibling species? *Science* **199**, 555-556 (1978).
29. Carr, T. W. Hybridization between Callosamia and Hyalophora (Saturniidae). *Journal of the Lepidopterists' Society* **38**, 261-267 (1984).
30. Clarke, C. A. & Knudsen, J. P. A hybrid swallowtail. *Entomologist's Record and Journal of Variation* **65**, 76-80 (1953).
31. Clarke, C. A. & Sheppard, P. M. Further observations on hybrid swallowtails. *Entomologist's Record* **65**, 1-12 (1953).
32. Clarke, C. A. & Sheppard, P. M. A Preliminary report on the genetics of the machaon group of swallowtail butterflies. *Evolution* **9**, 182-201 (1955).
33. Clarke, C. A. Abstract of experimental breeding of butterflies. *Proceedings and Transactions of the South London Entomological and Natural History Society* **1955**, 92-93 (1955).
34. Clarke, C. A. & Sheppard, P. M. The breeding in captivity of the hybrid swallowtail Papilio machaon gorganus Fruhstorfer female x Papilio hospiton Gene male. *Entomologist* **88**, 265-270 (1955).
35. Clarke, C. A. & Sheppard, P. M. The breeding in captivity of the hybrid Papilio rutulus female x Papilio glaucus male. *Lepidopterists' News* **9**, 46-48 (1955).
36. Clarke, C. A. & Sheppard, P. M. A preliminary report on the genetics of the machaon group of swallowtail butterflies. *Evolution* **9**, 182-201 (1955).
37. Clarke, C. A. & Sheppard, P. M. A further report on the genetics of the machaon group of swallowtail butterflies. *Evolution* **10**, 66-73 (1956).
38. Clarke, C. A. & Sheppard, P. M. The breeding in captivity of the hybrid Papilio glaucus female x Papilio eurymedon male. *Lepidopterists' News* **11**, 201-205 (1957).

39. Clarke, C. A. & Sheppard, P. M. The hybrids between Papilio machaon L. female and Papilio maackii male and between Papilio polyxenes asterias Fabr. female and Papilio maackii Men. male (Lepidoptera, Nymphalidae). *Entomologist* **95**, 269-271 (1962).
40. Clarke, C. A. & Sheppard, P. M. The hybrid between Papilio polyxenes asterias Fabr. female and Papilio maackii Men. male (Lepidoptera, Nymphalidae). *Entomologist* **97**, 131-133 (1964).
41. Clarke, C. A. & Sheppard, P. M. Is Papilio gothica (Papilionidae) a good species? *Journal of the Lepidopterists' Society* **24**, 229-233 (1970).
42. Clarke, C. A., Mittwoch, U. & Traut, W. Linkage and cytogenetic studies in the swallowtail butterflies Papilio polyxenes Fab. and Papilio machaon L. and their hybrids. *Proceedings of the Royal Society London B* **198**, 385-399 (1977).
43. Clarke, C. Papilio nandina, a probable hybrid between Papilio dardanus and Papilio phorcas. *Systematic Entomology* **5**, 49-57 (1980).
44. Clarke, C. A., Clarke, F. M. M., Collins, S. C., Gill, A. C. L. & Turner, J. R. G. Male-like females, mimicry and transvestism in butterflies (Lepidoptera: Papilionidae). *Systematic Entomology* **10**, 257-283 (1985).
45. Clarke, C. A. & Larsen, T. B. Speciation problems in the Papilio machaon group of butterflies (Lepidoptera: Papilionidae). *Systematic Entomology* **11**, 175-181 (1986).
46. Clarke, C. A., Gordon, I. J., Smith, C. R. & Vane-Wright, R. I. Phylogenetic relationships of three African swallowtail butterflies, Papilio dardanus, P. phorcas and P. constantinus: new data from hybrids (Lepidoptera: Papilionidae). *Systematic Entomology* **16**, 257-273 (1991).
47. Cockayne, E. A. Notes on breeding Tephrosia bistortata and hybrid T. bistortata x T. crepuscularia. *The Entomologist's Record and Journal of variation* **21**, 125 (1909).
48. Cockayne, E. A. Hybridisation experiments with Thera variata, Schiff., and T. obeliscata. *Entomologist's Record* **39**, 1-5 (1927).
49. Cockayne, E. A. The origin of gynandromorphs in the Lepidoptera from binucleate ova. (1935).
50. Cockayne, E. A. Hybrids. *Proceedings and Transactions of the South London Entomological and Natural History Society* **1939-40**, 65-80 (1940).
51. Cockayne, E. A. & Darlow, H. M. Wild hybrids of Zygaena filipendulae, L., x Z. ionicerae, Esp. *The Entomologist's Record and Journal of Variation* **53**, 113-114 (1941).
52. Cockayne, E. A. Intersexes in a brood of hybrid Lycia hirtaria, Clrck., male x Poecilopsis lapponaria, Bdv., female; Hybrid wallacei, Harrison. *The Entomologist's Record and Journal of Variation* **56**, 65-66 (1944).
53. Collins, M. M. Notes on the taxonomic status of Hyalophora columbia (Saturniidae). *Journal of the Lepidopterists' Society* **27**, 225-235 (1973).
54. Collins, M. M., Britten, H. B. & Rivers, V. Allozyme analysis of a known hybrid zone between Hyalophora euryalis and H. columbia gloveri (Lepidoptera: Saturniidae) in the California Sierra Nevada. *Journal of Research on the Lepidoptera* **32**, 79-88 (1996).

55. Collins, M. M. Hybridization and speciation in *Hyalophora* (Insecta: Lepidoptera: Saturniidae): a reappraisal of W.R. Sweadner's classic study of a hybrid zone. *Annals of Carnegie Museum* **66**, 411-455 (1997).
56. Crotch, W. J. B. Hybrid races of the genus *Philosamia*. *Entomologist's Record and Journal of Variation* **66**, 165-166 (??).
57. Davies, N., Aiello, A., Maller, J., Pomiankowski, A. & Silberglied, R. E. Speciation in tow neotropical butterflies: extending Haldane's Rule. *Proceedings of the Royal Society of London Series B* (1997).
58. Denso, P. Vorläufige Mitteilungen über den Hybriden *Deilephila* hybr. *gallii* (männ.) x *euphorbiae* (weib.) = hybr. *galiphorbiae*. *Internationale Entomologische Zeitschrift* **21**, 136 (1907).
59. Denso. Hybr. *Celerio gallii gallii* Rott. (weib.) x *Celerio euphorbiae mauretanica* Stgr. (männ.). *Internationale Entomologische Zeitschrift* **5**, 258-259 (1911/1912).
60. Denso, P. Palaearktische Schmetterlingsformen. *Duetsche Entomologische Zeitschrift* **26**, 125-136 (1912).
61. Dixey, F. A. On *Saturnia* hybrids. *Proceedings of the Entomological Society of London* **1897**, 1-1iii (1897).
62. Dixey, F. A. On *Saturnia* hybrids. *Proceedings of the Entomological Society of London* **1905**, vii-xi (1906).
63. Federley, H. Das Verhalten der Chromosomen bei der Spermatogenese der Schmetterlinge *Pygaera anachoreta*, *curtula* und *pigra* sowie einiger ihrer Bastarde. *Zeitschrift für induktive Abstammungs- und Vererbungslehre* **9**, 1-110 (1913).
64. Federley, H. Chromosomenstudien an Mischlingen. *Öfersigt af Finska vetenskaps-societetens förhandlingar* **58A** (1916).
65. Federley, H. Ueber einen Fall von Criss-Cross-Vererbung bei einer Artkreuzung. *Hereditas* **3**, 125-146 (1922).
66. Federley, H. Bilden Chromosomenkonjugationen, Mendelspaltung und Fertilität bei Speziesbastarden einen Dreibund? *Hereditas* **4**, 161-170 (1923).
67. Federley, H. *Hereditas* **9**, 391-414 (1927).
68. Federley, H. Zytogenetische Untersuchungen an Mischlingen der Gattung *Dicanura* B. (Lepidoptera). *Hereditas* **29**, 205-250 (1943).
69. Federley, H. Meiosis and intersexuality in reciprocal *Drepana* hybrids (Lep.). *Heriditas* **35**, 49-60 (1949).
70. Field, W. L. W. Hybrid butterflies of the Genus *Basilarchia*. *Psyche* **21**, 115-117 (1914).
71. Fischer, E. Artbastarde von Schmetterlingen und ihre F₂- und Rückkreuzungsgenerationen. *Vierteljahrsschriften der Naturforschenden Gesellschaft in Zürich* **76**, 214-303 (1931).
72. Fontana, P. G. Improved resolution of the meiotic chromosomes in both sexes of *Euxoa* species and their hybrids (Lepidoptera: Noctuidae). *Canadian Journal of Genetics and Cytology* **18**, 537-544 (1976).
73. Frings, K. *Saturnia* hybr. *Casparii* m. *M Soc Entom Zürich* **21**, 25-27 (1906).
74. Geiger, H., Descimon, H. & Scholl, A. Evidence for speciation within nominal *Pontia daplidice* (Linnaeus, 1758) in southern Europe (Lepidoptera: Pieridae). *Nota lepidoptera* **11**, 7-20 (1988).

75. Gerould, J. H. Genetic and seasonal variations of orange wing-color in Colias butterflies. *Proceedings of the American Philosophical Society* **86**, 405-438 (1943).
76. Goldschmidt, R. *Zeitschrift für induktive Abstammungs- und Vererbungslehre* **23**, 1-199 (1920).
77. Goodpasture, C., Richard, R. D., Martin, D. & Laster, M. Sperm cell abnormalities in progeny from interspecific crosses between Heliiothis virescens and H subflexa. *Annals of the Entomological Society of America* **73**, 529-532 (1980).
78. Grant, G. G., Frech, D. & Grisdale, D. Tussock moths: pheromone cross stimulation, calling behavior, and effect of hybridization. *Annals of the Entomological Society of America* **68**, 519-524 (1975).
79. Grosse, G. & Kunz, E. Ein Bastard von Deilephila lineata var. livornica Esp. *Internationale Entomologische Zeitschrift* **6**, 195-196, 207-209 (1912).
80. Grosse, G. Zwei neue sekundäre Schwärmerbastarde. *Internationale Entomologische Zeitschrift* **6**, 113-115 (1912/1913).
81. Grula, J. W. & Taylor, O. R. Some characteristics of hybrids derived from the sulfur butterflies, Colias eutytheme and C philodice: phenotypic effects of the X-chromosome. *Evolution* **34**, 673-387 (1980).
82. Grula, J. W. & Taylor, O. R. Some characteristics of hybrids derived from the sulfur butterflies, Colias eurytheme and C. philodice: phenotypic effects of the X-chromosome. *Evolution* **34**, 673-687 (1980).
83. Grula, J. W. & Taylor, O. R. The effect of X-chromosome inheritance on mate selection behavior in sulfur butterflies, Colias eurytheme and C. philodice. *Evolution* **34**, 688-695 (1983).
84. Guthrie, W. D., Barry, D. & Huggans, J. L. Hybridization studies between Ostrinia nubilalis, Ostrinia obumbratalis, and Ostrinia penitalis (Lepidoptera: Pyralidae). *Journal of the Kansas Entomological Society* **54**, 505-509 (1981).
85. Günther, A. Über einen neuen tertiären Bastard aus der Gattung Celerio. *Internationale Entomologische Zeitschrift* **21**, 306-311 (1927/1928).
86. Hagen, R. H. & Scriber, J. M. in *Swallowtail butterflies: Their ecology and evolutionary biology* (ed. J.M. Scriber, Y. T., and R.C. Lederhouse) (Scientific Publishers, Gainesville, 1995).
87. Haldane, J. B. S. Sex ratio and unisexual sterility in nybrid animals. *Journal of Genetics* **12**, 101-109 (1922).
88. Harrison, J. W. H. Cross-pairing between Philosamia cynthia female and Callosamia promethea male. *The Entomologist's Record and Journal of Variation* **20**, 120 (1908).
89. Harrison, J. W. H. New hybrid Bistoninae. *Entomologist* **43**, 197-198 (1910).
90. Harrison, J. W. H. On hybrids between moths of the geometid sub-family *Bistoninae*, with an account of the behviour of the chromosomes in gametogenesis in *Lycia (Biston) hirtaria*, *Ithysia (Nyssia) zonaria* and in their hybrids. *Journal of Genetics* **3**, 229-248 (1914).
91. Harrison, J. W. H. On the hybrids of the genus *Oporabia*, with some ontoes on its microgenes. *Entomologist* **48**, 1-6 (1915).
92. Harrison, J. W. H. New hybrids in the Bistoninae. *Entomologist* **49**, 76-79 (1916).

93. Harrison, J. W. H. The genus *Ennomos* (sens. str.), with an account of some of its hybrids. *Entomologist* **49**, 25-29, 52-59 (1916).
94. Harrison, J. W. H. *Journal of Genetics* **6**, 95-164 (1916).
95. Harrison, J. W. H. The inheritance of melanism in the genus *Tephrosia* (*Ectropis*) with some consideration of the inconstancy of unit characters under crossing. *Journal of Genetics* **6**, 61-85 (1917).
96. Harrison, J. W. H. Studies in the hybrid *Bistoninae*. IV. Concerning the sex and related problems. *Journal of Genetics* **9**, 1-38 (1919).
97. Harrison, J. W. H. Genetical studies in moths. *Journal of Genetics* **9**, 195-280 (1920).
98. Harrison, J. W. H. Genetical studies in the moths of the geometrid genus *Oporabia* (*Oporinia*) with a special consideration of melanism in the Lepidoptera. *Journal of Genetics* **9**, 195-280 (1920).
99. Harrison, J. W. H. & Peacock, A. D. On parthenogenesis originating in Lepidopterous crosses. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle-upon-Tyne* **6**, 201-217 (1925).
100. Harrison, J. W. H. A new *Oporabia* hybrid. *Entomologist* **65**, 283 (1932).
101. Harrison, J. W. H. The inheritance of melanism in crosses between melanic continental *Tephrosia crepuscularia* and melanic British *T. bistortata*. *Genetica* **14**, 151-159 (1932).
102. Harrison, J. W. H. Interspecific hybrids in the Lepidopterous Genus *Selenia*, with an account of a case of expedited parthenogenesis. *Journal of Genetics* **27**, 225-232 (1933).
103. Harrison, J. W. H. On the occurrence of triploid intersexes in hybrids of the Lepidopterous genus *Oporina*. *Genetica* **15**, 115-124 (1933).
104. Harrison, J. W. H. A further list of hybrid *Bistoninae*. *Entomologist* **71**, 124-128 (1938).
105. Harrison, J. W. H. A hybrid between *Pieris napi* male and *P. rapae* female (Lep. Pieridae). *Entomologist* **84**, 99-101 (1951).
106. Harvey, G. T. On coniferophagous species of the *Choristoneura* (Lepidoptera: Tortricidae) in North America. *Canadian Entomologist* **99**, 486-503 (1967).
107. Hawkes, O. A. M. Studies in inheritance in the hybrid *Philosamia* (*Attacus*) *ricini* (Boisd.) male x *Philosamia cynthia* (Drury) female. *Journal of Genetics* **7**, 135-154 (1918).
108. Hawkes, O. A. M. Studies in inheritance in the hybrid *Philosamia* (*Attacus*) *ricini* (Boisd.) male x *Philosamia cynthia* (Drury) female. *Journal of Genetics* **12**, 111-135 (1922).
109. Head, W. H. Successful rearing of *Zonosoma* hybrids. *Entomologist's Record and Journal of Variation* **18**, 47 (1906).
110. Hemmerling. Ein neuer Hybrid: *Notodonta* hybr. *heinickei* = *ziczac* L. männ. x *tritophus* Esp. (torva Hb) weib. *Internationale Entomologische Zeitschrift* **5**, 273-274 (1911-1912).
111. Hendrikse, A. Hybridization and sex-pheromone responses among members of the *Yponomeuta padellus*-complex. *Entomologia experientia et applicata* **48**, 213-223 (1988).

112. Hovanitz, W. Hybridization and species blending in the butterfly genus Colias. *Proceedings of the 14th International Congress of Zoology, Copenhagen*, 140-141 (1956).
113. Jiggins, C. D., McMillan, W. O., Neukirchen, W. & Mallet, J. What can hybrid zones tell us about speciation? The case of Heliconius erato and H. himera (Lepidoptera: Nymphalidae). *Biological Journal of the Linnean Society* **59**, 221-242 (1996).
114. Jiggins, C. D., R.E. Naisbit, R.L. Coe, J. Mallet. Reproductive isolation caused by colour pattern mimicry. *Nature* 411: 302-305.
115. John, K. Neue Lepidopteren-Formen. *Entomologische Zeitschrift* **36**, 33-34 (1922).
116. John, K. Ein weiterer neuer Celerio-hybrid. *Entomologische Zeitschrift* **46**, 161-162 (1932).
117. Karpenko, C. P. & Proshold, F. I. Fertility and mating performance of interspecific crosses between Heliothis virescens and H. subflexa backcrossed for three generations to H. subflexa. *Annals of the Entomological Society of America* **70**, 737-740 (1977).
118. Kheil, N. M. Über Deilephila phileuphorbia und Deilephila paralias. *Internationale Entomologische Zeitschrift* **6**, 111-113 (1912).
119. Klein, J. Drei neue Saturnia-Hybriden des Jahres 1935-1936. *Entomologische Zeitschrift* **52**, 286-298 (1938).
120. Klemann, P. Hybrid Malacosoma neustrensis m. f. n. *Internationale Entomologische Zeitschrift* **20**, 415 (1927).
121. Klemann, P. Zwei neue Primärhybriden. *Internationale Entomologische Zeitschrift* **22**, 306-309 (1928).
122. Klemann, P. Ein neuer Tagfalterhybrid. *Internationale Internationale Zeitschrift* **23**, 438-442 (1930).
123. Kohalmi, L. & Moens, P. Evidence for the existence of an intergrade population between Hyalophora gloveri nokomis and H. columbia in northwestern Ontario (Lepidoptera: Saturniidae). *Canadian Entomologist* **107**, 793-799 (1975).
124. LaChance, L. E. & Karpenko, C. P. Effect of seven antibiotics on the growth and reproduction of Heliothis subflexa x H. virescens interspecific hybrids and backcross males. *Annals of the Entomological Society of America* **74**, 493-497 (1981).
125. LaChance, L. E. & Karpenko, C. P. Hybrid studies in Heliothis subflexa x H. virescens (Lepidoptera: Noctuidae) crosses: expression after injection with antiviral agents, heat shocks, and rearing at extreme temperatures. *Annals of the Entomological Society of America* **76**, 104-109 (1983).
126. Laster, M. Interspecific hybridization of Heliothis virescens and H. subflexa. *Environmental Entomology* **1**, 682-684 (1972).
127. Laster, M. L., Goodpasture, C. E., King, E. G. & Twine, P. in *Proceedings of the Beltwide Cotton Production Conference* 146-147 (1985).
128. Laster, M. L., Spencer, N. R. & King, E. G. in *Proceedings of the Beltwide Cotton Production Conference* 315-316 (National Cotton Council, Memphis, Tennessee, 1987).

129. Laster, M. L. & Sheng, C. F. Search for hybrid sterility for *Helicoverpa zea* in crosses between the North American *H. zea* and *H. armigera* (Lepidoptera: Noctuidae) from China. *Journal of Economic Entomology* **88**, 1288-1291 (1995).
130. Lenz, F. Ein weiterer mendelner Artbastard Epicnaptera tremulifolia x ilicifolia. *Verhandlungen des 5. internationalen Kongresses für Vererbungswissenschaft Bd II*, 985-986 (1927).
131. Liebhold, A. M., Volney, W. J. A. & Waters, W. E. Evaluation of cross-attraction between sympatric *Choristoneura occidentalis* and *C. retiniana* (Lepidoptera: Tortricidae) populations in south-central Oregon. *Canadian Entomologist* **116**, 827-840 (1984).
132. Linares, M. in *Tropical biodiversity and systematics* (ed. Ulrich, H.) 93-108 (Zoologisches Forschungsinstitut und Museum Alexander Koenig, Bonn, 1994).
133. Lorkovic, Z. Some peculiarities of spatially and sexually restricted gene exchange in the *Erebia tyndarus* group. *Cold Spring Harbor Symposium on Quantitative Biology* **23**, 319-325 (1958).
134. Lorkovic, Z. The genetics and reproductive isolating mechanisms of the *Pieris napi-bryoniae* group. *Journal of the Lepidopterists' Society* **16**, 5-19, 105-127 (1962).
135. Lorkovic, Z. Types of hybrid sterility in diurnal Lepidoptera speciation and taxonomy. *Acta entomologica Jugoslavica* **14**, 13-24 (1978).
136. Lorkovic, Z. Enzyme electrophoresis and interspecific hybridization in *Pieridae* (Lepidoptera). *Journal of Research on the Lepidoptera* **24**, 334-358 (1985(86)).
137. Mallet, J. Hybrid zones of *Heliconius* butterflies in Panama and the stability and movement of warning colour clines. *Heredity* **56**, 191-202 (1986).
138. Mallet, J. & Joron, M. Evolution of diversity in warning color and mimicry: polymorphisms, shifting balance and speciation. *Annual Review of Ecology and Systematics* **30**, 201-233 (1999).
139. McMillan, W. W., Jiggins, C. D. & Mallet, J. What initiates speciation in passion-vine butterflies? *Proceedings of the National Academy of Sciences USA* **94**, 8628-8633 (1997).
140. Meisenheimer, J. Experimentelle Studien zur Soma- und Geschlechtsdifferenzierung. *Zoologische Jahrbücher, Abteilung für allgemeine Zoologie und Physiologie der Tiere* **41**, 1-90 (1924).
141. Menken*, S. B. J. Inheritance of allozymes in *Yponomeuta* (Lepidoptera). II. Interspecific crosses within the padellus-complex and reproductive isolation. ??? **83**, 425-431 (1980).
142. Miller, S. G., Huettel, M. D., Davis, M.-T. B., Weber, E. H. & Weber, L. A. Male sterility in Heliothis virescens x H. subflexa backcross hybrids. *Mol Gen Genet* **203**, 451-461 (1986).
143. Müller, J. Ein neuer Celerio-Hybrid: Cel. livornica (männ.) x Pergesa elpenor (weib.). *Internationale Entomologische Zeitschrift* **23**, 213-214 (1930).
144. Naisbit, R. E., Jiggins, C. D. & Mallet, J. Disruptive sexual selection against hybrids contributes to speciation between *Heliconius cydno* and *Heliconius melpomene*. *Proc. Roy. Soc. Lond. B* **268**: 1849-1854 (2002)
145. Neumögen, B. Notes in a remarkable "interfaunal" hybrid of Smerinthus. *Entomological News* **5**, 326-327 (1894).

146. Oliver, C. G. Genetic and phenotypic differentiation and geographic distance in four species of Lepidoptera. *Evolution* **26**, 221-241 (1972).
147. Oliver, C. G. Genetic incompatibility between populations of the nymphalid butterfly *Boloria selene* from England and the United States. *Heredity* **39**, 279-285 (1977).
148. Oliver, C. G. Experimental hybridization between the Nymphalid butterflies *Phyciodes tharos* and *P. campestris montana*. *Evolution* **32**, 594-601 (1978).
149. Oliver, C. H. Experimental hybridization between *Phyciodes tharos* and *P. batesii* (Nymphalidae). *Journal of the Lepidopterist's Society* **33**, 6-20 (1979).
150. Oliver, C. G. Genetic differentiation and hybrid viability within and between some Lepidoptera species. *American Naturalist* **114**, 681-694 (1979).
151. Oliver, C. G. Disturbance of eclosion sequence in hybrid Lepidoptera. *Canadian Entomologist* **115**, 1445-1452 (1983).
152. Pariser, K. Die Zytologie und Morphologie der Triploiden Intersexe des Rückgekreuzten Bastards von *Saturnia pavonia* L. and *Saturnia pyri* Schiff. *Zeitschrift für Zellforschung und mikroskopische Anatomie* **5**, 415-447 (1927).
153. Peigler, R. S. Hybridization of *Callosamia*. *Journal of the Lepidopterists' Society* **31**, 23-34 (1977).
154. Peigler, R. S. & Williams, B. D. Two interesting artificial hybrid crosses in the genera *Hemileuca* and *Anisota* (Saturniidae). *Journal of the Lepidopterists' Society* **38**, 51-56 (1984).
155. Platt, A. P. & Brower, L. P. Mimetic versus disruptive coloration in intergrading populations of *Limenitis arthemis* and *Astyanax* butterflies. *Evolution* **22**, 669-718 (1968).
156. Platt, A. P. A simple technique for hand-pairing *Limenitis* butterflies (Nymphalidae). *Journal of the Lepidopterist's Society* (1969).
157. Platt, A. P. & Greenfield, J. C. Inter-specific hybridization between *Limenitis arthemis astyanax* and *L. archippus* (Nymphalidae). *Journal of the Lepidopterist's Society* **25**, 278-284 (1971).
158. Platt, A. P. Monomorphic mimicry in nearctic *Limenitis* butterflies: experimental hybridization of the *L. arthemis-astyanax* complex with *L. archippus*. *Evolution* **29**, 120-141 (1975).
159. Platt, A. P., Rawson, G. W. & Baloch, G. Interspecific hybridization involving *Limenitis archippus* and its congeneric species (Nymphalidae). *Journal of the Lepidopterists' Society* **32**, 289-303 (1978).
160. Platt, A. P. Evolution of North American Admiral butterflies. *Bulletin of the Entomological Society of America* **29**, 10-22 (1983).
161. Platt, A. P. & Harrison, S. J. First record of a heterotic, adult female hybrid *Limenitis (Basilarchia) rubidus* (Lepidoptera: Nymphalidae). *Entomological News* **105**, 33-38 (1994).
162. Proshold, F. I. & LaChance, L. E. Analysis of sterility in hybrids from interspecific crosses between *Heliothis virescens* and *H. subflexa*. *Annals of the Entomological Society of America* **67**, 445-449 (1974).
163. Proshold, F. I., LaChance, L. E. & Richard, R. D. Sperm production and transfer by *Heliothis virescens*, *H. subflexa*, and the sterile hybrid males. *Annals of the Entomological Society of America* **68**, 31-34 (1975).

164. Remington, C. L. Wide experimental crosses between *Papilio xuthus*. *Journal of the Lepidopterists' Society* **13**, 151-164 (1959).
165. Remington, C. L. A new sibling *Papilio* from the rocky mountains, with genetic and biological notes (Insect, Lepidoptera). *Postilla* **119**, 1-40 (1968).
166. Richard, R. D., LaChance, L. E. & Proshold, F. I. An untrastructural study of sperm in sterile hybrids from crosses of *Heliothis virescens* and *Heliothis subflexa*. *Annals of the Entomological Society of America* **68**, 35-39 (1975).
167. Roehrdanz, R. L. Maternal inheritance of a Y chromosome in *Heliothis* could play a role in backcross sterility. *Journal of Heredity* **81**, 66-68 (1990).
168. Salazar, J. Notes on some populations of *Heliconius heurippa* in Columbia (Lepidoptera: Nymphalidae: Heliconiinae). *Tropical Lepidoptera* **4**, 119-121 (1993).
169. Sanders, C. J., Daterman, G. E. & Ennis, T. J. Sex pheromone responses of *Choristoneura* spp. and their hybrids (Lepidoptera: Tortricidae). *Canadian Entomologist* **109**, 1203-1220 (1977).
170. Scriber, J. M., Evans, M. H. & Lederhouse, R. C. Hybridization of the mexican tiger swallowtail, *Papilio alexiares garcia* (Lepidoptera: Papilionidae) with other *P. glaucus* group species and survival of pure and hybrid larvae on potential host plants. *Journal of Research on the Lepidoptera* **27**, 222-232 (1988).
171. Scriber, J. M. & Lederhouse, R. C. Hand-pairing of *Papilio glaucus* and *Papilio pilumnus* (Papilionidae) and hybrid survival on various food plants. *Journal of Research on the Lepidoptera* **27**, 96-103 (1988(89)).
172. Scriber, J. M., Evans, M. H. & Lederhouse, R. C. Hybridization of the Mexican tiger swallowtail, *Papilio alexiares garcia* (Lepidoptera: Papilionidae) with other *P. glaucus* group species and survival of pure and hybrid larvae on potential host plants. *Journal of Research on the Lepidoptera* **27**, 222+232 (1988(89)).
173. Scriber, J. M., Dowell, R. V., Lederhouse, R. C. & Hagen, R. H. Female color and sex ratio in hybrids between *Papilio glaucus glaucus* and *P. eurymedon*, *P. rutulus* and *P. multicaudatus* (Papilionidae). *Journal of the Lepidopterists' Society* **44**, 229-244 (1990).
174. Scriber, J. M., Lederhouse, R. C. & K.S. Brown, J. Hybridization of the Brazilian *Papilio* (Pyrrhosticta) (Section V) with the North American *Papilio* (Pterourus) (Section III). *Journal of Research on the Lepidoptera* **29**, 21-32 (1990(91)).
175. Scriber, J. M., Giebnick, B. L. & Snider, D. Reciprocal latitudinal clines in oviposition behavior of *Papilio glaucus* and *P. canadensis* across the Great Lakes hybrid zone: possible sex-linkage of oviposition preferences. *Oecologia* **1991**, 360-368 (1991).
176. Scriber, J. M., Lederhouse, R. C. & Dowell, R. V. in *Swallowtail butterflies: Their ecology and evolutionary biology* (ed. J.M. Scriber, Y. T., and R.C. Lederhouse) (Scientific Publishers, Gainesville, 1995).
177. Scriber, J. M. Tiger tales: natural history of native North American swallowtails. *American Entomologist* **Spring?**, 19-32 (1996).
178. Scriber, J. M., Hagen, R. H. & Lederhouse, R. C. Genetics of mimicry in the tiger swallowtail butterflies, *Papilio glaucus* and *P. canadensis* (Lepidoptera: Papilionidae). *Evolution* **50**, 222-236 (1996).

179. Seiler, J. Ergebnisse aus der Kreuzung parthenogenetischer und zweigeschlechtlicher Schmetterlinge. *Wilhelm Roux's Archiv für Entwicklung der mechanischen Organismen* **119**, 543-576 (1929).
180. Shapiro, A. M. Genetic incompatibility between *Pieris callidice* and *Pieris occidentalis nelsoni*: differentiation within a periglacial relict complex (Lepidoptera: Pieridae). *Canadian Entomologist* **112**, 463-468 (1980).
181. Smith, S. G. Reproductive isolation and integrity of two sympatric species of *Choristoneura* (Lepidoptera: Tortricidae). *Canadian Entomologist* **85**, 141-151 (1953).
182. Sperling, F. A. H. Natural hybrids of *Papilio* (Insecta: Lepidoptera): poor taxonomy or interesting evolutionary problem? *Canadian Journal of Zoology* **68**, 1790-1799 (1990).
183. Sperling, F. A. H. Mitochondrial DNA variation and Haldane's rule in the *Papilio glaucus* and *P. troilus* species groups. *Heredity* **71**, 227-233 (1993).
184. Standfuss, M. Synopsis of experiments in hybridization and temperature made with Lepidoptera up to the end of 1898. *Entomologist* **34**, 75-84 (1900).
185. Standfuss, M. Mitteilungen zur Vererbungsfrage unter Heranziehung der Ergebnisse von Zuchtexperimenten mit *Aglia tau* L., nebst Ausblicken auf den Vererbungsmodus der Rassenmischlinge und Artbastarde, sowie Erwägungen betreffend den Kernpunkt der Scheidung der Arten auf Grund langjähriger Kreuzungsexperimente. *Schweizerische Entomologische Gesellschaft* **12**, 238-308 (1917).
186. Sturtevant, A. H. Federley's breeding experiments with the moth pygaera. *American Naturalist* **46**, 565-568 (1912).
187. Sweadner, W. R. Hybridization and the phylogeny of the genus *Platysamia*. *Annals of Carnegie Museum* **25**, 167-232 (1937).
188. Tuskes, P. M. & Collins, M. M. Hybridization of *Saturnia mendocino* and *S. walterorum*, and phylogenetic notes on *Saturnia* and *Agapema* (Saturniidae). *Journal of the Lepidopterists' Society* **35**, 1-21 (1981).
189. Tuttle, J. P. Maintaining species integrity between sympatric populations of *Hyalophora cecropia* and *Hyalophora columbia* (Saturniidae) in central Michigan. *Journal of the Lepidopterists' Society* **39**, 65-84 (1985).
190. Weast, R. D. Isolation mechanisms in populations of *Hyalophora* (Saturniidae). *Journal of the Lepidopterists' Society* **13**, 213-216 (1959).
191. West, D. A. & Clarke, C. A. Suppression of the black phenotype in females of the *P. glaucus* group (Papilionidae). *Journal of Research on the Lepidoptera* **26**, 187-200 (1988).
192. Worsley-Wood. *Proceedings and Transactions of the South London Entomological and Natural History Society* **1924**, 124-125 ((1923-1924)).
193. Wright, D. A. Hybrids among species of *Hyalophora*. *Journal of the Lepidopterists' Society* **25**, 68-73 (1971).
194. Robinson, R. *Lepidoptera Genetics* (Pergamon, Oxford, 1971).
195. Castrovillo, P. J. in *Dept. Biology* (University of Idaho, 1982).

196. Hagen, R. H., Lederhouse, R. C., Bossart, J. L. & Scriber, J. M. *Papilio cnaedesis* and *P. glaucus* are distinct species. *Journal of the Lepidoptera Society* **45**, 245-258 (1991).
197. Bytinski-Salz, H. Untersuchungen an Lepidopterenhybriden V. Die Verwandtschaft der *Platysamia* Arten (Lepidoptera Saturniidae) nach untersuchungen über die Fertilität und die chromosomen Verhältnisse ihrer Bastarde. *Arch. Exp. Zellforsch.* **22**, 217-237 (1938).
198. Federley, H. Über stletale und disharmonische Chromosomenkombinationen. *Hereditas* **12**, 271-293 (1929).
199. Federley, H. Kreuzungsversuche mit Lepidopteren. *Z. Lepidopt.* **3**, 1-32 (1953).
200. Seiler, J. & Puchta, O. Die Fortpflanzungsbiologies der *Solenobia*, verhalten bei Artkreuzung und F1 Resultate. *Wilhelm Roux's Arch. Entwickl. Mech. Org.* **149**, 115-246 (1956).
201. Geiger, H. J. Enzyme electrophoretic studies on the genetic relationships of pierid butterflies (Lepidoptera: Pieridae) I. European Taxa. *Journal of Research on the Lepidoptera* **19**, 181-195 (1981).
202. Scott. *Papilio* **5**, 1-8 (1986).
203. Porter, A. & Mueller. *Journal of the Lepidoptera Society* **52**, 182-205 (1998).
204. Jiggins, C. D. *et al.* Sex-linked hybrid sterility in a butterfly. *Evolution* **55**, 1631-1638 (2001).
205. Mallet, J., McMillan, W. O. & Jiggins, C. D. in *Endless Forms: Species and Speciation* (eds. Howard, D. J. & Berlocher, S. H.) 390-403 (Oxford University Press, New York, 1998).
206. Harvey, G. T. in *Recent advances in Spruce Budworm Research* (ed. Sanders, C. J., et al.) 16-59 (Supply and Services, Ottawa, ON, Canada, 1985).
207. Harvey, G. T. Interspecific crosses and fertile hybrids among the coniferophagous *Choristoneura* (Lepidoptera: Tortricidae). *Canadian Entomologist* **129**, 519-536 (1997).