



September 23, 2026 · James McDaniel

Why connect

n8n AI Agents only know what the workflow feeds them or what the model learned in training. They can't see what's actually happening in your deals. Once Backstory is connected, an agent can:

- Look up any account and pull its status, open opportunities, and scorecards
- Summarize recent activity and show who's engaged on a deal
- Answer SalesAI questions and feed the results into Slack, email, or dashboards

Workflows run on real activity data instead of whatever fields someone remembered to update.

At a glance

Server URL	https://mcp.backstory.ai/mcp
Authentication	OAuth 2.0, dynamic client registration
What you configure by hand	Just the URL. No client IDs, secrets, or scopes.
Who signs in	Whoever creates the credential. Every workflow using it sees what that Backstory user can see.

How auth works Backstory MCP uses OAuth 2.0 with dynamic client registration. n8n registers itself with the server and discovers the authorization endpoints automatically, so there are no client IDs, secrets, or scopes to configure by hand. The credential is stored in n8n and reused across workflows.


Before you start

- An n8n instance (Cloud or self-hosted) where you can create credentials.
- Your Backstory sign-in: your email and your company identification. The credential authenticates as you, so workflows see only the data your Backstory user can see.
- The MCP server URL below — the only value you have to paste.

MCP server URL <https://mcp.backstory.ai/mcp>

1. Open Credentials


From the n8n **Overview** page, select the **Credentials** tab.



Overview → Credentials

2. Create a credential


Select **Create credential** in the top-right corner.



Overview → Create credential

3. Choose MCP OAuth2 API

In **Add new credential**, search for **MCP OAuth2 API**, select it, and continue. Don't pick a generic OAuth2 or HTTP credential; only the MCP type supports dynamic client registration.



Add new credential → MCP OAuth2 API

4. Enter the server details

Fill in the credential form:

Field	Value
Credential name	Backstory MCP (click “Unnamed credential” at the top to rename)
OAuth Redirect URL	Leave as shown (https://oauth.n8n.cloud/oauth2/callback on n8n Cloud)
Use Dynamic Client Registration	On
Server URL	https://mcp.backstory.ai/mcp
Allowed HTTP Request Domains	All
Resource URL	Leave blank

MCP OAuth2 API credential → Server URL → Connect


Name it clearly n8n defaults to “Unnamed credential”. A name like **Backstory MCP** makes it easy to pick in a node later.

Watch the URL The path matters: the URL ends in /mcp. A trailing slash or a missing path is the most common reason registration fails.

Self-hosted n8n The OAuth Redirect URL will be your own instance’s callback rather than oauth.n8n.cloud. Leave whatever n8n shows; dynamic registration passes it to Backstory for you.

5. Connect and sign in to Backstory

Select **Connect** in the banner that reads **Connect your account to use this credential**. A Backstory sign-in window opens; its address starts with `app.people.ai`, which is expected. Enter your email and your company identification and select **Sign In**, or use **Sign in with only an email address** to get a link instead.



Backstory sign-in — credentials redacted

Popups If nothing happens after Connect, the sign-in window was blocked. Allow popups for your n8n domain and try again.

6. Save the credential

When the window closes, the banner turns green to show the account is connected. Select **Save**. The credential now appears in your Credentials list, ready to use in any workflow.

7. Use it in a workflow

Add an **AI Agent** node, then attach an **MCP Client Tool** to its tool input. Set the endpoint to `https://mcp.backstory.ai/mcp`, choose **MCP OAuth2 API** as the authentication, and select **Backstory MCP**. The tool list loads from the server, and you can include all tools or only the ones the workflow needs.

Verify

- Open the chat on the AI Agent workflow and ask something only Backstory can answer, such as “What’s the current status of [one of your accounts]?”
- Check the execution log to confirm the agent called a Backstory tool rather than answering from the model’s general knowledge.

Troubleshooting

MCP OAuth2 API isn't in the list. Your n8n version predates MCP credentials. Update n8n, or ask your instance admin to.

Connect fails or returns an error. Check the Server URL ends in /mcp with no trailing slash and that Use Dynamic Client Registration is on, then retry.

Sign-in window never opens. Popups are blocked, or an earlier Backstory session in the same browser is interfering. Allow popups, or retry in a private window.

Credential connected but the tool shows no tools. Reselect the credential in the MCP Client Tool node and re-open the node so it refetches the tool list.

Worked, then started failing. The OAuth token expired or was revoked. Open the credential, select **Connect** again to re-authenticate, and save.

Wrong or empty data. Results are scoped to the Backstory user who authenticated. Confirm you signed in with the account that owns the records.