

Parsers and visualizations for chats

MIT license

408 stars 43 forks

Star

Notifications

<> Code Issues 8 Pull requests 1 Discussions Actions Security Insights

main



BlueishTint and joweich Add support for Instagram Chats (#65) ...

14 hours ago 71

[View code](#)

README.md

chat-miner: turn your chats into artwork

pypi v0.1.0 License MIT code style black downloads 689

chat-miner provides lean parsers for every major platform transforming chats into pandas dataframes. Artistic visualizations allow you to explore your data differently and create artwork from your chats.

1. Installation

Latest release including dependencies can be installed via PyPI:

```
pip install chat-miner
```

If you're interested in contributing, running the latest source code, or just like to build everything yourself:

```
git clone https://github.com/joweich/chat-miner.git
cd chat-miner
pip install -r requirements.txt
```

2. Exporting chat logs

Have a look at the official tutorials for [WhatsApp](#), [Signal](#), [Telegram](#), [Facebook Messenger](#), or [Instagram Chats](#) to learn how to export chat logs for your platform.

3. Parsing

Following code showcases the `WhatsAppParser` module. The usage of `SignalParser`, `TelegramJsonParser`, `FacebookMessengerParser`, and `InstagramJsonParser` follows the same pattern.

```
from chatminer.chatparsers import WhatsAppParser


parser = WhatsAppParser(FILEPATH)
parser.parse_file_into_df()
```

4. Visualizing

```
import chatminer.visualizations as vis
import matplotlib.pyplot as plt
```


4.1 Heatmap: Message count per day

```
fig, ax = plt.subplots(2, 1, figsize=(9, 3))
ax[0] = vis.calendar_heatmap(parser.df, year=2020, cmap='Oranges', ax=ax[0])
ax[1] = vis.calendar_heatmap(parser.df, year=2021, linewidth=0, monthly_border=True, a
```



4.2 Sunburst: Message count per daytime

```
fig, ax = plt.subplots(1, 2, figsize=(7, 3), subplot_kw={'projection': 'polar'})
ax[0] = vis.sunburst(parser.df, highlight_max=True, isolines=[2500, 5000], isolines_re
ax[1] = vis.sunburst(parser.df, highlight_max=False, isolines=[0.5, 1], color='C1', ax
```





4.3 Wordcloud: Word frequencies

```
fig, ax = plt.subplots(figsize=(8, 3))
stopwords = ['these', 'are', 'stopwords']
kwargs={"background_color": "white", "width": 800, "height": 300, "max_words": 500}
ax = vis.wordcloud(parser.df, ax=ax, stopwords=stopwords, **kwargs)
```



4.4 Radarchart: Message count per weekday

```
fig, ax = plt.subplots(1, 2, figsize=(7, 3), subplot_kw={'projection': 'radar'})
ax[0] = vis.radar(parser.df, ax=ax[0])
ax[1] = vis.radar(parser.df, ax=ax[1], color='C1', alpha=0)
```



Releases 1

 **v0.1.0** Latest

on Nov 20, 2022

Contributors 13



+ 2 contributors

Languages

- Python 100.0%