CLINIC NOTES

Mpeleke mtoto wako kwa kliniki kila mwezi

BRING THE CHILD TO THE CLINIC EVERY MONTH

Kila mtoto lazima awe na cheti cha kuzaliwa

EVERY CHILD MUST HAVE A BIRTH CERTIFICATE

CHILD HEALTH CARD

KENYA EXPANDED PROGRAMME ON IMMUNIZATION — KEPI — MINISTRY OF HEALTH

MINISTRY OF HEALTH
KENYA EXPANDED PROGRAMME ON IMMUNIZATION

HEALTH FACILITY NAME:	KARIMBUR CLINIC
SERVICE DELIVERY POINT (SDP) No:	1100
CHILD'S NAME:	JAMES KARIUKI
SEX: MALE ✓	FEMALE
CHILD'S CLINIC No: 063	DATE FIRST SEEN: 4/9/03
DATE OF BIRTH:	2/9/2003
PLACE OF BIRTH: HOME	HEALTH FACILITY ✓
FATHER'S NAME:	PAUL MUKUMU
MOTHER'S NAME:	LEAH WANJIKU
PROVINCE:	RIVALLEY
DISTRICT:	NAKURU
DIVISION:	
LOCATION:	NAKURU EAST
ESTATE/ VILLAGE:	KIAMUNYEKI
P.O Box:	Town:
Telephone:	

ANY ADVERSE EVENTS FOLLOWING IMMUNIZATION (AEFI)
DATE OF AEFI:
DESCRIBE:

ANTIGEN/ VACCINE:
BATCH NUMBER:
MANUFACTURE DATE:
EXPIRY DATE:
MANUFACTURER'S NAME:

IF YOUR CHILD DEVELOPS ANY ADVERSE EVENTS FOLLOWING IMMUNIZATION (AEFI) PLEASE REPORT IMMEDIATELY TO THE NEAREST HEALTH FACILITY

Onyesha kadi hii kila mara uendapo kliniki ya watoto

SHOW THIS CARD ON EVERY VISIT

IMMUNIZATIONS

MOH

PROTECT YOUR CHILD

Sign when child fully immunized (FIC)	Age in Months	Date	Sig

BCG VACCINE: at birth			
(Intra-dermal left fore-arm)		Date Given	Da
Dose: (0.05mls for child below 1year)	4/9/03		ne
Dose: (0.1mls for child above 1year)			
BCG- Scar Checked	DATE CHECKED	PRESENT	
		ABSENT	
	DATE REDONE		

DIPHTHERIA/ PERTUSSIS/ TETANUS/ HEPATITIS B/ HAEMOPHILUS INFLUENZAE Type b	Date Given	Da ne
Dose: (0.5mls) Intra Muscular outer thigh		
1st dose at 6 weeks	8/10/03	8
2nd dose at 10 weeks	5/11/03	
3rd dose at 14 weeks	5/12/03	

ORAL POLIO VACCINE (OPV)		Date Given	Da ne
Dose: 2 drops orally			
Birth Dose: at birth or within 2 wks (OPV 0)		4/9/03	
1st Dose at 6 weeks	(OPV 1)	8/10/03	
2nd Dose at 10 weeks	(OPV 2)	5/11/03	
3rd Dose at 14 weeks	(OPV 3)	5/12/03	

YELLOW FEVER VACCINE at 9 Months	Date Given
Dose: (0.5 mls) Intra- Muscular left upper deltoid	

MEASLES VACCINE at 9 Months	Date Given
Dose: (0.5 mls) Subcutaneously outer right upper arm	8/8/0

VITAMIN A CAPSULE: Given orally		Tick age given	Da Ne
At first contact at/or after 6 months of age			
Dose	Age		
100,000 IU	at 6 months		
200,000 IU	at 12 months (1 Year)		
200,000 IU	at 18 months (1 1/2 Years)		
200,000 IU	at 24 months (2 Years)		
200,000 IU	at 30 months (2 1/2 Years)		
200,000 IU	at 36 months (3 Years)		
200,000 IU	at 42 months (3 1/2 Years)		
200,000 IU	at 48 months (4 Years)		
200,000 IU	at 54 months (4 1/2 Years)		
200,000 IU	at 60 months (5 Years)		

NAME OF CHILD: JAMES KARIUKI

BIRTH WEIGHT: 3kgs.

Watch the direction of the line showing the child's health

GOOD
Means the child is growing well

DANGER
Find out why? and advise

VERY DANGEROUS
May be ill, needs extra care



REASONS FOR SPECIAL CARE

- Birthweight less than 2.5 kg ☐
- Birth less than 2 years after last birth ☐
- Fifth child or more ☐
- Single parent ☐
- Brother or sisters undernourished ☐
- Twins ☐
- Four or more children in family died ☐

Upper Line: WHO 50th centile boys
Lower Line: WHO 3rd centile girls

RECORD ON THE CHART

Diarrhoea
Measles
Solids introduced
Breastfeeding stopped
Birth of next child

Like this