



SHIPPING INFORMATION



- * **Shipper** = The company sending goods.
- * **Consignee** = A person or company to whom commodities are shipped.
Officially, the legal owner of the cargo
- * **Forwarder** = One that forwards, especially an agent that facilitates and assures that passage of received goods to their destination.
- **Broker** = Prepares all the necessary documentation and makes other arrangement on behalf of a third party for a fee or commission
- **Freight Prepaid** = A notation on a bill of lading indicating that transportation freight charges have been paid or paid at the origin.
- **Freight Collect** = A notation on a bill of lading indicating that freight charges are collected from companies by the delivering carrier.
- **Feeder Vessel** = Vessel coming/going to the transshipment port.
- **Mother Vessel** = A vessel where the cargoes are transferred from the feeder vessel to be delivered to its final destination.



- **Demurrage** = Charges that a shipper or consignee must pay to the carrier for failing to deliver or receive a shipment to/from a storage facility within a prescribed period of time.
- **Detention** = An assessment against cargo when a shipper, consignee or agent has used equipment beyond the specific free time period.
- **Transshipment** = Unload cargo at one point, then reload it for shipment to destination.
- **Proforma** = A document submitted by the shipper which contain the shipper details needed to make a bill of lading.
- **Manifest** = A document listing of the cargo stowed aboard a vessel, usually broken down by port of unloading; it summarizes the individual bill of lading issued for each consignment and is provided to customers authorities for inspection upon landing.
- **SOC** = "Shipper's Own Container", the container is owned by the shipper and only using the service of the company for their shipment.

Mode of Transport

- **CY** – Container Yard
 - Facility where full and empty containers are stored.
- **CFS** – Container Freight Station
 - Warehouse facility for loading/unloading less than full container.

Mode of Transport

- CY/CY
- CY/DOOR
- CY/CFS

CFS, **CFS**
CFS/CY
Door/CY

Door/Door

Container Freight Station



Document Requirements



- **Booking**

- Temperature Setting Requirements – Refrigerated cargo
- DG Declaration – hazardous cargo

- **Export Processing**

- Final Proforma
- Export Cargo Receipt
- Export Declaration (If available)

From operation Dept.

- **Import Processing**

- One original B/L endorsed by consignee/bank
- Bank Guaranty with counter guaranty
- Container Guarantee
- B/L Surrender or waybill with Company Guaranty



Document Requirements



- **Receiving**

- Shipper's Export Declaration
- EIR: Equipment interchange receipt ----- E.C.O
- O.R> For Arrastre & Wharfage
- O.R for Shut – out charges paid, if applicable

- **Delivery**

- Container clearance
- AISL clearance (origin – US/Europe/Japan)
- AISL container deposit (AISL- Association of International Shipping Lines)

Document Requirements

- Receipt of freight payment
- Deliver Order (if being processed by forwarder)
- Valid Identification (if the cargo is personal effects)



Terms Used in Operations

- **Container Terminal** - Area where large scale container handling and storage facilities are available
- **Consolidate** - To combine more than one shipment in a container for more than one consignee or shipper.



Terms Used in Operations



- **Chassis**- A frame with wheels and container locking devices in order to secure the container movement
- **Dangerous Goods**- The term used for hazardous cargoes.
- **Depot** – Container Freight Station or designated area where empty container can be pick up



EIR – Equipment Interchange Receipt; a document transferring a container from one carrier to another, or to/from a terminal.

- **Stowage Plan** - Diagrammatic sketch of vessel showing location of cargo as stowed in the vessel hold (s).
- **Stevedore** - Individual or firm that employs longshoremen and who contract to load or unload the ship.



Terms Used in Operations



- **Stripping**- Removing cargo from a container (devanning)
- **Stuffing** – Putting cargo into container
- **Wharfage** - Charge assessed by a pier or dock owner against freight handler over the pier or dock or against a steamship company using the pier or dock.

Mode of Shipment



- **Full Container Load (FCL)**

- Refers to the containers filled with goods that are packed or unpacked by the shipper at his risk and expenses
- Shipping company receives FCL cargo at CY or at the shipper's door and delivers it at the consignee's door or CY

- **Less Container Load (LCL)**

- Small lot cargo and cargo requiring special techniques in loading into container
are received at the CFS and LCL cargo and are packed into the container with
the shipping company assuming responsibility.

Container Types



DRY CONTAINER - 20 FEET

	Specifications for 8'6" / 30,480kg	
Inside Measurement	Length (mm)	5,898
	Width (mm)	2,350
	Height (mm)	2,390
Door Opening	Width (mm)	2,340
	Height (mm)	2,280
Load Capacity	(m ³)	33.1
Container Weight	(kg)	2,200
Max. Load Weight	(kg)	28,280

DRY CONTAINER - 40 FEET

	Specifications for 8'6" / 30,480kg	
Inside Measurement	Length (mm)	12,032
	Width (mm)	2,350
	Height (mm)	2,390
Door Opening	Width (mm)	2,340
	Height (mm)	2,280
Load Capacity	(m ³)	67.6
Container Weight	(kg)	3,740
Max. Load Weight	(kg)	26,740

Container Types



DRY CONTAINER - 40 FEET HIGH CUBE

	Specifications for 9'6" / 30,480kg / 32,500kg	
Inside Measurement	Length (mm)	12,032
	Width (mm)	2,350
	Height (mm)	2,695
Door Opening	Width (mm)	2,340
	Height (mm)	2,585
Load Capacity	(m ³)	76.2
Container Weight	(kg)	3,830
Max. Load Weight	(kg)	26,650 / 28,670

DRY CONTAINER - 45 FEET

	Specifications for 9'6" / 30,480kg / 32,500kg	
Inside Measurement	Length (mm)	13,556
	Width (mm)	2,352
	Height (mm)	2,697
Door Opening	Width (mm)	2,340
	Height (mm)	2,585
Load Capacity	(m ³)	86.0
Container Weight	(kg)	4,780
Max. Load Weight	(kg)	25,700 / 27,720

Container Types



- Special Type of Container

1. **OPEN TOP**

- A canvas Cover is used as the ceiling of the container permitting the use of a crane to load and unload.
- Over-height cargo can be loaded
- Rings are imbedded into the floor which provide good lashing for machinery.
- can be 20 / 40 / 45' container.



- Special Type of Container

2. **FLAT RACK**

- Cargo can be loaded into this container from either end or from top.
- This is best suited from machineries
- This container has no ceiling



Container Types



- Special Type of Container

3. REEFER CONTAINER

- The temperature can be set between +25C & -25C
- The designated temperature can be maintained throughout the entire transit by means of the refrigeration unit.



- Special Type of Container

4. TANK CONTAINER

- Tank with an iso-frame; liquid cargoes in bulk including foodstuffs & hazardous cargoes



DEPOTS

Cargo is delivered to a central facility called a depot, where freight can be carefully packed and consolidated into a container by agents externally contracted by the shipping line, reducing confusion and avoiding the potential for damage or theft of goods by one of the other suppliers. Likewise, when the shipment reaches its destination, it must pass through a depot, where the container can be deconsolidated back into individual shipments, ready for pickup.

TERMINALS

Whenever a container is changed from one method of transport to another, it is referred to as 'changing the mode', and a container terminal is any location where this change takes place — for instance, a container that is being hauled on the roads by a truck can then be placed onto a train and travel by rail.

YARDS

Container yards, quite simply, areas of storage for empty containers. After a container has been deconsolidated at a depot (or unloaded directly by the importer), they are relocated to a yard where they are stored until their next assignment.

West

East

