Command	: run selected cells	: select cell below	: copy selected cells	L
Mode	7-←	J	Û∇	: toggle line numbers
(press Esc to	: run cell and insert	: select cell below	: paste cells above	0
enable)	below	Фĸ	V	: toggle output of
F	Y	: extend selected	: paste cells below	selected cells
: find and replace	: change cell to code	cells above	Z	ûo
	М	☆↑	: undo cell deletion	: toggle output
\rightarrow	: change cell to	: extend selected	D , D	scrolling of selected
: enter edit mode	markdown	cells above	: delete selected	cells
光 介F	R	☆↓	cells	Н
: open the command	: change cell to raw	: extend selected	ФM	: show keyboard
palette	1	cells below	: merge selected	shortcuts
光介P	: change cell to		cells, or current cell	I,I
: open the command	heading 1	: extend selected	with cell below if	: interrupt the kernel
palette	2	cells below	only one cell is	0,0
P	: change cell to	A	selected	: restart the kernel
: open the command	heading 2	: insert cell above	₩s	(with dialog)
palette	K	В	: Save and	Esc
·	: select cell above	: insert cell below	Checkpoint	: close the pager
: run cell, select	↑	X	S	Q
below	: select cell above	: cut selected cells	: Save and	: close the pager
^ ₽				

: toggles line	: select all	$\nearrow \boxtimes$: open the command
numbers in all cells,	₩z	: delete word after	palette
and persist the	: undo	光 企 Z	ЖФР
setting	₩/	: redo	: open the command
ப்	: comment	光介U	palette
: scroll notebook up	₩D	: redo selection	☆↩
u	: delete whole line	^K	: run cell, select
: scroll notebook	ЖU	: emacs-style line kill	below
down	: undo selection	∺≪	^~
Edit Mode	Insert	: delete line left of	: run selected cells
(press Enter to	: toggle overwrite	cursor	Z ↔
_			
enable)	flag	#⊠	: run cell and insert
enable) →ı	flag ∺↑		: run cell and insert below
•	J		
\rightarrow I	% ↑	: delete line right of	below
→ : code completion or	#↑ : go to cell start	: delete line right of cursor	below ^企Minus
→ : code completion or indent	策↑ : go to cell start 策↓	: delete line right of cursor ${^{\wedge}}_{\mathbb{M}}$	below ^☆Minus : split cell at cursor
→I : code completion or indent _}→I		: delete line right of cursor ^M : enter command	below ^企Minus : split cell at cursor 策s
→I : code completion or indent \(\frac{1}{1} \rightarrow I \) : tooltip	 #↑ : go to cell start #↓ : go to cell end ~← 	: delete line right of cursor ^M : enter command mode	below ^企Minus : split cell at cursor 策S : Save and
→ : code completion or indent \(\rightarrow \rightarrow \) : tooltip #]	 #↑ : go to cell start #↓ : go to cell end	: delete line right of cursor ^M : enter command mode Esc	below ^介Minus : split cell at cursor 策s : Save and Checkpoint
: code completion or indent : tooltip	 #↑ : go to cell start #↓ : go to cell end	: delete line right of cursor ^M : enter command mode Esc : enter command	below ^ûMinus : split cell at cursor