

# Content Snare API: Create Request with Fields

Create a fully structured request in a single API call — complete with pages, sections, and fields — without needing a pre-built template.

**Endpoint:** POST /partner\_api/v1/requests

**Required scopes:** write\_requests , write\_clients (if the client doesn't already exist)

## Request body

### Top-level properties

| Property                    | Type    | Required      | Description                                                              |
|-----------------------------|---------|---------------|--------------------------------------------------------------------------|
| name                        | string  | Yes           | The name of the request                                                  |
| client_email                | string  | Yes           | Client's email address. If the client doesn't exist, one will be created |
| client_full_name            | string  | If new client | Full name for the client (required when creating a new client)           |
| company_name                | string  | No            | Company name for the client                                              |
| folder_name                 | string  | No            | Folder to organize the request into                                      |
| due                         | string  | No            | Due date in yyyy-mm-dd format                                            |
| status                      | string  | No            | "draft" (default) or "published"                                         |
| owner_id                    | string  | No            | Team member ID to assign as owner                                        |
| owner_email                 | string  | No            | Team member email to assign as owner (alternative to owner_id)           |
| communication_template_id   | string  | No            | ID of a communications schedule to attach                                |
| communication_template_name | string  | No            | Name of a communications schedule (alternative to ID)                    |
| comments_enabled            | boolean | No            | Allow the client to leave comments                                       |
| passcode_enabled            | boolean | No            | Require a pin code to access                                             |
| share_via_link_enabled      | boolean | No            | Allow the client to share the request via link                           |
| pages_data                  | array   | Yes           | Array of page objects (see below)                                        |

## Structure: Pages, Sections, and Questions

A request is organized into **pages** (tabs the client sees), each containing one or more **sections**, each containing one or more **questions** (fields).

#### Request

```
└─ Page 1
  └─ Section A
    └─ Question 1
    └─ Question 2
    └─ Question 3
  └─ Section B
    └─ Question 4
└─ Page 2
  └─ Section C
    └─ Question 5
    └─ Question 6
```

#### Page object

| Property      | Type   | Required | Description                    |
|---------------|--------|----------|--------------------------------|
| name          | string | Yes      | Page name (displayed as a tab) |
| sections_data | array  | Yes      | Array of section objects       |

#### Section object

| Property       | Type   | Required | Description               |
|----------------|--------|----------|---------------------------|
| name           | string | Yes      | Section heading           |
| questions_data | array  | Yes      | Array of question objects |

#### Question object

| Property        | Type             | Required    | Description                                                                   |
|-----------------|------------------|-------------|-------------------------------------------------------------------------------|
| question        | string           | Yes         | The question or field label displayed to the client                           |
| data_type       | string           | Yes         | The field type (see full list below)                                          |
| question_number | integer          | Yes         | Sequential number starting from 1, unique across the entire request           |
| options         | array of strings | Conditional | Required for: single select option, multi select options, dropdown, task list |
| columns         | array of strings | Conditional | Required for: table                                                           |
| instructions    | string           | No          | Help text shown to the client explaining how to complete the field            |
| show_when       | object           | No          | Conditional visibility rules (see below)                                      |

#### Field types ( data\_type )

**Text input**

| Value           | Description            |
|-----------------|------------------------|
| single-line     | Single-line text input |
| text            | Standard text input    |
| multi-line text | Multi-line textarea    |
| formatted text  | Rich text editor       |

**Contact information**

| Value          | Description                   |
|----------------|-------------------------------|
| email          | Email address with validation |
| phone          | Phone number input            |
| url            | URL with validation           |
| address        | Structured address fields     |
| country select | Country dropdown              |

**File uploads**

| Value                 | Description            |
|-----------------------|------------------------|
| single image upload   | Upload one image       |
| multiple image upload | Upload multiple images |
| single file upload    | Upload one file        |
| multiple file upload  | Upload multiple files  |

**Numbers and dates**

| Value      | Description                  |
|------------|------------------------------|
| number     | Numeric input                |
| currency   | Currency/monetary value      |
| date/time  | Date and time picker         |
| date range | Start and end date selection |

**Ratings**

| Value          | Description          |
|----------------|----------------------|
| numeric rating | Numeric scale rating |

|             |                   |
|-------------|-------------------|
| star rating | Star-based rating |
|-------------|-------------------|

## Selection fields

These types require the `options` array.

| Value                | Description                         |
|----------------------|-------------------------------------|
| single select option | Radio-button-style single selection |
| multi select options | Checkbox-style multiple selection   |
| dropdown             | Dropdown single selection           |
| task list            | Checklist of items                  |

## Data entry

This type requires the `columns` array.

| Value | Description                                         |
|-------|-----------------------------------------------------|
| table | Table with defined column headers; client adds rows |

## Other

| Value        | Description       |
|--------------|-------------------|
| signature    | Signature capture |
| button       | Clickable button  |
| icon         | Icon field        |
| color picker | Color selection   |

## Conditional visibility ( `show_when` )

Questions can be shown or hidden based on the client's answers to other questions. This lets you build dynamic, branching forms.

### Structure

```
{
  "show_when": {
    "conditions": [
      {
        "question_number": 1,
        "condition": "equals",
        "value": "Yes"
      }
    ],
  },
}
```

```
    "logical_operator": "and"
  }
}
```

| Property         | Type   | Required           | Description                                     |
|------------------|--------|--------------------|-------------------------------------------------|
| conditions       | array  | Yes                | One or more condition objects                   |
| logical_operator | string | When 2+ conditions | "and" (all must match) or "or" (any must match) |

### Condition object

| Property        | Type    | Description                                  |
|-----------------|---------|----------------------------------------------|
| question_number | integer | The question_number of the field to evaluate |
| condition       | string  | The comparison operator (see below)          |
| value           | string  | The value to compare against                 |

### Available conditions

| Condition      | Description                             |
|----------------|-----------------------------------------|
| contains       | Field value contains the specified text |
| equals         | Field value exactly matches             |
| does not equal | Field value does not match              |
| less than      | Numeric comparison                      |
| greater than   | Numeric comparison                      |
| is empty       | Field has no value                      |
| has a value    | Field has any value                     |

## Full example

This example creates a vendor onboarding form with two pages, conditional logic, and a variety of field types.

```
{
  "name": "Vendor Application Form",
  "client_email": "vendor@example.com",
  "client_full_name": "Jane Smith",
  "company_name": "Smith Supplies",
  "due": "2026-04-15",
  "status": "published",
  "pages_data": [
    {
      "name": "Company Information",
      "sections_data": [
```

```

{
  "name": "Basic Details",
  "questions_data": [
    {
      "question": "Legal business name",
      "data_type": "single-line",
      "question_number": 1
    },
    {
      "question": "Business type",
      "data_type": "dropdown",
      "question_number": 2,
      "options": [
        "Sole Proprietor",
        "Partnership",
        "Corporation",
        "LLC",
        "Other"
      ]
    },
    {
      "question": "If Other, please specify",
      "data_type": "single-line",
      "question_number": 3,
      "show_when": {
        "conditions": [
          {
            "question_number": 2,
            "condition": "equals",
            "value": "Other"
          }
        ]
      }
    },
    {
      "question": "Business address",
      "data_type": "address",
      "question_number": 4
    },
    {
      "question": "Company website",
      "data_type": "url",
      "question_number": 5
    },
    {
      "question": "Contact phone",
      "data_type": "phone",
      "question_number": 6
    }
  ]
},
{

```

```

"name": "Company Profile",
"questions_data": [
  {
    "question": "Company logo",
    "data_type": "single image upload",
    "question_number": 7,
    "instructions": "Please upload a high-resolution PNG or SVG file"
  },
  {
    "question": "Describe your products or services",
    "data_type": "multi-line text",
    "question_number": 8
  },
  {
    "question": "How would you rate your production capacity?",
    "data_type": "star rating",
    "question_number": 9
  }
]
},
{
  "name": "Compliance & Documents",
  "sections_data": [
    {
      "name": "Certifications",
      "questions_data": [
        {
          "question": "Do you hold any industry certifications?",
          "data_type": "single select option",
          "question_number": 10,
          "options": ["Yes", "No"]
        },
        {
          "question": "Upload certification documents",
          "data_type": "multiple file upload",
          "question_number": 11,
          "instructions": "PDF or scanned copies accepted",
          "show_when": {
            "conditions": [
              {
                "question_number": 10,
                "condition": "equals",
                "value": "Yes"
              }
            ]
          }
        }
      ]
    },
    {
      "question": "List certifications and expiry dates",
      "data_type": "table",

```

```

        "question_number": 12,
        "columns": [
            "Certification Name",
            "Issuing Body",
            "Expiry Date"
        ],
        "show_when": {
            "conditions": [
                {
                    "question_number": 10,
                    "condition": "equals",
                    "value": "Yes"
                }
            ]
        }
    },
    {
        "name": "Agreement",
        "questions_data": [
            {
                "question": "Compliance checklist",
                "data_type": "task list",
                "question_number": 13,
                "options": [
                    "I agree to the Terms of Service",
                    "I have read the Privacy Policy",
                    "I confirm all information is accurate"
                ]
            },
            {
                "question": "Authorized signature",
                "data_type": "signature",
                "question_number": 14
            },
            {
                "question": "Date signed",
                "data_type": "date/time",
                "question_number": 15
            }
        ]
    }
}

```

---

## Notes

- **question\_number** **must be unique** across the entire request (not just within a section). Start at 1 and increment sequentially.
- **Conditional references are by question\_number** , so a question on Page 2 can reference a question on Page 1.
- **New clients are created automatically** if no client with the given **client\_email** exists. In that case, **client\_full\_name** is required.
- **Draft vs. published:** Requests created as "draft" are not visible to the client until you change the status to "published" .
- **Rate limits:** The API allows 20 write operations per 10 seconds.