

Problem 1: Use R and B counters; repeats are allowed. A test scores one point for each matching position. Say only the total score. Keep the secret RB visible. Build each test below. Point to matching positions, then record the total.

Test	Score against secret RB
RR	
RB	
BR	
BB	

Problem 2: Hide a two-place secret. Your partner makes tests and you give scores. Keep testing until your partner can name the secret. Record tests below or on scrap paper. Reveal the secret and check the scores. Swap jobs and play again.

First secret: _____

Next secret: _____

Test	Score

Test	Score

Problem 3: Build the four possible secrets RR, RB, BR, BB. Test RR against each one and record its score. Circle every secret that could remain if the answer were 1.


Possible secret	Score for test RR
RR	
RB	
BR	
BB	

Problem 4: Keep just the two circled secrets. Try RR again, then try RB. Record the score each test would receive for each remaining secret. Circle a test that tells the secrets apart.

Test	Score if secret is RB	Score if secret is BR
RR		
RB		

A different test that also tells them apart:

Problem 5: Begin with test RR. Under each answer, write or build every secret that could remain. Use your checks from Problem 3.



Problem 6: If a branch has two possible secrets, choose a test and record its score for each secret. If a branch has one secret, name it without another test.

My next test and what each answer means:

Problem 7: Ask your partner to hide each of RR, RB, BR, and BB in an order you do not know. Follow your branches. Record how many tests you needed before you could name each secret.

Secret after reveal	RR	RB	BR	BB
Number of tests				