



Keep the bands on the table. An adult makes every cut. The rectangles are joining recipes.



An edge trip stays on an edge, follows its seam marks, and stops on its first return to the start dot.


Problem 1: Trace every edge of A and B. Give each separate closed edge its own color.



A: _____ B: _____

Problem 2: Put two dots on the edges of A so one edge trip reaches both, then try to place them so no one trip reaches both. Repeat with B.

Dots on one edge go in one ring.




The rings record which dots share an edge.


Problem 3: Place four edge dots to match each picture on A and on B, or cross it out. Each ring means a different closed edge; other edges may have no dots.




A: _____ B: _____




A: _____ B: _____



A: _____ B: _____




A: _____ B: _____



A: _____ B: _____


Problem 4: Guess how many pieces each band will make when an adult cuts its middle line. Ask the adult to cut A and B, and draw what you get.



I predict: _____



after cutting A






I predict: _____




after cutting B


Problem 5: Trace every edge of each cut piece. Can two dots be on the same piece but on different closed edges?




Problem 6: Use all the cut pieces from A together, then all those from B. Which four-dot pictures from Problem 3 can you now make?




A: _____ B: _____




A: _____ B: _____



A: _____ B: _____



A: _____ B: _____



A: _____ B: _____

Problem 7: Arrange four edge dots so every cut piece has a dot and no edge trip reaches two dots. Can you do it with each cut result?