Making threes facilitator guide

Mathematical overview

Object. Use exactly the nine combinations of three shapes (circle, triangle, square) and three fills (open, striped, solid), one tile of each combination. An allowed three has three different tiles; each attribute is independently all the same or all different. Storage positions are irrelevant. A bent-looking arrangement can be allowed and a straight row of physical tiles can fail.

Unique completion and incidence. Any pair of distinct tiles has exactly one completing tile: for each attribute keep the shared value, or use the missing value when the two values differ. Encoding the attributes as 0, 1, 2 gives the affine plane F_3^2, with completion $z = -x - y$ coordinatewise modulo 3. It has 12 allowed threes, four through each tile. Distinct threes meet in 0 or 1 tile. There are exactly four ways to partition the nine tiles into three allowed threes, ignoring the order of the groups.

Maximum without a three. The largest line-free collection has 4 tiles. A two-by-two attribute rectangle is a witness. Five line-free tiles would have ten pairs, all completed among the four unchosen tiles. Each unchosen tile can complete at most two disjoint pairs, giving capacity at most eight. This contradiction establishes the upper bound.

No early stopping. Every legal three-tile collection has exactly three possible fourth tiles. Legal collection sizes 0, 1, 2, 3, 4 have respectively 9, 8, 6, 3, 0 legal extensions. Therefore legal adding from empty always lasts exactly four moves. In the two-player normal-play game, the second player wins regardless of choices, provided both obey the rule. It is a discovery about forced length, not a strategy-rich game.

Limits. These exact counts use two attributes with three values each and no duplicate tiles. Ordinary tic-tac-toe has only eight geometric lines and is a different object. On every printed nine-tile grid (K-1 p. 5, Grades 2-3 pp. 2-5, Grades 4-5 pp. 2-4) the tiles sit in rows by shape and columns by fill: all eight straight lines of that layout are allowed threes, and four allowed threes are bent: {open circle, solid triangle, striped square}, {striped circle, open triangle, solid square}, {striped circle, solid triangle, open square} and {solid circle, open triangle, striped square}. Reading lines off a board finds four threes through the centre tile, three through a corner and two through an edge tile, although every tile is in four. One-attribute warmups and larger SET decks do not inherit this nine-tile maximum or game result.

Readiness and intended discoveries

K-1 before-use gate, not yet performed: a child must reliably apply both attribute tests independently, including a near miss with exactly two equal fills. If this is not secure, use a one-attribute preparation or defer this packet. Do not claim that the preparation realizes the nine-point geometry.

K-1 can discover completion and grouping concretely. Grades 2-3 can search for large legal collections and notice the fixed game length. Grades 4-5 can prove uniqueness, incidence counts, the maximum, and absence of early stopping. Finding examples, proposing a general rule and justifying the rule are different outcomes.

Status. Version 4 (kid-fit revision, November 6, 2026) has 4 / 5 / 5 problems. Finite mathematics is checked. Child readiness, material handling and timing remain untested.

Preparation and session plan

Materials and before use checks

For eleven children, print K-1 p. 5 on card stock once per child, plus one, and cut on the grey lines: nine 60 mm tiles that fit the mats' cells, circle, triangle and square each in open, striped and solid fill. Keep five pair sets together initially; individual sets are useful for preserving a found collection. Per table supply three blank mats, selection counters, a tray for unused tiles, and spare paper. The final student grid is a parking/recording aid, not a rule about straightness.

For an optional upper proof, add ten small pair markers and four dishes. Adults can write the two tile names on each pair marker. Use a large demonstration tile set. **Estimated first preparation:** 20-35 minutes to print, cut and sort reusable sets; allow another 5 minutes to rehearse the rule. Check that every set has exactly one of each combination and no indistinguishable stripe/solid printing.

Two-attribute readiness check: show the printed allowed triple (open circle, solid triangle, striped square) and the near miss (open circle, open triangle, solid square). Ask the child to judge shapes first and fills second, then move the pieces into a bent arrangement and ask again. Offer two new pairs and a fresh near miss without telling the answers. Proceed with the nine-tile tasks only if the child can explain or point out both attribute conditions. This is a practical proposed check, not a validated developmental test or a completed classroom observation.

If the gate fails, judge shapes only, with all nine tiles (fills ignored). Problems 2 and 4 still work, and the most tiles without a three is again four, two each of two shapes. Then add fills with the printed near miss. The K-1 table's adult should not have to run a second proof lesson while repairing the rule.

Common launch and flexible hour

0-5 minutes: the usual movement break. **5-10 minutes:** launch together. Let children handle the tiles, then use the printed valid completion and near miss. Show the two attributes separately. Rearrange the valid triple so it is visibly not a straight line. Ask whether the rule changed. Optionally, three children stand as tiles while the group checks. Do not announce the largest legal collection.

10-22 minutes, at tables: solve the four printed pairs and trade invented pairs. Move to partitions or no-three building when completion is reliable. Adult reading and recording are enough; modular arithmetic is not a prerequisite.

22-38 minutes: investigate large line-free collections. Older groups may play the adding game several times and predict whether a different move can change its length. Recheck any claimed five-tile success for an overlooked allowed three.

38-48 minutes: choose one explanation: unique completion, all triples through one tile, the maximum, or forced game length. The ten-pair proof is optional adult scaffolding after exploration, not a prescribed student procedure.

48-55 minutes: share, then save a construction and one unresolved question. A child who thoroughly understands completion need not finish the optimization. Grade labels are approximate; route by rule fluency and interest.

Keys for K-1 and Grades 2-3

The four printed pairs

Read in page order: top left, top right, bottom left, bottom right.

Top left: open circle + striped circle → solid circle. **Top right:** open circle + open triangle → open square. **Bottom left:** striped circle + solid triangle → open square. **Bottom right:** striped triangle + open square → solid circle.

For new pairs, apply the rule to each attribute. Since the inputs differ in at least one attribute, the third tile is distinct from both.

K-1

Problem 1: the four completions above, placed as real tiles; the partner checks each three. Other paired choices have one answer each.

Problem 2: four partitions exist in total; page 4 lists all. Easy entry examples are the three same-shape groups or the three same-fill groups. The problem asks for different ways, not necessarily a completeness proof at this band.

Problem 3: four triples through any chosen tile. For an open circle, the other pairs are: striped circle + solid circle; open triangle + open square; striped triangle + solid square; solid triangle + striped square. The eight other tiles are paired off once each. On the p. 4 mat, the chosen tile can sit in the centre with each pair in opposite cells.

Problem 4: 4 tiles is the maximum. One answer is open circle, striped circle, open triangle and striped triangle. Every triple from this set has exactly two of some shape or fill, so it fails one condition. “We could not add another” verifies maximality of a particular attempt only; page 5 explains why no five-tile answer can exist.

Grades 2-3

Problem 1: the four completions above; no pair of distinct tiles has two answers. Common attributes force the same value, and differing attributes force their third value.

Problem 2: exactly four unordered splits, listed on page 4. Reordering the same three groups is not a new split. Six boards leave room for a repeat.

Problem 3: maximum 4, with the same two-by-two witness. Accept a check that every unused tile makes an allowed three with two chosen tiles; that this collection cannot grow is not yet that no five tiles work (page 5). Hint for fewer than four: "Can you change one chosen tile and then add another?" A partner's hunt in five tiles always succeeds.

Problem 4: four triples through a chosen tile. Each uses two of the other eight tiles, and unique completion pairs those eight without overlap or omission. Straight lines on the record board give four only for the centre tile (page 1, Limits); point to a bent three.

Problem 5: all legal games last exactly four moves. The second player makes move 4; the first player then has no legal move and loses. Choices change the final collection, not the duration or winner. If a game ends after three moves, inspect the three legal fourth choices. If it lasts five, find the forbidden triple. Passing is not legal play. The p. 5 boards can save each final four.

Key for Grades 4-5

Problems 1 through 3

Problem 1: the printed completions are solid circle, open square, open square and solid circle. No pair has two completing tiles or none: attribute-by-attribute forcing proves uniqueness for every distinct pair. All nine combinations are present, so the forced combination always exists as a tile.

Problem 2: maximum 4. The open/striped circles and open/striped triangles give a witness. The ten-pair argument on page 5 rules out five, hence every larger size too. Children can first verify the witness by choosing each of its four triples and locating a failing attribute.

Problem 3: exactly four threes pass through any chosen tile. Pair the other eight by unique completion; each pair appears in one such three, giving 8/2 = 4. Two different allowed threes share 0 or 1 tile. If they shared two, those two would have two completions, contradicting Problem 1. Disjoint examples are the three circles versus the three triangles; intersecting examples are all circles versus all open tiles.

Problem 4 and the complete partition key

The page has six boards for the four splits, so a repeat or a false split has room.

Use C, T, S for circle, triangle, square and O, H, F for open, striped, solid. Here H means hatch/striped; these codes are adult shorthand, not a new student representation to impose. For example CH is the striped circle.

Split 1, shapes: {CO, CH, CF}; {TO, TH, TF}; {SO, SH, SF}.

Split 2, fills: {CO, TO, SO}; {CH, TH, SH}; {CF, TF, SF}.

Split 3: {CO, TH, SF}; {CH, TF, SO}; {CF, TO, SH}.

Split 4: {CO, TF, SH}; {CH, TO, SF}; {CF, TH, SO}.

These are also the complete list of 12 allowed threes, arranged into four parallel classes. For a direct count: there are three all-same-shape triples, three all-same-fill triples, and six triples using each shape and each fill once (one for each assignment of three fills to three shapes). Their total is 12. The two attributes cannot both be all same when the three tiles must be different.

Why the partition list is complete: any two disjoint affine lines have the same direction. With coordinates modulo 3, the four directions are horizontal, vertical, slope 1 and slope -1; lines with different directions intersect. Once one triple in a partition is chosen, its two parallel mates are forced to cover the remaining six points. Thus only the four listed splits are possible. A fully concrete alternative is to check the list of 12 triples: each triple is disjoint from precisely its two companions in its displayed split.

Problem 5

Every legal game stops at four tiles, never sooner, so the second player wins. With three legal tiles, completing each of its three pairs gives three distinct forbidden unused tiles. Of the six unused tiles, exactly the other three remain legal. Smaller legal collections also extend; a legal four cannot extend by the maximum theorem. Optional adult hint, after the child explores: “With three tiles chosen, which unused tiles are ruled out by a pair?”

Proofs and source notes

The maximum proof with physical pairs

Assume five chosen tiles contain no allowed three. Their ten unordered pairs each have a unique completion, and none of those completing tiles can be chosen. Put each pair marker into the dish of its completing unchosen tile. There are four dishes.

Two different pairs in the same dish cannot share a chosen tile. If {a,b} and {a,c} were completed by x, then a and x would have both b and c as their unique completion. Thus pairs in each dish are disjoint. Among five chosen tiles, there can be at most two disjoint pairs. Four dishes hold at most eight pair markers, yet there are ten. Contradiction. Four tiles work, so the maximum is exactly four. This is an elementary incidence/counting proof, not an assertion from unsuccessful searching.

Why a legal triple never gets stuck

Let a, b and c be the three chosen tiles, with no allowed three. Complete pairs ab, ac and bc. Their completions lie outside the chosen set. No two completions can coincide, because the pairs share a tile and uniqueness would then force the other two chosen tiles equal. These are exactly the forbidden fourth tiles: any new forbidden triple must use the new tile and two existing tiles. There are six unused tiles and only three forbidden ones, leaving exactly three legal choices.

For size two, one of seven unused tiles is forbidden, leaving six; sizes zero and one allow nine and eight. A legal four has no extension because five is impossible. This proves the extension counts 9, 8, 6, 3, 0 and the fixed four-move game. It does not depend on the visible storage grid.

Verification and limits

A fresh finite check builds triples directly from the two attribute tests, verifies all 36 pair completions, all 12 triples, their intersections, all four partitions and every subset through size five. Counts of legal subsets of sizes 0 through 5 are 1, 9, 36, 72, 54 and 0. Every legal triple has three extensions; every maximal legal collection has size four. These are mathematical checks only. The K-1 readiness trial remains unperformed.

Sources

Julia Carney, **SET and Finite Affine Geometry**, University of Chicago REU (2021), sections 1-3 for the attribute rule, finite affine incidence and the SET connection; section 5, pp. 15-16, for cap context and the two-dimensional four-point maximum. Author-hosted paper. This guide supplies its own complete nine-tile maximum and no-early-stopping proofs.

Tanya Khovanova, **SET Tic-Tac-Toe** (June 2020). Original game investigation. This is a related game precedent, not a claim that the final shared-collection avoidance game has the same rules or strategic behavior.

Givental, Nemirovskaya and Zakharevich, **Math Circle by the Bay** (AMS/MSRI, 2018), Preface pp. viii-ix: deep multi-level themes, manipulatives and discussion of explanations. The preparation, pacing and readiness check here are local untested proposals.

Starting routes and return visits

Planning update of 4 October 2026. The timing menus are examples; a theme can continue over several meetings. Keep the full Grades 4-5 investigations and choose by readiness.

Use and return choices

Keep one adult at each table; the K-1 table's adult can read and help record while children choose tiles. On return, K-1 can partition the nine tiles (P2), collect triples through one tile (P3), or build no-three collections (P4). Grades 2-3 can use P4-5 for incidence and fixed game length after the rule is secure. Grades 4-5 can separate the maximum proof (P2), all partitions (P4), and no-early-stopping proof (P5). Retain all deeper arguments; the two-attribute check remains a readiness check, not a reported classroom result.