

STAT547 Graduate Project

James Spalding

2024-01-25

Check-in 1

1. Write R code to find the mean matrix and average misorientation angle (AMA) for this generic data set: GenericData.csv. You may want to think about how to put data into an array in R of size $3 \times 3 \times n$. This is a way to store all n 3×3 matrices in one R object

```
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v dplyr      1.1.3      v readr      2.1.4
## v forcats    1.0.0      v stringr   1.5.0
## v ggplot2    3.4.4      v tibble   3.2.1
## v lubridate  1.9.3      v tidyr    1.3.0
## v purrr      1.0.2
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()     masks stats::lag()
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors

#Function to create array of matrices from dataframe

makeArray = function(df){
  matArray = array(dim = c(3, 3, 0))

  for(i in 1:nrow(df)){
    temp = matrix(testData[i,2:10], ncol = 3, byrow=T) #Will need to adjust for actual data.
    matArray = abind(matArray, temp, along = 3)
  }

  return(matArray)
}

#Example
testDataArray = makeArray(testData)
testDataArray[, ,5]

##           [,1]      [,2]      [,3]
## [1,] 0.5138900 0.8577733 -0.01191537
## [2,] 0.8241170 -0.4897743 0.28452105
## [3,] 0.2382187 -0.1560322 -0.95859574

#Function to find mean matrix from matrix array

meanMat = function(array){
  length = dim(array)[3]
  matSum = apply(array, c(1, 2), sum)
```

```

oBar = matSum / length

V = svd(oBar)$u
W = svd(oBar)$v
M = V %*% W #Not sure if %*% or * should be used here...

return(M)
}

```

```

#Example
meanMat(testDataArray)

```

```

##           [,1]      [,2]      [,3]
## [1,] -0.02041148  0.77575946  0.63069853
## [2,] -0.99215646 -0.09352974  0.08293218
## [3,]  0.12332449 -0.62405885  0.77158384

```

```

# Function to find Average Misorientation Angle given an array and observation

```

```

misorientAngle = function(array, obs){
  #acos((sum(diag(t(testDataArray[,1]) %*% meanMat(testDataArray)))-1)/2) #Split into multiple lines f

  oP = t(array[, ,obs])
  M = meanMat(array)
  traceOPM = sum(diag(oP %*% M))

  angle = acos((traceOPM-1)/2)
  cat("Misorientaton angle of observation", as.character(obs), ":\n")
  return(angle)
}

```

```

#Example
misorientAngle(testDataArray, 10)

```

```

## Misorientaton angle of observation 10 :
## [1] 3.095113

```