TECHNICAL RIDER

Performance:

FEMALE GOTHIC

Performer:

Rebecca Vaughan (07957 381317) rebecca@dyadproductions.com

Please find included all information regarding the technical aspects of *FEMALE GOTHIC*.

BASIC INFORMATION

- FEMALE GOTHIC is a solo show, performed by Rebecca Vaughan.
- Ms Vaughan will arrive at approx 11.30am on the day of the performance.
- This is a very intimate show and should be played as far DS as possible. There will be 3 lit candles during the show. (Please see attached risk assessment Pg 3)

CREW REQUIREMENTS

This production does not tour with a technician and therefore requires:

- a minimum of ONE in-house technician for the get in
- a minimum of ONE technician to operate the show (if both LX and sound cannot be operated from the same position then 2 technicians will be required to operate the show) The show will be operated from a fully marked up script, provided on the day.
 - ONE technician to help with the get-out

RUNNING TIME

75 minutes straight through.

SCENIC ELEMENTS

The set includes (Please see photo on next page):

- 1 x area rug (measures approx 3.5m (SL-SR) x 3m (US-DS)
- 1 x red leather Victorian wingback armchair
- 1 x white gauze (4m high x 9m wide) to be ruched up to about 4m and hung from the grid on a conduit bar provided by Dyad, all weighing less than 8kg. This will be ideally rigged approx 4.5 5 metres from front of the stage.

1 x folding table covered with red silk fabric.

The desired <u>playing space</u> is 6m x 6m, but it can be larger or smaller than this. The stage needs to have complete black masking.

DRESSING ROOM REQUIREMENTS

1 dressing room with tea/coffee & ironing facilities. Please ensure that the shower (if available) is clean and a fresh towel and soap are available.

SOUND REQUIREMENTS

Sound will be provided on the day of performance, via QLAB. Sound consists of **28 sound cues**. Dyad Productions will provide the Apple Mac Laptop from which to operate the SFX. The show should ideally have **onstage speakers** as the main source of sound for the show. A floor mic will be used at one point during the play, and will need to be put through an effects monitor to create an **echo effect**. Dyad Productions tour with a PZM although are happy to use an in-house floor mic. Cabling will be required.

Page 1/3

Dyad Productions, 75 Telford Court, Alma Road, St Albans, AL1 3BS, UK
Tel:+44 (0)7957 381317
e mail: rebecca@dyadproductions.com website:http://www.dyadproductions.com

11) t, od u

LX REQUIREMENTS

There are 6 different lighting states plus 5 birdies (11 states in total) The names of the states are 'A', 'B', 'C', 'D', 'E', 'F1', 'F2', 'F3', 'F4', 'F5' & 'G'(See attached diagram for LX states)

- 'A'-is an **open white spot** to be rigged DSC with a soft focus & needs to be quite small
- 'B'- is a Chocolate (warm) wash (ideally using Chocolate L156) covering entire playing space covering entire playing space without bleeding into the masking.
- 'C'- is **deep blue wash** (using deep blue **L119** or similar) covering entire playing space without bleeding into the masking.
- 'D'- is a **general state** which is a combination of states 'B', side onstage blues from 'C' and 'G'. To be mixed when Dyad arrives at venue.
- 'E'- is a **chocolate spot** (L156). Rigged DSR and focused onto the chair.
- 'F1' -is a **open white birdie** to be rigged DSC on floor. This LX will be supplied by Dyad Productions (PAT tested) 15 amp plug.
- 'F2' is a **chocolate birdie** to be rigged DSR on floor. This LX will be supplied by Dyad Productions (PAT tested). 15 amp plug.
- 'F3' is a **red birdie** to be rigged midway between DSC and DSR on floor. This LX will be supplied by Dyad Productions (PAT tested). 15 amp plug.
- 'F4' is a **red birdie** to be rigged DSL on floor. This LX will be supplied by Dyad Productions (PAT tested). 15 amp plug.
- 'F5' is a **blue birdie** to be rigged midway between DSC and DSL on floor. This LX will be supplied by Dyad Productions (PAT tested). 15 amp plug.
- 'G'- are 2 x blue spots with a soft focus to be rigged USL and USR. Needs to have barn doors or shutters, and will be focused onto each side of the gauze.

There are 52 LX cues. Please see Lighting Programming sheet for details of cues.

The birdies will each need a separate channel (15 amp plug), so 5 floor channels are required, along with attendant extension leads, as birdie cables are only 1ft long.

THE WARM WASH AND COLD WASH MUST BE PRE-RIGGED BEFORE ARRIVAL. Specials can be rigged when Dyad Productions arrive at the venue.

ADDITIONAL INFORMATION

Please ensure that there is suitable parking for 1 car, which transports the set. Please provide vegetarian refreshments for 1 person (vegetarian sandwiches are fine) for approx 5pm.



Page 2/3 Dyad Productions, 75 Telford Court, Alma Road, St Albans, AL1 3BS, UK Tel:+44 (0)7957 381317

e mail: rebecca@dyadproductions.com website:http://www.dyadproductions.com

	ad Productions k Assessment											
Performance Female Gothic					Updated: 31/08/2012							
Sho wil	ow Details: Female G I be 1 x light gauze he AD will provide all f	othicung	c is a solo show, con from the grid, upstag	e.	ing of no	o set	bu	ild	l. 7	Γhe	ere	_
	does not travel with											c
	orking at height/with		•		_			x a	331	CSS	IIICIIL	3
			clihood (L)					17	_	RF		_
			nprobable	Risk Factor (S X L) = RF 0-6-LOW (improve if possible)								
			Inlikely									_
			lay occur		7 – 15 – MEDIUM (RF above 12 - further action required)							
			ossible/May occur									
-			Very Likely 16 – 25 HI required)				mn	ıedi	iate	e act	ion	
Des	cription of Risk/Hazard		People at Risk	Initi	al Assess	ment	nt					
				S	L	RF	7					
l	Hanging gauze. Poss could fall from the ri	Performer	2	3	6		LOW					
2	Naked flame on stage x candles)	e (3	Performer	4	3	12		N	MEDIUM			
3	Water on stage-could spilt causing slip haze	Performer	2	3	6		I	LOW				
Performers costume (Victorian): performer could possibly trip over the long skirt			Performer	2	3	6		LOW				
Cor	ntrol Measures						R	les	idı	แลโ	Risk	_
								RF		_		
Gauze to be double checked			by theatre staff to ensur		re that it is						LOW	r
Gauze to be double checked by theatre staff to ensure that it is securely fastened to the rig before the performance.							2					
or spreading.										LOW	,	
	b. The candles are firmly secured in a candelabra placed on the table. The candles will be lit by the performer during the show,											
	and the performer will be present onstage for the duration of the time they are lit; the candles will be snuffed during the play.											
	c. Following consultation with a fire officer, there is a dish											
containing lubricant on the table for the used match.												
d. The candelabra is placed on a sturdy table, and there is a goblet of water on the table as a precaution.												
			_	L 41L a								
			ensively rehearsed with s to ensure safety at all			,						
3 1	If water is spilt it will li						1	1		1	LOW	r
_	The performer will have	•				2	1	_			LOW	_
	before entering the thea						- 1-			1		
	_		_									
lı	The performer will also have time on stage before the performance to practice movement on stage and eliminate any possible trip hazards.											