Dyad Productions

TECHNICAL RIDER

Performance: The Time Machine

Performer: Stephen Cunningham (07734 392150)

(ONLY for contact on day)

MAIN CONTACT (Pre-Performance): REBECCA VAUGHAN: 07957 381317 rebecca@dyadproductions.com

Please find included all information regarding technical aspects of *The Time Machine*:

BASIC INFORMATION

- The Time Machine is a solo show, performed by Stephen Cunningham.
- Mr Cunningham will arrive at 10:30am on the day of the performance.
- This is a very intimate show and should be played as far DS as possible.
- Please see attached risk assessment Pg 5

CREW REQUIREMENTS

This production does not tour with a technician and therefore requires:

- a minimum of ONE in-house technician for the get in
- a minimum of ONE technician to operate the show (if both LX and sound cannot be operated from the same position then 2 technicians will be required to operate the show) The show will be operated from a clean, fully marked up script, provided on the day.
- ONE technician to help with the get-out

RUNNING TIME

90 minutes straight through (no interval).

SCENIC ELEMENTS

The set includes (Please see photos on pages 3 and 4):

- 1 x cream marbled dancefloor (5m wide x 4.5m deep in 3 sections to be taped together)
 - 1 x wooden plinth (1.36m wide x 40cm high x 86cm wide)
- 1 x natural sharkstooth gauze: 6m high x 5m wide and hung from the grid either from tie top or on a conduit bar provided by Dyad, weighing less than 8kg. This will be ideally rigged between 4.5 5 metres from setting line

The desired <u>playing space</u> is approx 6m wide x 6m deep, but it can be larger than this. (Minimum space to be 5.5m wide x 5m deep) The stage needs to have complete black masking.

DRESSING ROOM REQUIREMENTS

1 dressing room with tea/coffee & ironing facilities. Please ensure that a fresh towel and soap are available, and that if there is a shower, it is clean and ready for use.

ADDITIONAL INFORMATION

Please ensure that there is suitable parking for 1 car, which transports the set. Please provide refreshments for 1 person (sandwiches are fine) for approx 5pm.

SOUND REQUIREMENTS

Sound will be provided on the day of performance via QLAB. Sound consists of 46 sound cues. Dyad Productions will provide the MacBook Pro from which to operate the SFX. The show should have onstage speakers/monitors (ideally MSR & MSL) for performer to hear SFX cues. Both FOH Speakers and monitors to be panned.

Page 1/5

LX REQUIREMENTS

There are 54 LX cues (42 cues to run, due to follow-on cues, but 116 to actually plot) (MPORTANT: there are a number of specific follow-on/auto cues: please contact us if this is a problem)


See LX Programming sheet for details of cues. Due to colour combining, generics NOT LEDs to be used


THE TWO WASHES (L119/open white) MUST BE PRE-RIGGED BEFORE ARRIVAL. Specials can be rigged when Dyad Productions arrive at venue.

There are 7 different lighting states plus 7 birdies (14 states in total) The names of the states are 'A', 'B', 'C', 'D', 'E' 'F1', 'F2', 'F3', 'F4', 'F5', 'F6', 'F7', 'G' & 'H. (See attached diagram for LX states) We will plot the show from either subs or groups using the following letters:

- **A <u>Amber special (Lee 020)</u> Profile** soft focus rigged overhead MSL as far left as possible may need frost. (focused on specific SL area)
- **B** <u>Blue Wash (Lee 119)</u> 6 lanterns covering entire playing space (3 on advance FOH bar from SR, CS and SL. 3 from closer or setting line bar- from SL, CS and SR. If using profiles, may need frost. Can be paired (centre single)
- C <u>Open White Wash</u> 6 lamps covering entire playing space (3 on advance FOH bar from SR, CS and SL. 3 from closer or setting line bar- from SL, CS and SR. If using profiles, may need frost. Setting line outer 2 can be paired.
- **D** <u>Amber side lights (Lee 020)</u> 2-4 lanterns (depending on lantern spread) ideally fresnels rigged as far SL and SR as possible on overhead bar. Cannot be paired.
- E-Purple side lights (Lee 799) 2-4 lanterns (depending on lantern spread) ideally fresnels rigged as far SL and SR as possible on overhead bar. Cannot be paired.
- **F1** <u>Gauze Birdie (Open white)</u> placed on floor USC of gauze. Birdie supplied by Dyad Productions (PAT tested) 15A plug. 1ft tail: will require TRS. Single channel.
- **F2** <u>Match birdie #1 (Lee 237)</u> placed next to dancefloor DSR. Birdie supplied by Dyad Productions. (PAT tested) 15A plug. 1ft tail: will require TRS. Single channel.
- **F3** <u>Fire Red birdie #2 (Lee 164)</u> placed next to dancefloor DSR. Birdie supplied by Dyad Productions. (PAT tested) 15A plug. 1ft tail: will require TRS. Single channel.
- **F4** <u>Corridor birdie #1 (Open White)</u> placed next to dancefloor MSR. Birdie supplied by Dyad Productions (PAT tested) 15A plug. 1ft tail: will require TRS. Single channel.
- **F5** <u>Corridor birdie #2 (Open White)</u> placed next to dancefloor USR. Birdie supplied by Dyad Productions (PAT tested) 15A plug. 1ft tail: will require TRS. Single channel.
- **F6** <u>Corridor birdie #3 (Open White)</u> placed next to dancefloor MSL. Birdie supplied by Dyad Productions (PAT tested) 15A plug. 1ft tail: will require TRS. Single channel.
- **F7** <u>Corridor birdie #4 (Open White)</u> placed next to dancefloor USL. Birdie supplied by Dyad Productions (PAT tested) 15A plug. 1ft tail: will require TRS. Single channel.
- **G** <u>Rigged Gauze lights</u> (Lee 200) 3 or 5 lanterns (fresnels) (number is dependant on the spread of your fresnels), rigged on an LX bar **upstage** of gauze (one in centre, outer two are 1.25m either side). Outer two can be paired.
- H Red Floor Gauze lights (Lee 027) 2 lanterns (fresnels) placed on floor just upstage of gauze, SL & SR. Can be paired.
- 7 floor channels required as birdies each need a separate channel (15A plug) & TRS (birdie cables only 1ft long). We tour with gel but if you have any of these colours please do prepare yours for use, to allow for a swifter get-out!

Photos show previews. NB this rig does not show the gauze at full height.





Dya	ad Productions												
Ris	k Assessment												
Performance The Time			Machine U ₁					odated: 06/02/2018					
Show Details: <i>The Time Machine</i> is a solo show, comprising of r						10 5	o set build.						
Γhere will be 1 x light gauze hung from the grid, upstage.													
	AD will provide all f					irdie	es (PA	T t	test	ed)		
	does not travel with												
	orking at height/with												
			elihood (L)	Risk Factor (S X L) = RF									
			mprobable	0 – 6 – LOW (improve if possible)									
* *			Inlikely										
3 - Lost time to injury $3 - 1$		3 - N	lay occur		7 – 15 – MEDIUM (RF above 12 - further action required)								
4 – Major Injury 4 – P			Possible/May occur						[uirea)				
			Very Likely 16 – 25 HIGH					me	diat	e ac	tion		
			required)										
Description of Risk/Hazard			People at Risk	Initi	Initial Assessment								
				S	L	J	RF						
1 Hanging gauze. Possibly			Performer	2	3	ϵ	6		LOW				
	could fall from the ri												
2 Dancefloor taped		Performer 2 3 6					LOW						
together													
Water on stage—could be			Performer	2	3		6		LOW				
spilt causing slip hazard.													
Birdies around stage			Performer	2	3 6		5	LO		LOW			
~	. 136							_	• •		D. 1		
Control Measures							Residual Risk						
									L	RF			
	Gauze to be double-che				hat it is			2	1	2	LOW		
S	securely fastened to the rig before the performance.												
The dance-floor will be undertaped together, and then overtaped							2	2	4	LOW			
(using dance-floor tape) to the stage, eliminating any trip hazard.													
			reducing risk of spillage.					1	1	+	LOW		
	Birdies places at least 1 foot from dancefloor and performer does not eave dancefloor during the performance. Birdies also taped down.							1	1	1	LOW		
1	eave dancefloor during	g tne	performance. Bird	ies also	taped do	own.							
1								1	1	1	1		