

mds_microsim
males

Calibration fit values

<i>N</i>	-879.775912483409
<i>C</i>	-532.161666714766
<i>F</i>	-377.839460524152
<i>D</i>	279.512107692199
<i>E</i>	-15077.2470924099
<i>NE</i>	-Inf
<i>CE</i>	-6719.07731114839
<i>FE</i>	-Inf
<i>N_D</i>	4.14235426030104
<i>C_D</i>	-329.026626637387
<i>F_D</i>	119.444636143948
<i>Overall Fit</i>	NaN

mds_microsim
males

Calibration fit values (Cont.)

<i>E_D</i>	-Inf
<i>NE_D</i>	NaN
<i>CE_D</i>	-Inf
<i>FE_D</i>	-Inf
<i>NA</i>	NA
<i>NA</i>	NA
<i>NA</i>	NA
<i>NA</i>	NA
<i>NA</i>	NA
<i>NA</i>	NA
<i>Overall Fit</i>	NaN


	loglik	sum of sq diffs
<i>N</i>	-879.775912483409	0.455760038043804
<i>C</i>	-532.161666714766	0.189347479041997
<i>F</i>	-377.839460524152	0.147425914531444
<i>D</i>	279.512107692199	0.00844755541866372
<i>E</i>	-15077.2470924099	1.21746209804791
<i>NE</i>	-Inf	0.315312111474399
<i>CE</i>	-6719.07731114839	0.159731009139561
<i>FE</i>	-Inf	0.0359817294481975
<i>N_D</i>	4.14235426030104	1.1404623523928
<i>C_D</i>	-329.026626637387	0.734721699375989
<i>F_D</i>	119.444636143948	0.674020309706481
<i>E_D</i>	-Inf	2.87739300722523
<i>NE_D</i>	NaN	0.474816993334172
<i>CE_D</i>	-Inf	0.5395607947235
<i>FE_D</i>	-Inf	0.23758574351695
<i>Overall Fit</i>	NaN	9.2080288354211

	parameter	best	initial	lower	upper	count
1	s.NC_9.17	1.9980000	1.9980000	2.0	2.5	1
2	s.NC_18.25	0.1000000	0.1000000	0.0	1.0	1
3	s.CF_18.25	0.4836083	0.4836083	0.3	1.0	1
4	s.CF_26.34	0.4561312	0.4561312	0.3	1.0	1
5	s.CF_35.49	0.8525018	0.8525018	0.3	1.0	1
6	s.CF_50.64	0.5839995	0.5839995	0.3	1.0	1
7	s.CF_65.99	0.5031331	0.5031331	0.3	1.0	1
8	s.NC_D_9.17	2.0000000	2.0000000	2.0	2.5	1
9	s.NC_D_18.25	2.3000000	2.3000000	0.0	1.0	1
10	s.CF_D_18.25	0.4836083	0.4836083	0.3	1.0	1
11	s.CF_D_26.34	0.4561312	0.4561312	0.3	1.0	1
12	s.CF_D_35.49	0.8525018	0.8525018	0.3	1.0	1
13	s.CF_D_50.64	0.5839995	0.5839995	0.3	1.0	1
14	s.CF_D_65.99	0.5031331	0.5031331	0.3	1.0	1
15	rr.CE.FE_1.17	1.0000000	1.0000000	0.0	4.0	1
16	rr.CE.FE_18.34	1.0000000	1.0000000	0.0	4.0	1
17	rr.CE.FE_35.64	1.0000000	1.0000000	0.0	4.0	1
18	rr.CE.FE_65.99	1.0000000	1.0000000	0.0	4.0	1
19	rr.NE.CE_1.17	1.0000000	1.0000000	0.0	4.0	1
20	rr.NE.CE_18.34	1.0000000	1.0000000	0.0	4.0	1
21	rr.NE.CE_35.64	1.0000000	1.0000000	0.0	4.0	1
22	rr.NE.CE_65.99	1.0000000	1.0000000	0.0	4.0	1


nds_microsim
males

Smoking distribution


Never smoked – males



Current smoking – males




Former smoking – males




MDE

Current MDE – males




MDE distribution – males ages 18–99




Smoking distribution among people with depression


Never smoked, deppop – males



Current smoking, deppop – males




Former smoking, deppop – males




Smoking distribution

Smoking distribution – males ages 18–99




Smoking distribution – Current MDE pop males ages 18–99




Vaping by age

Current vaping – males




Current vaping, deppop – males




National Survey on Drug Use and Health
 18.25
 26.34
 35.49
 50.64
 65.99

Vaping – all ages




Vaping distribution – males ages 18–99




Smoking & Vaping distribution


NS, Current vaping – males



CS, Current vaping – males




FS, Current vaping – males




Smoking & Vaping distribution among people with depression


NS, Current vaping – deppop – males



CS, Current vaping – deppop – males




FS, Current vaping – deppop – males




Smoking inputs

Initiation probabilities




Cessation probabilities




inputs calibrated CISNET p.NC_D

Incidence by smoking status

Incidence, calibrated estimates




Incidence among current smokers, rr.CH.CD*




bc 1980 bc 1995 bc 2020

Recovery, calibrated estimates, p.DR



Recurrence, calibrated estimates, rr.CR.CD



Mortality probabilities by smoking and MDE status

