

mds_microsim
females

Calibration fit values

<i>N</i>	0.168914975409511
<i>C</i>	0.057508833426275
<i>F</i>	0.0950829216414024
<i>D</i>	0.0138453691551825
<i>NO</i>	31.530893963976
<i>CO</i>	3.12223970133086
<i>FO</i>	2.98406100834369
<i>O</i>	73.5926188093677
<i>NE</i>	0.0673138555352375
<i>CE</i>	0.0346513174702823
<i>FE</i>	0.00678411440409208
<i>Overall Fit</i>	193.513545240605

mds_microsim
females

Calibration fit values (Cont.)


<i>E</i>	0.238930748095826
<i>NQ</i>	0.105170502632137
<i>CQ</i>	0.0597353048916481
<i>FQ</i>	0.0089539603155407
<i>Q</i>	0.338738384690075
<i>ND</i>	2.34780893798329
<i>CD</i>	1.55430236468905
<i>FD</i>	0.290322016639895
<i>OD</i>	75.4308690765443
<i>ED</i>	0.657324721024809
<i>QD</i>	0.807474353038365
<i>Overall Fit</i>	193.513545240605

6	rr.CE.FE_65.99	1.0	1.0000000	0.0	4.00	1
7	rr.NE.CE_1.17	2.0	2.0000000	0.0	4.00	1
8	rr.NE.CE_18.25	0.5	0.5000000	0.0	4.00	1
9	rr.NE.CE_26.34	1.0	1.0000000	0.0	4.00	1
10	rr.NE.CE_35.49	1.0	1.0000000	0.0	4.00	1
11	rr.NE.CE_50.64	1.0	1.0000000	0.0	4.00	1
12	rr.NE.CE_65.99	1.0	1.0000000	0.0	4.00	1
13	s.NC_9.17	NA	2.0817619	2.0	2.50	0
14	s.NC_18.25	NA	0.0000000	0.0	1.00	0
15	s.CF_18.25	NA	0.9939780	0.5	1.00	0
16	s.CF_26.34	NA	0.5644772	0.5	1.00	0
17	s.CF_35.49	NA	0.8707377	0.5	1.00	0
18	s.CF_50.64	NA	0.6547852	0.5	1.00	0
19	s.CF_65.99	NA	0.6643280	0.5	1.00	0
20	p.DR_12.17	NA	0.1730000	0.0	1.00	0
21	p.DR_18.25	NA	0.1730000	0.0	1.00	0
22	p.DR_26.34	NA	0.1730000	0.0	1.00	0
23	p.DR_35.49	NA	0.1730000	0.0	1.00	0
24	p.DR_50_64	NA	0.1730000	0.0	1.00	0
25	p.DR_65_99	NA	0.6000000	0.6	0.65	0
26	s.HD_12.17	NA	2.0000000	1.0	3.00	0
27	s.HD_18.25	NA	2.5000000	2.0	4.00	0


mds_microsim
females

Smoking inputs

Initiation probabilities




Cessation probabilities




inputs calibrated CISNET rr.ND.CD

Smoking distribution


Never smokers – females




Current smokers – females



Former smokers – females




Smoking distribution – females ages 18–99




Vaping distribution


Never Vaping distribution – females, ages 18–99




Current Vaping distribution – females, ages 18–99



Former Vaping distribution – females, ages 18–99




Vaping distribution – females ages 18–99




Incidence by smoking status

Incidence, calibrated estimates




Incidence among current smokers, rr.CH.CD*




bc 1980 bc 1995 bc 2020

Recovery, calibrated estimates, p.DR




Recurrence, calibrated estimates, rr.CR.CD




MDE

Current MDE – females




MDE distribution – females ages 18–99




Smoking distribution among people with depression


Never smokers – deppop, females




Current smokers – deppop, females




Former smokers – deppop, females



Smoking distribution – females ages 18–99




Mortality probabilities by smoking and MDE status




Vaping distribution among people with depression


Never vapers – deppop, females



Current vapers – deppop, females



Former vapers – deppop, females



18.25



26.34



35.49




50.64



65.99

Vaping distribution – females ages 18–99



OEQ Vaping

ED OD QD