

Calibration fit values


mds_microsim
females

6	p.DR_65.99	0.173000	0.1730000	0.0	1.0	1
7	p.RD_12.17	0.058000	0.0580000	0.0	1.0	1
8	p.RD_18.25	0.058000	0.0580000	0.0	1.0	1
9	p.RD_26.34	0.058000	0.0580000	0.0	1.0	1
10	p.RD_35.49	0.058000	0.0580000	0.0	1.0	1
11	p.RD_50.64	0.058000	0.0580000	0.0	1.0	1
12	p.RD_65.99	0.058000	0.0580000	0.0	1.0	1
13	rr.DX_18.25	1.000000	1.0000000	1.0	8.0	1
14	rr.DX_26.34	1.000000	1.0000000	1.0	8.0	1
15	rr.DX_35.49	1.000000	1.0000000	1.0	8.0	1
16	rr.DX_50.64	1.000000	1.0000000	1.0	8.0	1
17	rr.DX_65.99	1.000000	1.0000000	1.0	8.0	1
18	rr.ND.CD	1.271322	1.2713219	1.0	4.0	1
19	rr.CH.CD	1.848291	1.8482914	1.0	4.0	1
20	rr.CR.CD	1.528161	1.5281614	1.0	4.0	1
21	rr.CD.FD	1.220916	1.2209156	1.0	4.0	1
22	s.NC_9.17	NA	2.0817619	2.0	2.5	0
23	s.NC_18.25	NA	0.0000000	0.0	1.0	0
24	s.CF_18.25	NA	0.9939780	0.5	1.0	0
25	s.CF_26.34	NA	0.5644772	0.5	1.0	0
26	s.CF_35.49	NA	0.8707377	0.5	1.0	0
27	s.CF_50.64	NA	0.8547375	0.5	1.0	0


nds_microsim
females

Incidence by smoking status

Incidence, calibrated estimates




Incidence among current smokers, rr.CH.CD*



bc 1980 bc 1995 bc 2020

Recovery, calibrated estimates, p.DR



Recurrence, calibrated estimates, rr.CR.CD

