


**Free ICRP**  
Known partial order



## Unknown identities

[illegible]

## Unknown identities (continued)

[illegible]

## Unknown identities (continued)

[illegible]

## Unknown identities (continued)

[illegible]

## Unknown identities (continued)

[illegible]

## Unknown identities (continued)

[illegible]

## Unknown identities (continued)

[illegible]

## Unknown identities (continued)

[illegible]

## Unknown identities (continued)

$$(((e * x) \setminus (x \setminus e)) * ((x \setminus x) * (e * x))) = (((x \setminus x) \setminus (e \setminus e)) * ((x \setminus e) \setminus (e * x))).$$

$$((e * x) \setminus (x \setminus e)) * x = (((x \setminus x) \setminus (e \setminus e)) * ((x \setminus e) \setminus (e * x))).$$

$$((e * x) \setminus (x \setminus e)) * (e \setminus x) = (((x \setminus x) \setminus (e \setminus e)) * ((x \setminus e) \setminus (e * x))).$$

$$((e * x) \setminus (x \setminus e)) * ((e \setminus e) * x) = (((x \setminus x) \setminus (e \setminus e)) * ((x \setminus e) \setminus (e * x))).$$

$$(((e * x) \setminus (x \setminus e)) * ((e \setminus e) \setminus x)) = (((x \setminus x) \setminus (e \setminus e)) * ((x \setminus e) \setminus (e * x))).$$

$$(((e * x) \setminus (x \setminus e)) * ((x \setminus e) \setminus x)) = (((x \setminus x) \setminus (e \setminus e)) * ((x \setminus e) \setminus (e * x))).$$

$$(((e * x) \setminus (x \setminus e)) * ((x \setminus e) * (e \setminus x))) = (((x \setminus x) \setminus (e \setminus e)) * ((x \setminus e) \setminus (e * x))).$$

$$(((e * x) \setminus (x \setminus e)) * ((e \setminus e) \setminus (e \setminus x))) = (((x \setminus x) \setminus (e \setminus e)) * ((x \setminus e) \setminus (e * x))).$$

$$(((e \wedge x) \vee (x \vee e)) \wedge ((x \vee e) \vee (e \wedge x))) = (((x \vee x) \vee (e \vee e)) \wedge ((x \vee e) \vee (e \wedge x))).$$

$$(((e \rightarrow x) \rightarrow (x \rightarrow e)) \rightarrow ((x \rightarrow x) \rightarrow x)) \equiv (((x \rightarrow x) \rightarrow (e \rightarrow e)) \rightarrow ((x \rightarrow e) \rightarrow (e \rightarrow x))).$$

$$(((e * x) \setminus (x \setminus e)) * (x * (e \setminus x))) = (((x \setminus x) \setminus (e \setminus e)) * ((x \setminus e) \setminus (e * x))).$$

$$(((e \cdot x) \setminus (x \setminus e)) \cdot ((x \setminus x) \setminus (e \setminus x))) = (((x \setminus x) \setminus (e \setminus e)) \cdot ((x \setminus e) \setminus (e \cdot x))).$$

$$(((e * x) \setminus (x \setminus e)) * (e \setminus (e \setminus x))) = (((x \setminus x) \setminus (e \setminus e)) * ((x \setminus e) \setminus (e * x))).$$

$$(((e \setminus \lambda) \setminus (\lambda \setminus e)) \setminus (e \setminus (e \setminus \lambda))) = (((\lambda \setminus \lambda) \setminus (e \setminus e)) \setminus ((\lambda \setminus e) \setminus (e \setminus \lambda))).$$

$$((\lambda \vee \lambda) \wedge (\lambda \vee \lambda)) \wedge ((\lambda \vee \lambda) \wedge (\lambda \vee \lambda)) = ((\lambda \vee \lambda) \wedge (\lambda \vee \lambda)) \wedge ((\lambda \vee \lambda) \wedge (\lambda \vee \lambda)).$$