### Exploratory Analysis


November 19, 2021

#### 1 Main Results

| Decision Point | Total No. Participants Included in Analysis | Total No. Participants Excluded from Analysis |
|----------------|---|---|
| 1              | 581   | 10  |
| 2              | 490   | 101   |
| 3              | 453   | 138   |
| 4              | 437   | 154   |

|                              | $\operatorname{est}$ | SE    | p     | 95%CI: LB | 95%CI: UB |
|------------------------------|----------------------|-------|-------|-----------|-----------|
| Control Covariates           |                      |       |       |           |           |
| Intercept                    | -0.627               | 0.081 | 0.000 | -0.786    | -0.469    |
| No. of Days with any drinks  | -0.093               | 0.065 | 0.149 | -0.220    | 0.034     |
| No. of Drinks per day        | -0.024               | 0.042 | 0.570 | -0.105    | 0.058     |
| White $(1=Yes, 0=otherwise)$ | 0.065                | 0.075 | 0.387 | -0.082    | 0.212     |
| Female (1=Yes, 0=otherwise)  | 0.036                | 0.067 | 0.591 | -0.096    | 0.169     |
| Causal                       |                      |       |       |           |           |
| beta0                        | 0.139                | 0.062 | 0.025 | 0.017     | 0.260     |
| beta1 (Trt x Days since)     | -0.007               | 0.003 | 0.008 | -0.013    | -0.002    |

|  | est           | 95%CI: LB     | 95%CI: UB        |
|--|---------------|---------------|------------------|
| Risk Ratio at 0 Days elapsed since entering study  | 1.149         | 1.009         | 1.288            |
| Risk Ratio at 1 Days elapsed since entering study  | 1.140         | 1.006         | 1.274            |
| Risk Ratio at 2 Days elapsed since entering study  | 1.132         | 1.003         | 1.260            |
| Risk Ratio at 3 Days elapsed since entering study  | 1.123         | 1.000         | 1.247            |
| Risk Ratio at 4 Days elapsed since entering study  | 1.115         | 0.996         | 1.233            |
| Risk Ratio at 5 Days elapsed since entering study  | 1.107         | 0.993         | 1.221            |
| Risk Ratio at 6 Days elapsed since entering study  | 1.098         | 0.989         | 1.208            |
| Risk Ratio at 7 Days elapsed since entering study  | 1.090         | 0.985         | 1.196            |
| Risk Ratio at 8 Days elapsed since entering study  | 1.082         | 0.980         | 1.184            |
| Risk Ratio at 9 Days elapsed since entering study  | 1.074         | 0.976         | 1.173            |
| Risk Ratio at 10 Days elapsed since entering study   | 1.066         | 0.971         | 1.161            |
| Risk Ratio at 11 Days elapsed since entering study   | 1.058         | 0.966         | 1.151            |
| Risk Ratio at 12 Days elapsed since entering study   | 1.050         | 0.960         | 1.141            |
| Risk Ratio at 13 Days elapsed since entering study   | 1.043         | 0.954         | 1.131            |
| Risk Ratio at 14 Days elapsed since entering study   | 1.035         | 0.948         | 1.121            |
| Risk Ratio at 15 Days elapsed since entering study   | 1.027         | 0.942         | 1.113            |
| Risk Ratio at 16 Days elapsed since entering study   | 1.020         | 0.935         | 1.104            |
| Risk Ratio at 17 Days elapsed since entering study   | 1.012         | 0.928         | 1.096            |
| Risk Ratio at 18 Days elapsed since entering study   | 1.005         | 0.921         | 1.088            |
| Risk Ratio at 19 Days elapsed since entering study   | 0.997         | 0.913         | 1.081            |
| Risk Ratio at 20 Days elapsed since entering study   | 0.990         | 0.905         | 1.074            |
| Risk Ratio at 21 Days elapsed since entering study   | 0.982         | 0.897         | 1.068            |
| Risk Ratio at 22 Days elapsed since entering study   | 0.975         | 0.888         | 1.062            |
| Risk Ratio at 23 Days elapsed since entering study   | 0.968         | 0.879         | 1.056            |
| Risk Ratio at 24 Days elapsed since entering study   | 0.961         | 0.870         | 1.051            |
| Risk Ratio at 25 Days elapsed since entering study   | 0.953         | 0.861         | 1.045            |
| Risk Ratio at 26 Days elapsed since entering study   | 0.946         | 0.852         | 1.041            |
| Risk Ratio at 27 Days elapsed since entering study   | 0.939         | 0.843         | 1.036            |
| Risk Ratio at 28 Days elapsed since entering study   | 0.932         | 0.834         | 1.031            |
| Risk Ratio at 29 Days elapsed since entering study   | 0.925         | 0.824         | 1.027            |
| Risk Ratio at 30 Days elapsed since entering study   | 0.919         | 0.815         | 1.023            |
| Risk Ratio at 31 Days elapsed since entering study   | 0.912         | 0.805         | 1.018            |
| Risk Ratio at 32 Days elapsed since entering study   | 0.905         | 0.796         | 1.014            |
| Risk Ratio at 33 Days elapsed since entering study   | 0.898         | 0.786         | 1.011            |
| Risk Ratio at 34 Days elapsed since entering study   | 0.892         | 0.776         | 1.007            |
| Risk Ratio at 35 Days elapsed since entering study   | 0.885         | 0.767         | 1.003            |
| Risk Ratio at 36 Days elapsed since entering study Risk Ratio at 36 Days elapsed since entering study    | 0.878         | 0.767         | 1.003            |
| Risk Ratio at 37 Days elapsed since entering study   | 0.872         | 0.737         | 0.996            |
| Risk Ratio at 37 Days etapsed since entering study Risk Ratio at 38 Days etapsed since entering study    | 0.865         | 0.748         | 0.993            |
| Risk Ratio at 39 Days elapsed since entering study Risk Ratio at 39 Days elapsed since entering study    | 0.859         | 0.738         | 0.993 $0.989$    |
|  | 0.853         | 0.720         |                  |
| Risk Ratio at 40 Days elapsed since entering study   | 0.853 $0.846$ | 0.720 $0.710$ | $0.986 \\ 0.982$ |
| Risk Ratio at 41 Days elapsed since entering study<br>Risk Ratio at 42 Days elapsed since entering study | 0.840         | 0.710         | 0.982 $0.979$    |
| Tusk Trailo at 42 Days erapsed since entering study  | 0.040         | 0.701         | 0.919            |



# 2 Appendix: Participants excluded from analyses – breakdown by decision point and rationale

Table 1: No. of participant-decision points excluded due to the fact that participants did not select their preferred Product or Charity at baseline

| Decision Point | Number of Participants Excluded |
|----------------|---------------------------------|
| 1              | 8                               |
| 2              | 8                               |
| 3              | 8                               |
| 4              | 8                               |

Table 2: No. of participant-decision points excluded due to the fact that participants had missing values in any of the covariates utilized in the noise reduction model

| Decision Point | Number of Participants Excluded |
|----------------|---------------------------------|
| 1              | 2                               |
| 2              | 2                               |
| 3              | 2                               |
| 4              | 2                               |

Table 3: No. of participant-decision points excluded due to these participant-decision points not having a recorded randomization assignment at participant-decision points in which should have been randomized

| Decision Point | Number of Participants Excluded |
|----------------|---------------------------------|
| 2              | 91                              |
| 3              | 127                             |
| 4              | 143                             |

Table 4: No of participant-decision points excluded due to the fact that these participant-decision points came immediately after (i.e., time t+1) a decision point (i.e., time t) where the participant reported heavy drinking and hence were eligible for randomization (i.e., at time t+1). However, these participant-decision points did not have a record of the participant's randomization assignment present in the data.


| Decision Point | Number of Participants Excluded |
|----------------|---------------------------------|
| 3              | 1                               |
| 4              | 1                               |

#### 3 Supplementary Results

| Decision Point | Total No. Participants Included in Analysis | Total No. Participants Excluded from Analysis |
|----------------|---|---|
| 1              | 425   | 166   |
| 2              | 425   | 166   |
| 3              | 424   | 167   |
| 4              | 424   | 167   |

|                              | est    | SE    | p     | 95%CI: LB | 95%CI: UB |
|------------------------------|--------|-------|-------|-----------|-----------|
| Control Covariates           |        |       |       |           |           |
| Intercept                    | -0.615 | 0.087 | 0.000 | -0.786    | -0.444    |
| No. of Days with any drinks  | -0.094 | 0.092 | 0.306 | -0.275    | 0.086     |
| No. of Drinks per day        | -0.098 | 0.066 | 0.138 | -0.229    | 0.032     |
| White $(1=Yes, 0=otherwise)$ | 0.060  | 0.082 | 0.464 | -0.101    | 0.221     |
| Female (1=Yes, 0=otherwise)  | 0.038  | 0.075 | 0.618 | -0.110    | 0.186     |
| Causal                       |        |       |       |           |           |
| beta0                        | 0.147  | 0.072 | 0.042 | 0.006     | 0.289     |
| beta1 (Trt x Days since)     | -0.008 | 0.003 | 0.012 | -0.014    | -0.002    |

|  | $\operatorname{est}$ | 95%CI: LB | 95%CI: UB |
|--|----------------------|-----------|-----------|
| Risk Ratio at 0 Days elapsed since entering study  | 1.159                | 0.994     | 1.323     |
| Risk Ratio at 1 Days elapsed since entering study  | 1.150                | 0.992     | 1.308     |
| Risk Ratio at 2 Days elapsed since entering study  | 1.141                | 0.989     | 1.292     |
| Risk Ratio at 3 Days elapsed since entering study  | 1.132                | 0.987     | 1.278     |
| Risk Ratio at 4 Days elapsed since entering study  | 1.123                | 0.984     | 1.263     |
| Risk Ratio at 5 Days elapsed since entering study  | 1.115                | 0.981     | 1.249     |
| Risk Ratio at 6 Days elapsed since entering study  | 1.106                | 0.977     | 1.235     |
| Risk Ratio at 7 Days elapsed since entering study  | 1.098                | 0.974     | 1.221     |
| Risk Ratio at 8 Days elapsed since entering study  | 1.089                | 0.970     | 1.208     |
| Risk Ratio at 9 Days elapsed since entering study  | 1.081                | 0.966     | 1.195     |
| Risk Ratio at 10 Days elapsed since entering study | 1.072                | 0.962     | 1.183     |
| Risk Ratio at 11 Days elapsed since entering study | 1.064                | 0.957     | 1.171     |
| Risk Ratio at 12 Days elapsed since entering study | 1.056                | 0.952     | 1.160     |
| Risk Ratio at 13 Days elapsed since entering study | 1.048                | 0.947     | 1.148     |
| Risk Ratio at 14 Days elapsed since entering study | 1.039                | 0.941     | 1.138     |
| Risk Ratio at 15 Days elapsed since entering study | 1.031                | 0.935     | 1.128     |
| Risk Ratio at 16 Days elapsed since entering study | 1.023                | 0.929     | 1.118     |
| Risk Ratio at 17 Days elapsed since entering study | 1.016                | 0.922     | 1.109     |
| Risk Ratio at 18 Days elapsed since entering study | 1.008                | 0.915     | 1.100     |
| Risk Ratio at 19 Days elapsed since entering study | 1.000                | 0.908     | 1.092     |
| Risk Ratio at 20 Days elapsed since entering study | 0.992                | 0.900     | 1.084     |
| Risk Ratio at 21 Days elapsed since entering study | 0.985                | 0.892     | 1.077     |
| Risk Ratio at 22 Days elapsed since entering study | 0.977                | 0.884     | 1.070     |
| Risk Ratio at 23 Days elapsed since entering study | 0.969                | 0.875     | 1.064     |
| Risk Ratio at 24 Days elapsed since entering study | 0.962                | 0.866     | 1.057     |
| Risk Ratio at 25 Days elapsed since entering study | 0.954                | 0.857     | 1.052     |
| Risk Ratio at 26 Days elapsed since entering study | 0.947                | 0.848     | 1.046     |
| Risk Ratio at 27 Days elapsed since entering study | 0.940                | 0.839     | 1.041     |
| Risk Ratio at 28 Days elapsed since entering study | 0.933                | 0.829     | 1.036     |
| Risk Ratio at 29 Days elapsed since entering study | 0.925                | 0.820     | 1.031     |
| Risk Ratio at 30 Days elapsed since entering study | 0.918                | 0.810     | 1.027     |
| Risk Ratio at 31 Days elapsed since entering study | 0.911                | 0.800     | 1.022     |
| Risk Ratio at 32 Days elapsed since entering study | 0.904                | 0.790     | 1.018     |
| Risk Ratio at 33 Days elapsed since entering study | 0.897                | 0.780     | 1.014     |
| Risk Ratio at 34 Days elapsed since entering study | 0.890                | 0.770     | 1.010     |
| Risk Ratio at 35 Days elapsed since entering study | 0.883                | 0.760     | 1.006     |
| Risk Ratio at 36 Days elapsed since entering study | 0.876                | 0.750     | 1.002     |
| Risk Ratio at 37 Days elapsed since entering study | 0.870                | 0.740     | 0.999     |
| Risk Ratio at 38 Days elapsed since entering study | 0.863                | 0.731     | 0.995     |
| Risk Ratio at 39 Days elapsed since entering study | 0.856                | 0.721     | 0.992     |
| Risk Ratio at 40 Days elapsed since entering study | 0.850                | 0.711     | 0.988     |
| Risk Ratio at 41 Days elapsed since entering study | 0.843                | 0.701     | 0.985     |
| Risk Ratio at 42 Days elapsed since entering study | 0.837                | 0.691     | 0.982     |



# 4 Appendix for 'Supplementary Results': Participants excluded from analyses – breakdown by decision point and rationale

Table 5: No. of participant-decision points excluded due to the fact that participants did not select their preferred Product or Charity at baseline

| Decision Point | Number of Participants Excluded |
|----------------|---------------------------------|
| 1              | 8                               |
| 2              | 8                               |
| 3              | 8                               |
| 4              | 8                               |

Table 6: No. of participant-decision points excluded due to the fact that participants had missing values in any of the covariates utilized in the noise reduction model

| Decision Point | Number of Participants Excluded |
|----------------|---------------------------------|
| 1              | 2                               |
| 2              | 2                               |
| 3              | 2                               |
| 4              | 2                               |

Table 7: No. of participant-decision points excluded due to these participant-decision points not having a recorded randomization assignment at participant-decision points in which should have been randomized

| Decision Point | Number of Participants Excluded |
|----------------|---------------------------------|
| 2              | 91                              |
| 3              | 127                             |
| 4              | 143                             |

Table 8: No of participant-decision points excluded due to the fact that these participant-decision points came immediately after (i.e., time t+1) a decision point (i.e., time t) where the participant reported heavy drinking and hence were eligible for randomization (i.e., at time t+1). However, these participant-decision points did not have a record of the participant's randomization assignment present in the data.

| Decision Point | Number of Participants Excluded |
|----------------|---------------------------------|
| 3              | 1                               |
| 4              | 11                              |

Table 9: No. of participant-decision points which were additionally excluded due to the fact that participants were not eligible for randomization at all decision points (e.g., if a participant was eligible for randomization at only the first and second decision point, but they were ineligible for randomization at the third and fourth decision point, then all their decision points were excluded)

| Decision Point | Number of Participants Excluded |
|----------------|---------------------------------|
| 1              | 156                             |
| 2              | 65                              |
| 3              | 29                              |
| 4              | 13                              |