

- 1. https://it122-1.jamiguel.repl.co/
- 2. https://www.instagram.com/bruisergoliathadventures/

Unmodified:






Summary:

There is a lot of data that is being processed for the webpage using many get requests. Not just the photos and text that are necessary for the page the user is viewing but also images and maybe even links that are used in the previous page viewed before. I assume this has to do with caching maybe? Making it easier to move from one page to

another a making the actual change to that page faster shaving micro seconds off the time to load.

2. VSCode



3. Homebrew

```
| S files changed, 306 insertions(+)
| create mode 106644 assignment6/.gitignore
| create mode 106644 assignment6/README.md |
| create mode 106644 assignment6/home.html |
| create mode 106644 assignment6/home.html |
| create mode 106644 assignment6/package.json |
| //yearup/it12/weekl main |> 1 |
| git push origin main |
| [Enter passphrase for key '/Users/josematthewmiguel/.ssh/id_rsa': git@github.com: Permission denied (publickey). |
| fatal: Could not read from remote repository. |
| Please make sure you have the correct access rights |
| and the repository exists. |
| //yearup/it122/weekl main |> 1 |
| finter passphrase for key '/Users/josematthewmiguel/.ssh/id_rsa': |
| Enumerating objects: 100% (2/3), done. |
| Counting objects: 100% (2/2), done. |
| Delta compression using up to 8 threads |
| Compression objects: 100% (2/2), done. |
| Delta compression using up to 8 threads |
| Compression objects: 100% (2/2), done. |
| Origin objects: 100% (2/2), done. |
| Ori
```