

QUICKINTRODUCTION

Effektiv kod yozish

Yoram olish

Kodingizni qayta tekshiring


Samarali muhitda ishlang (IDE, editor)


Avto-format kod & shorcut lar ishlating

Avto to'ldiruvchilardan foydalaning


settings va extension lar bilan tanishing


CONFIGURING IDE LOOK & FEEL






CONFIGURING FILE LOOK & ICON






CONFIGURING PANEL LOOK



CONFIGURING SHORTCUTS



	Command	Keybinding	When	Source
	Accept Inline Suggestion	Tab	inlineSuggestionHasIndentationLessThanTabSize && inlineSuggestionVisib	System
	Accept Next Word Of Inline Suggestion	Ctrl + RightArrow	inlineSuggestionVisible && !editorReadonly	System
	Accept Next Word Of Inline Suggestion	Escape	inlineSuggestionVisible	System
	Add Cursor Above	Ctrl + Shift + UpArrow	editorTextFocus	System
	Add Cursor Above	Shift + Alt + UpArrow	editorTextFocus	System
	Add Cursor Below	Ctrl + Shift + DownArrow	editorTextFocus	System
0	Add Cursor Below	Shift + Alt + DownArrow	editorTextFocus	System
	Add Cursors to Line Ends	Shift + Alt + I	editorTextFocus	System
	Add Line Comment	Ctrl + K Ctrl + C	editorTextFocus && !editorReadonly	System
	Add Selection To Next Find Match	Ctrl + D	editorFocus	System
	Auto Fix	Shift + Alt + <	editorTextFocus && !editorReadonly && supportedCodeAction =~ /(\s ^)qu_	System
	Auto Fix	Shift + Alt + .	editorTextFocus && !editorReadonly && supportedCodeAction =~ /(\s ^)qu_	System
	Calls: Show Call Hierarchy	Shift + Alt + H	editorHasCallHlerarchyProvider	Reference Se
	Cancel Selection Anchor	Escape	editorTextFocus && selectionAnchorSet	System
	Change All Occurrences	Ctrl + F2	editorTextFocus && !editorReadonly	System
	Change Language Mode	Ctrl + K M	InotebookEditorFocused	System
	Close Exception Widget	Escape	exceptionWidgetVisible	System
	Close Window	Ctrl + Shift + W		System
	Close Window	Alt + F4		System
	Сору	Ctrl + C		System
	Copy Line Down	Ctrl + Shift + Alt + DownArrow	editorTextFocus && !editorReadonly	System
	Copy Line Up	Ctrl + Shift + Alt + UpArrow	editorTextFocus && !editorReadonly	System
	Create Folding Range from Selection	Ctrl + K Ctrl + ,	editorTextFocus && foldingEnabled	System
	Create: New File	Ctrl + Alt + Super + N		System
	Cursor Undo	Ctrl + U	textInputFocus	System
	Cut	Ctrl + X		System

AUTO-COMPLETION

```
let age = 18;
let apple = "olma";
console.log(a)
            ø] age

    apple

    alert

            물 as
            물 asserts
            물 async

    atob

            를 await
            □ actions
                                                       actions
            □ activated
                                                     activated
            □ alias
                                                         alias
```

AUTO-COMPLETION

```
let list = ["Jamshid", "Paloncha"];
list.

☆ concat

                         (method) Array<string>.concat(...items...

☆ copyWithin

    ⊕ entries

    ⊕ every

  fill

☆ find


☆ findIndex

☆ flatMap


☆ forEach


    includes
```

EXTENSIONS
















XULOSA

VScode bilan ishlash