OpenConceptLab / ocl_issues

Code Issues 422 Pull requests Discussions Projects Wiki Securi

Edit New issue

Objects (Chip view) #1776

Open Objects (Chip view) #1776

Assignees

Labels Design V3 web3

Milestone TermBrowser v3 MVP

paulsonder opened on Feb 20, 2024 · edited by paulsonder Edits Member

- *Repo ID's* should **always** be shown with *Types*
- In FHIR Valuesets and Codesystems have the same ID

Potential icons

- Source, Collection, ValueSet, Code System, Concept Map, Dictionary

Create sub-issue

paulsonder changed the title ~~Chips~~ Objects (Chip view) on Mar 19, 2024

paulsonder added on Mar 19, 2024

paulsonder self-assigned this on Mar 19, 2024

paynejd on Mar 21, 2024 Member

Because OCL is a multi-tenant system, the same code system ID and canonical URL can be defined multiple times. So it's not enough to say "LOINC" or even "LOINC Code System", you also need to know the owner, and often you need to know the version. Meaning that for most workflows, if you don't have all of 4 of these pieces of info, then you don't actually have enough info to identify which repo is being talked about.

The dream is a single chip that leads with the repo+repo type, but that also includes the owner and version information when needed, that portrays all 4 pieces of info as a "single object" representing repo. The chip should also have a standard mouseover tooltip that shows additional info and options for a user to learn more (eg navigate to the repo or perform other actions).

Checkout the screenshot below- here is an example of showing the same information in 2 ways: the first in a fully narrative format, the second using a hypothetical chip format. The latter is clearly easier to understand!



Here's a quick summary of the fields and the optionality:

Attribute	Show in Chip	Show in Tooltip	Examples
Repo ID	Yes	Yes	LOINC
Repo Type	Yes	Yes	Code System Value Set Concept Map Source Collection Dictionary
Repo Owner	Usually	Yes	Regenstrief (Org) jonpayne (User)
Repo Version**	Usually	Yes	latest latest (v2.77) 2.60 HEAD no version specified

Attribute	Show in Chip	Show in Tooltip	Examples
Repo Name	No	Yes	Logical Observation Identifiers Names and Codes (LOINC®)
Canonical URL	No	Yes	https://loinc.org/

Notes:

- Version-less repo reference: A reference to a repo can be version-less, and sometimes we need to display that explicitly-- `no version specified` is a very long way to say this--is there another keyword that we can use?
- "latest" version: `latest` is a special keyword that always points to the latest release, meaning that `latest (v2.77)` is not the same as `v2.77` on its own. The idea here is that `latest (v2.77)` has been resolved to a repo version, but you could also have just `latest`, meaning its a reference that has not yet been resolved.
- Displaying owner and version might be optional? e.g. because the owner/version is already displayed in another column of the table, the information isn't important for the workflow, etc.

paynejd on Mar 21, 2024 Member

From @paulsonder:

> One important aspect of this to be defined in the design system documentation is when to use them. Would be good to catch your thinking on this. For example, I could imagine a list full of these chips as being really difficult to read and interact with, but, used sparingly, would be a really strong visual way of identifying resources around the app in a structured and recognisable way.

Really good point about it being difficult for a user to parse a table or list full of "fully loaded chips".

A non-comprehensive set of places in the app where we'll need to think this thru:

- Listing concepts or repositories in search results
- Listing mappings (eg the associations panel of concept details)
- Building a reference or a mapping

- Results of an operation, such as $resolveReference
- Showing the contents of a Concept Map

@jamlung-ri You might want to feed into this one

paulsonder on Mar 22, 2024 Member Author

@paynejd @jamlung-ri

Some workings here...

jamlung-ri on Mar 25, 2024 Member

> * Version-less repo reference: A reference to a repo can be version-less, and sometimes need to display that explicitly-- `no version specified` is a very long way to say this-- is there another keyword that we can use?

Can we make some kind of "N/V" tag or something for the chip (which stands for No Version)? We of course would want that fully spelled out in the tooltip.

Otherwise, I think that Paul's Miro design is really good in terms of the amount of information being shown with clear visuals and font. My only concern is what happens if this chip gets compressed horizontally or if there is too much text. Will there be abbreviations? Or will the entire chip itself be slimmed down? I assume we should above wrapping the text into another line to save vertical space.

I could imagine us prioritizing the information to see what gets omitted or truncated first. I personally would prioritize Repo ID, then Owner, then Version, then Repo Type.

paulsonder on Mar 26, 2024 Member Author

@jamlung-ri

1. What does 'No version' mean? Is it a Repo that has no versions created?
2. We should not wrap text in Chips, as per Material guidelines. If horizontal space is an issue, we should truncate content - this is where the Tooltip component is useful.

3. Regarding the order of information... if we plan to make Repo ID the first data element in the chip, we should think about whether that is the case in other places, like the Card view. We should try to be consistent across the app and the Objects components to reduce the cognitive load on users as they consume the information in different formats.

jamlung-ri on Mar 26, 2024 · edited by jamlung-ri Edits Member

```
1. What does 'No version' mean? Is it a Repo that has no versions created?
```

Most of the references that I see in OCL just point to the Repo itself, not to a specific version of the Repo. Here's a common example: `/orgs/CIEL/sources/CIEL/concepts/168887/` , which points to a concept in CIEL but doesn't specify a version of the CIEL repo. I think we will be pushing more towards users leveraging either a versioned Repo Reference or pointing to the Latest version of the Repo, rather than using versionless references.

```
2. We should not wrap text in Chips, as per Material guidelines. If horizontal space is
issue, we should truncate content - this is where the Tooltip component is useful.
```

Sure, makes sense. I'll leave it up to you how to handle this - I just wanted to make sure we accounted for it.

```
3. Regarding the order of information... if we plan to make Repo ID the first data elem
in the chip, we should think about whether that is the case in other places, like the
[Card view](https://zpl.io/dR4l6vl). We should try to be consistent across the app and the
Objects components to reduce the cognitive load on users as they consume the information
in different formats.
```

Sorry, I think I was unclear. I think the order in which you are showing the information seems very intuitive, so I don't want to suggest that this order changes. Instead, I had divided up the different pieces of information and I could imagine that the chip is smart enough to show the most important info when horizontal space is limited. Example of a truncated chip that I could envision (but maybe this isn't a smart approach):

- Full chip: `<icon> **Regenstrief**  * <icon> **LOINC** _CodeSystem_ * Latest (v2.77)`
- Truncated chip: `<icon> **Regen...**  * <icon> **LOINC** _..._ * ...` - In this example, the version and Repo Type were omitted and the org was shortened, favoring the Repo ID and secondarily favoring the Org ID.

paulsonder on Mar 26, 2024 · edited by paulsonder Edits Member Author

@jamlung-ri Thanks for the additional information Joe!

The Chip component *(coming in Regular or Small sizes)* may include a range of content as per the Objects specifications. Here are some examples:



In the event we are not showing a specific version, I think we just would not show that content, rather than say 'no version'. Does this make sense?

paynejd on Mar 26, 2024 · edited by paynejd Edits Member

@paulsonder Really useful to see these options laid out. Let me try to put some criteria together to help us evaluate:

Criteria

1. A chip that portrays a specific reference to a repo (and all of its data points) as a "single object" -- `repo-id` and `repo-type` must always be shown together, and optionally include the `owner` and `repo-version` when available/needed (For many workflows, if you don't have all of 4 of these pieces of info, then you don't actually have enough info to identify which repo is being talked about)
2. Lead with the `repo-id` (the most important datapoint) and `repo-type` (the 2nd-most important datapoint) -- these should be highlighted more than owner and version
3. Mouseover tooltip that shows additional info and options for a user to learn more
4. Minimizes horizontal screenspace
5. Adjusts well to different size spaces (e.g. truncating, wrapping etc.)
6. Easily display inline (e.g. the narrative result section of the "test canonical URL tool")
7. Works well in a table

Comparing the 2 examples below to the above criteria:

Criteria #	Example 1	Example 2	Notes
1	Yes	Yes	
2	No	Yes	
3	Yes	Yes	The tooltip approach works with either chip style. See additional feedback on the tooltip below
4	No	Yes	
5	?	?	
6	Yes	?	
7	?	?	Not sure either example works great in a table

Additional feedback:

- Canonical URL icon: Let's explore other icon options for this. Canonical URLs are identifiers, meaning that they are often not real URLs. The `www` implies that it is a URL that a user can navigate to, which is better as a website link.
- Tooltip: This is a solid first pass and looks great. Let's think of the CTAs for the tooltip to make it functional.

Example 1



Example 2

1

paulsonder on Mar 26, 2024 Member Author

Thanks for structuring the feedback and adding some criteria to the discussion **@paynejd**!

We're asking a lot of a fairly simple component. Here are a few thoughts...

1. This makes sense, you will see a version above your reply which deals with this quite well.
2. We certainly can change the order, though we may consider how we approach this order of information elsewhere, such as in a Card view to ensure consistency.
3. Done. The comment about actions from the tooltip is interesting as this appears on hover, so we will need to ensure a smooth interaction behaviour if a user the needs to interact with content inside the

tooltip. My suggestion would be to keep the interactivity simple, allowing a user to click to the resource they're exploring and take 'actions' from there - but open to hear what you have in mind.

4. This is where we're stretching the component to do things it's never (or hardly ever required) to do - Chips *(or tags or tokens, in some design system parlance)* don't break over two lines. I've also never seen one with more than one line of content, for many reasons. Trying to fit this layout into a Chip effectively renders it useless inline or in a table.

paynejd on Mar 26, 2024 Member

Regarding point 2: I do not think that we change the order -- owner comes first in the tree and makes sense to keep it that way. I think we change the styling to emphasize repo ID

👍 1

paulsonder on Mar 26, 2024 Member Author



A couple of examples of de-emphasised 'Orgs' through a less heavy font and maybe switching out the icon and text label for an avatar - this would mean a mandatory image, though.

Not sure either are quite right, I'll continue to work through some ideas but thought I'd leave this for consideration in the meantime.

22 remaining items

Load more

snyaggarwal on Oct 8, 2024 Member

@paulsonder
Questions:

1. What representation (chip, label, without tooltip, etc) of the object to show where? Rules?
2. What is mandatory to show without the tooltip?
3. What should go inside the tooltip?

Notes:

1. Repo should never be shown without repo type and may be always with version (if applicable).

paulsonder on Oct 11, 2024 Member Author

Hi @snyaggarwal,

Up to now, we are only using **Chips** in the Repository headers and in the **Event cards** on the **Dashboard**.

Chips should **always** show the corresponding tool tip, which you can find here. These are the latest designs. @jamlung-ri could you confirm you are happy with the content in these?

As discussed, there is a proposal for displaying **Repository** information in data table and this doesn't include Chips. I am confirming the design approach with Joe.

jamlung-ri on Oct 11, 2024 Member

I can confirm that the design looks good without Repository chips in the data table. Paul shared this design with me of the data tables, and I think we can move forward with that.

ID	Display name	Class	Owner	Repository
1245689	Nurse with wound	Diagnosis	OCL	CIEL • Source v2024-10-24

1

snyaggarwal added 6 commits that reference this issue on Oct 15, 2024

OpenConceptLab/ocl_issues#1776	Entity tooltips to fetch data if not…	b953345
OpenConceptLab/ocl_issues#1776	Entity tooltips to show skeleton whe…	efc1287
OpenConceptLab/ocl_issues#1776	Concept Breadcrumbs	0a1b227
OpenConceptLab/ocl_issues#1776	Concept Breadcrumbs	e3acc0d
OpenConceptLab/ocl_issues#1776	Concept Breadcrumbs | formatting file	06b14f4
OpenConceptLab/ocl_issues#1776	fixing repo version label	715b933

jamlung-ri added a parent issue on Feb 21, 2025

Consumer: Repository #1625

jamlung-ri added this to OCL TermBrowser v3 on Feb 21, 2025

jamlung-ri modified the milestones: OCL Mapper MVP, TermBrowser v3 MVP on Feb 21, 2025

jamlung-ri moved this to Backlog in OCL TermBrowser v3 on Mar 11, 2025

Add a comment

Write Preview

Use Markdown to format your comment

Close issue Comment

Metadata

Assignees

paulsonder

snyaggarwal

Labels

Design V3 web3

Type

No type

Projects

OCL TermBrowser v3

Status Backlog

Milestone

TermBrowser v3 MVP

Due by July 16, 2026, 32% complete

Relationships

Parent issue

Consumer: Repository 2 / 13

OpenConceptLab/ocl_issues#1625

Development

Code with agent mode

Create a branch for this issue or link a pull request.

Notifications

Customize

Unsubscribe

You're receiving notifications because you're subscribed to this thread.

Participants