Exercise 01:



Build a Flutter Mobile Application called "Daily Expense Tracker".
The application should contain two screens only and must not use any local or online database.

Task 1 – Project Setup (10 pts):
Create a new Flutter project named daily_expense_tracker.
Set the application title to Daily Expense Tracker.
Set HomeScreen as the first screen.

Task 2 – Home Screen (15 pts):
Create a Home Screen that contains:
AppBar with the title Daily Expense Tracker.
An image at the top.
A welcome message.
An ElevatedButton named Add Expense.

Task 3 – Expense List (20 pts):
Display a list of 6 expenses using ListView.builder.
Each item must contain:
Expense Icon
Expense Name
Expense Amount
Example:
Food - $15
Transport - $8
Coffee - $5
Internet - $25
Shopping - $40
Books - $18

Task 4 – Add Expense Screen (20 pts):
Create another screen called AddExpenseScreen.
The screen should contain:
TextField for Expense Name.
TextField for Expense Amount.
Save Button.
When the Save button is pressed:
Show a SnackBar displaying:
Expense Saved Successfully!

Task 5 – Navigation (15 pts):
Pressing Add Expense should navigate to AddExpenseScreen.
Pressing Back should return to HomeScreen.

Task 6 – User Interface (10 pts):
Use:
Scaffold
AppBar
Container
Card
Padding
Column
ListView
ElevatedButton
Apply suitable colors and spacing.

Task 7 – Extra Feature (10 pts):
Add a FloatingActionButton.
When pressed, display an AlertDialog containing:
Welcome to Daily Expense Tracker!

Project Structure:

```
lib/
|
├── main.dart
├── home_screen.dart
└── add_expense_screen.dart
```

main.dart:

```
import 'package:flutter/material.dart';
import 'home_screen.dart';
void main() {
  runApp(MyApp());
}
class MyApp extends StatelessWidget {
  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      debugShowCheckedModeBanner: false,
      title: 'Daily Expense Tracker',
      home: HomeScreen(),
    );
  }
}
```

home_screen.dart:

```
import 'package:flutter/material.dart';
import 'add_expense_screen.dart';
class HomeScreen extends StatelessWidget {
 final List<Map<String, String>> expenses = [
  {"name":"Food","amount":"\$15"},
  {"name":"Transport","amount":"\$8"},
  {"name":"Coffee","amount":"\$5"},
  {"name":"Internet","amount":"\$25"},
  {"name":"Shopping","amount":"\$40"},
  {"name":"Books","amount":"\$18"},
 ];
 @override
 Widget build(BuildContext context) {
  return Scaffold(
   appBar: AppBar(
    title: Text("Daily Expense Tracker"),
   ),
   floatingActionButton: FloatingActionButton(
    child: Icon(Icons.info),
    onPressed: (){
     showDialog(
      context: context,
      builder: (context){
       return AlertDialog(
        title: Text("Welcome"),
        content: Text("Welcome to Daily Expense Tracker!"),
       );
      },
     );
    },
   ),
   body: Padding(
    padding: EdgeInsets.all(16),
    child: Column(
     children: [
      Image.network(
       "https://picsum.photos/200",
       height:120,
      ),
      SizedBox(height:20),
      Text(
       "Welcome to Daily Expense Tracker",
       style: TextStyle(
         fontSize:20,
         fontWeight: FontWeight.bold),
      ),
      SizedBox(height:20),
      ElevatedButton(
       onPressed: (){
        Navigator.push(
         context,
         MaterialPageRoute(
          builder:(context)=>AddExpenseScreen(),
         ),
        );
       },
       child: Text("Add Expense"),
      ),
      SizedBox(height:20),
      Expanded(
       child: ListView.builder(
        itemCount: expenses.length,
```

```
          itemBuilder:(context,index){
           return Card(
            child: ListTile(
             leading: Icon(Icons.attach_money),
             title: Text(expenses[index]["name"]!),
             subtitle: Text(expenses[index]["amount"]!),
            ),
           );
          },
         ),
        ),
       ],
      ),
     ),
    );
  }
}
```

add_expense_screen.dart:

```
import 'package:flutter/material.dart';
class AddExpenseScreen extends StatelessWidget {
 final TextEditingController nameController =
   TextEditingController();
 final TextEditingController amountController =
   TextEditingController();
 @override
 Widget build(BuildContext context) {
  return Scaffold(
   appBar: AppBar(
    title: Text("Add Expense"),
   ),
   body: Padding(
    padding: EdgeInsets.all(20),
    child: Column(
     children: [
      TextField(
       controller: nameController,
       decoration: InputDecoration(
        labelText: "Expense Name",
       ),
      ),
      SizedBox(height:20),
      TextField(
       controller: amountController,
       decoration: InputDecoration(
        labelText: "Expense Amount",
       ),
      ),
      SizedBox(height:20),
      ElevatedButton(
       onPressed: (){
        ScaffoldMessenger.of(context).showSnackBar(
         SnackBar(
          content: Text(
           "Expense Saved Successfully!",
          ),
         ),
        );
       },
       child: Text("Save"),
      ),
     ],
    ),
```

```
      ),
    );
  }
}
```

Exercise 02 :



Build a Flutter Mobile Application called "Recipe Book".
The application should contain two screens and must not use any local or online database.

Task 1 – Project Setup (10 pts):
Create a new Flutter project named recipe_book.
Set the application title to Recipe Book.
Make HomeScreen the first screen.

Task 2 – Home Screen (15 pts):
Create a Home Screen that contains:
AppBar with the title Recipe Book.
A recipe image at the top.
A welcome message.
An ElevatedButton named Add Recipe.

Task 3 – Recipe List (20 pts):
Display a list of 6 recipes using ListView.builder.
Each item should contain:
Recipe Icon
Recipe Name
Cooking Time
Example:
Pizza – 30 min
Burger – 20 min
Pasta – 25 min

Salad – 10 min
Soup – 35 min
Cake – 50 min

Task 4 – Add Recipe Screen (20 pts):
Create another screen called AddRecipeScreen.
The screen should contain:
TextField for Recipe Name.
TextField for Cooking Time.
Save Button.
When the Save button is pressed, display a SnackBar with the following message:
Recipe Saved Successfully!

Task 5 – Navigation (15 pts):
Navigate from HomeScreen to AddRecipeScreen using the Add Recipe button.
Return to HomeScreen using the Back button.

Task 6 – User Interface (10 pts):
Use:
Scaffold
AppBar
Container
Card
Padding
Column
ListView
ElevatedButton
Apply appropriate colors and spacing.

Task 7 – Extra Feature (10 pts):
Add a FloatingActionButton.
When pressed, display an AlertDialog containing:
Enjoy Cooking with Recipe Book!

Project Structure:

```
lib/
|
├── main.dart
├── home_screen.dart
└── add_recipe_screen.dart
```

main.dart:

```
import 'package:flutter/material.dart';
import 'home_screen.dart';
void main() {
  runApp(MyApp());
}
class MyApp extends StatelessWidget {
  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      debugShowCheckedModeBanner: false,
      title: "Recipe Book",
      home: HomeScreen(),
    );
  }
}
```

home_screen.dart:

```
import 'package:flutter/material.dart';
import 'add_recipe_screen.dart';
class HomeScreen extends StatelessWidget {
 final List<Map<String,String>> recipes = [
  {"name":"Pizza","time":"30 min"},
  {"name":"Burger","time":"20 min"},
  {"name":"Pasta","time":"25 min"},
  {"name":"Salad","time":"10 min"},
  {"name":"Soup","time":"35 min"},
  {"name":"Cake","time":"50 min"},
 ];
 @override
 Widget build(BuildContext context) {
  return Scaffold(
   appBar: AppBar(
    title: Text("Recipe Book"),
   ),
   floatingActionButton: FloatingActionButton(
    child: Icon(Icons.restaurant),
    onPressed: (){
     showDialog(
      context: context,
      builder: (context){
       return AlertDialog(
        title: Text("Recipe Book"),
        content: Text("Enjoy Cooking with Recipe Book!"),
       );
      },
     );
    },
   ),
   body: Padding(
    padding: EdgeInsets.all(16),
    child: Column(
     children: [
      Image.network(
       "https://picsum.photos/250",
       height:120,
      ),
      SizedBox(height:20),
      Text(
       "Welcome to Recipe Book",
       style: TextStyle(
        fontSize:20,
        fontWeight: FontWeight.bold,
       ),
      ),
      SizedBox(height:20),
      ElevatedButton(
       onPressed: (){
        Navigator.push(
         context,
         MaterialPageRoute(
          builder:(context)=>AddRecipeScreen(),
         ),
        );
       },
       child: Text("Add Recipe"),
      ),
      SizedBox(height:20),
      Expanded(
       child: ListView.builder(
```

```
            itemCount: recipes.length,
            itemBuilder:(context,index){
              return Card(
                child: ListTile(
                  leading: Icon(Icons.fastfood),
                  title: Text(recipes[index]["name"]!),
                  subtitle: Text(recipes[index]["time"]!),
                ),
              );
            },
          ),
        ),
      ],
    ),
  ),
  );
 }
}
```

add_recipe_screen.dart:

```
import 'package:flutter/material.dart';
class AddRecipeScreen extends StatelessWidget {
  final TextEditingController recipeController =
      TextEditingController();
  final TextEditingController timeController =
      TextEditingController();
  @override
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(
        title: Text("Add Recipe"),
      ),
      body: Padding(
        padding: EdgeInsets.all(20),
        child: Column(
          children: [
            TextField(
              controller: recipeController,
              decoration: InputDecoration(
                labelText: "Recipe Name",
              ),
            ),
            SizedBox(height:20),
            TextField(
              controller: timeController,
              decoration: InputDecoration(
                labelText: "Cooking Time",
              ),
            ),
            SizedBox(height:20),
            ElevatedButton(
              onPressed: (){
                ScaffoldMessenger.of(context).showSnackBar(
                  SnackBar(
                    content: Text("Recipe Saved Successfully!"),
                  ),
                );
              },
              child: Text("Save"),
            ),
          ],
        ),
      ),
```

```
    );
  }
}
```

Exercise 03 :



Build a Flutter Mobile Application called "Movie Explorer".
The application should contain two screens and must not use any local or online database.

Task 1 – Project Setup (10 pts):
Create a new Flutter project named movie_explorer.
Set the application title to Movie Explorer.
Set HomeScreen as the initial screen.

Task 2 – Home Screen (15 pts):
Create a Home Screen that contains:
AppBar with the title Movie Explorer.
A movie banner image.
A welcome message.
An ElevatedButton named Add Movie.

Task 3 – Movie List (20 pts):
Display a list of 6 movies using ListView.builder.
Each movie should contain:
Movie Icon
Movie Name
Movie Rating
Example:
Avatar — 9.2
Titanic — 8.9
Joker — 9.0
Inception — 9.5
Frozen — 8.7

Avengers — 9.3

Task 4 – Add Movie Screen (20 pts):
Create another screen called AddMovieScreen.
The screen should contain:
TextField for Movie Name.
TextField for Movie Rating.
Save Button.
When the Save button is pressed, display a SnackBar with the following message:
Movie Saved Successfully!

Task 5 – Navigation (15 pts):
Navigate from HomeScreen to AddMovieScreen using the Add Movie button.
Return to HomeScreen using the Back button.

Task 6 – User Interface (10 pts):
Use:
Scaffold
AppBar
Container
Card
Padding
Column
ListView
ElevatedButton
Apply suitable colors and spacing.

Task 7 – Extra Feature (10 pts):
Add a FloatingActionButton.
When pressed, display an AlertDialog containing:
Welcome to Movie Explorer!

Project Structure:

```
lib/
|
├── main.dart
├── home_screen.dart
└── add_movie_screen.dart
```

main.dart:

```
import 'package:flutter/material.dart';
import 'home_screen.dart';
void main() {
  runApp(MyApp());
}
class MyApp extends StatelessWidget {
  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      debugShowCheckedModeBanner: false,
      title: "Movie Explorer",
      home: HomeScreen(),
    );
  }
}
```

home_screen.dart:

```
import 'package:flutter/material.dart';
import 'add_movie_screen.dart';
class HomeScreen extends StatelessWidget {
 final List<Map<String,String>> movies = [
  {"name":"Avatar","rating":"9.2"},
  {"name":"Titanic","rating":"8.9"},
  {"name":"Joker","rating":"9.0"},
  {"name":"Inception","rating":"9.5"},
  {"name":"Frozen","rating":"8.7"},
  {"name":"Avengers","rating":"9.3"},
 ];
 @override
 Widget build(BuildContext context) {
  return Scaffold(
   appBar: AppBar(
    title: Text("Movie Explorer"),
   ),
   floatingActionButton: FloatingActionButton(
    child: Icon(Icons.movie),
    onPressed: (){
     showDialog(
      context: context,
      builder: (context){
       return AlertDialog(
        title: Text("Movie Explorer"),
        content: Text("Welcome to Movie Explorer!"),
       );
      },
     );
    },
   ),
   body: Padding(
    padding: EdgeInsets.all(16),
    child: Column(
     children: [
      Image.network(
       "https://picsum.photos/250",
       height:120,
      ),
      SizedBox(height:20),
      Text(
       "Welcome to Movie Explorer",
       style: TextStyle(
        fontSize:20,
        fontWeight: FontWeight.bold,
       ),
      ),
      SizedBox(height:20),
      ElevatedButton(
       onPressed: (){
        Navigator.push(
         context,
         MaterialPageRoute(
          builder:(context)=>AddMovieScreen(),
         ),
        );
       },
       child: Text("Add Movie"),
      ),
      SizedBox(height:20),
      Expanded(
       child: ListView.builder(
```

```
            itemCount: movies.length,
            itemBuilder:(context,index){
              return Card(
                child: ListTile(
                  leading: Icon(Icons.movie),
                  title: Text(movies[index]["name"]!),
                  subtitle: Text("Rating: ${movies[index]["rating"]}"),
                ),
              );
            },
          ),
        ),
      ],
    ),
  ),
 );
 }
}
```

add_movie_screen.dart:

```
import 'package:flutter/material.dart';
class AddMovieScreen extends StatelessWidget {
 final TextEditingController movieController =
   TextEditingController();
 final TextEditingController ratingController =
   TextEditingController();
 @override
 Widget build(BuildContext context) {
  return Scaffold(
   appBar: AppBar(
    title: Text("Add Movie"),
   ),
   body: Padding(
    padding: EdgeInsets.all(20),
    child: Column(
     children: [
      TextField(
       controller: movieController,
       decoration: InputDecoration(
        labelText: "Movie Name",
       ),
      ),
      SizedBox(height:20),
      TextField(
       controller: ratingController,
       decoration: InputDecoration(
        labelText: "Movie Rating",
       ),
      ),
      SizedBox(height:20),
      ElevatedButton(
       onPressed: (){
        ScaffoldMessenger.of(context).showSnackBar(
         SnackBar(
          content: Text("Movie Saved Successfully!"),
         ),
        );
       },
       child: Text("Save"),
      ),
     ],
    ),
   ),   );   }    }
```

Exercise 04 :



Home Screen (Initial)

Home Screen (After Loading Students)



Student Details Screen

Success Dialog (After Loading)

Success Dialog (After Pressing FAB)

Build a Flutter Mobile Application called "Student Information System".
The application should communicate with a PHP Backend to retrieve student information. No database is required. The PHP file should return static JSON data.

Task 1 – Project Setup (10 pts):
Create a new Flutter project named student_information_system.
Set the application title to Student Information System.
Set HomeScreen as the first screen.

Task 2 – Home Screen (15 pts):
Create a Home Screen that contains:
AppBar with the title Student Information System
University logo/image
Welcome message
ElevatedButton named Load Students

Task 3 – PHP Backend (20 pts):
Create a PHP file called students.php.
The PHP file should return the following JSON data:

```
[
 {
  "id":1,
  "name":"John Smith",
  "major":"Computer Science"
 },
 {
  "id":2,
  "name":"Sarah Johnson",
  "major":"Information Technology"
 },
 {
  "id":3,
  "name":"Michael Brown",
  "major":"Software Engineering"
 },
 {
  "id":4,
  "name":"Emma Wilson",
  "major":"Artificial Intelligence"
 }
]
```

Task 4 – Fetch Data (20 pts):
Using Flutter:
Use the http package.
Retrieve data from students.php.
Display the students using ListView.builder.
Each Card should display:
Student ID
Student Name
Student Major

Task 5 – Navigation (10 pts):
Create another screen called StudentDetailsScreen.
When a student is selected:
Navigate to StudentDetailsScreen.
Display:
Student ID

Student Name
Student Major

Task 6 – User Interface (15 pts):
Use:
Scaffold
AppBar
Card
Container
ListView
Padding
ElevatedButton
Apply a clean Material Design.

Task 7 – Extra Feature (10 pts):
Add a FloatingActionButton.
When pressed:
Display an AlertDialog containing
Student Information Loaded Successfully!

Project Structure Flutter:

```
lib/
|
├── main.dart
├── home_screen.dart
├── student_details_screen.dart
└── student.dart
```

PHP:

```
students.php
Required Flutter Package
http: ^1.2.0
students.php
<?php
header("Content-Type: application/json");
$students = [
[
"id"=>1,
"name"=>"John Smith",
"major"=>"Computer Science"
],
[
"id"=>2,
"name"=>"Sarah Johnson",
"major"=>"Information Technology"
],
[
"id"=>3,
"name"=>"Michael Brown",
"major"=>"Software Engineering"
],
[
"id"=>4,
"name"=>"Emma Wilson",
"major"=>"Artificial Intelligence"
]
];
echo json_encode($students);
?>
```

main.dart:

```
runApp(MyApp());
MaterialApp(
title: "Student Information System",
home: HomeScreen(),
);
```

home_screen.dart:

```
import 'package:http/http.dart' as http;
Future getStudents() async {
var response = await http.get(
Uri.parse("http://localhost/students.php")
);
}
```

ListView.builder:

```
ListView.builder(
itemCount: students.length,
itemBuilder:(context,index){
return Card(
child: ListTile(
title: Text(students[index]["name"]),
subtitle: Text(students[index]["major"]),
leading: CircleAvatar(
child: Text(
students[index]["id"].toString(),
),
),
),
);
},
)
```

StudentDetailsScreen:

Display
Student ID
Student Name
Student Major

AlertDialog:

```
AlertDialog(
title: Text("Success"),
content: Text(
"Student Information Loaded Successfully!"
),
)
```

Exercise 05:



Build a Flutter Mobile Application called Student Management System.
The application should communicate with a PHP Backend connected to a MySQL Database to retrieve student information.

Task 1 – Project Setup (10 pts):
Create a new Flutter project named student_management_system.
Set the application title to Student Management System.
Set HomeScreen as the first screen.

Task 2 – Home Screen (15 pts):
Create a Home Screen that contains:
AppBar with the title Student Management System
University logo/image
Welcome message
ElevatedButton named Load Students

Task 3 – MySQL Database (15 pts):
Create a MySQL database called university_db.
Create a table called students with the following fields:
id (Primary Key)
name
major
Insert the following records into the table:
Student ID: 1, Name: John Smith, Major: Computer Science
Student ID: 2, Name: Sarah Johnson, Major: Information Technology
Student ID: 3, Name: Michael Brown, Major: Software Engineering
Student ID: 4, Name: Emma Wilson, Major: Artificial Intelligence

Task 4 – PHP Backend (20 pts):
Create two PHP files:
db.php
students.php
The db.php file should establish a connection to the MySQL database.
The students.php file should include db.php, retrieve all student records from the database, and return the data in JSON format.

Task 5 – Fetch Data (15 pts):
Using Flutter:
Use the http package.
Retrieve data from students.php.
Display the students using ListView.builder.
Each Card should display:
Student ID
Student Name
Student Major

Task 6 – Navigation (10 pts):
Create another screen called StudentDetailsScreen.
When a student is selected:
Navigate to StudentDetailsScreen and display:
Student ID
Student Name
Student Major

Task 7 – User Interface (10 pts):
Use the following Flutter widgets:
Scaffold
AppBar
Card
Container
ListView
Padding
ElevatedButton
Apply a clean Material Design.

Task 8 – Extra Feature (5 pts):
Add a FloatingActionButton.
When it is pressed, display an AlertDialog containing the following message:
"Student Information Loaded Successfully!"

Project Structure:

```
lib/
|
├── main.dart
├── home_screen.dart
├── student.dart
└── student_details_screen.dart
```

Required Flutter Package:

```
dependencies:
  flutter:
    sdk: flutter
  http: ^1.2.0
```

students.sql:

```
CREATE DATABASE university_db;
USE university_db;
CREATE TABLE students (
id INT PRIMARY KEY,
name VARCHAR(100),
major VARCHAR(100)
);
INSERT INTO students VALUES
(1,'John Smith','Computer Science'),
(2,'Sarah Johnson','Information Technology'),
(3,'Michael Brown','Software Engineering'),
(4,'Emma Wilson','Artificial Intelligence');
```

db.php:

```
<?php
$host="localhost";
$user="root";
$password="";
$database="university_db";
$conn=mysqli_connect($host,$user,$password,$database);
if(!$conn){
die("Connection Failed");
}
?>
```

students.php:

```
<?php
include("db.php");
header("Content-Type: application/json");
$result=mysqli_query($conn,"SELECT * FROM students");
$data=[];
while($row=mysqli_fetch_assoc($result)){
$data[]=$row;
}
echo json_encode($data);
?>
```

main.dart:

```
import 'package:flutter/material.dart';
import 'home_screen.dart';
void main() {
runApp(MyApp());
}
class MyApp extends StatelessWidget {
@override
Widget build(BuildContext context) {
return MaterialApp(
title: "Student Management System",
home: HomeScreen(),
);
}
}
```

student.dart:

```
class Student{
int id;
String name;
String major;
Student({
required this.id,
required this.name,
required this.major,
});
factory Student.fromJson(Map<String,dynamic> json){
return Student(
id: int.parse(json["id"].toString()),
name: json["name"],
major: json["major"],
);
}
}
```

home_screen.dart:

```
import 'dart:convert';
import 'package:flutter/material.dart';
import 'package:http/http.dart' as http;
import 'student.dart';
import 'student_details_screen.dart';
class HomeScreen extends StatefulWidget {
@override
State<HomeScreen> createState()=>_HomeScreenState();
}
class _HomeScreenState extends State<HomeScreen>{
List students=[];
Future getStudents() async{
var response=await http.get(
Uri.parse("http://localhost/students.php")
);
setState((){
students=jsonDecode(response.body);
});
}
@override
Widget build(BuildContext context){
return Scaffold(
appBar: AppBar(
title: Text("Student Management System"),
),
floatingActionButton: FloatingActionButton(
child: Icon(Icons.add),
onPressed: (){
showDialog(
context: context,
builder:(context){
return AlertDialog(
title: Text("Success"),
content: Text(
"Student Information Loaded Successfully!"
),
);
},
);
},
),
body: Padding(
```

```
padding: EdgeInsets.all(10),
child: Column(
children:[
Image.asset(
"assets/logo.png",
height:120,
),
Text(
"Welcome",
style: TextStyle(
fontSize:24,
),
),
ElevatedButton(
onPressed:getStudents,
child: Text("Load Students"),
),
Expanded(
child: ListView.builder(
itemCount: students.length,
itemBuilder:(context,index){
return Card(
child: ListTile(
leading: CircleAvatar(
child: Text(
students[index]["id"].toString(),
),
),
title: Text(
students[index]["name"],
),
subtitle: Text(
students[index]["major"],
),
onTap:(){
Navigator.push(
context,
MaterialPageRoute(
builder:(context)=>
StudentDetailsScreen(
student: students[index],
),
),
);
},
),
);
},
),
),
],
),
),
);
}
}
```

student_details_screen.dart:

```
import 'package:flutter/material.dart';
class StudentDetailsScreen extends StatelessWidget{
final student;
StudentDetailsScreen({
required this.student,
});
@override
Widget build(BuildContext context){
return Scaffold(
appBar: AppBar(
title: Text("Student Details"),
),
body: Padding(
padding: EdgeInsets.all(20),
child: Card(
child: Padding(
padding: EdgeInsets.all(20),
child: Column(
crossAxisAlignment:
CrossAxisAlignment.start,
children:[
Text(
"Student ID : ${student["id"]}",
style: TextStyle(fontSize:20),
),
SizedBox(height:15),
Text(
"Student Name : ${student["name"]}",
style: TextStyle(fontSize:20),
),
SizedBox(height:15),
Text(
"Student Major : ${student["major"]}",
style: TextStyle(fontSize:20),
),
],
),
),
),
),
);
}
}
```