

CS 149
Operating Systems

Spring Semester 2014

Department of Computer Science
San José State University
Instructor: Ron Mak

Assignment #4

Assigned: Wednesday, March 5
Due: Monday, March 17 at 11:59 pm
100 points, team assignment

Swapping and paging

The purpose of this assignment is to explore the various memory management algorithms for swapping and paging. You will write a series of small simulation programs in Java, C, or C++ (your choice). As in Assignment #2, you will generate simulated processes. You should not need to make any process management system calls.

Swapping

Assume main memory has 100 MB for swapping with variable-sized partitions. Processes have randomly and evenly distributed sizes of 4, 8, 16, and 32 MB. Processes have randomly and evenly distributed durations of 1, 2, 3, 4, or 5 seconds. The process scheduler uses FCFS.

Write programs that simulate the **first fit**, **next fit**, and **best fit memory allocation algorithms**. It's a busy time, so randomly generate enough process so that the job queue is never empty.

Run each algorithm 5 times simulating 1 minute each time to get an average of the number of processes successfully swapped into memory (but not necessarily completed) during the minute. Generate new random processes before each run.

For each algorithm, print the average number of processes that were successfully swapped in. Each time a process is swapped in or completes (and therefore is removed from memory), print a memory map, e.g., **AAAA . . . BBBBBBBB . . CCCC** where the letters are the processes (one letter per MB) and the dots are holes (one per MB).

For each algorithm, print the average number of processes (over the 5 runs) that were successfully swapped in.

Paging

You are running a process that consists of 10 pages numbered 0 through 9. Physical memory has 4 page frames. There are always 10 page frames available on disk. When the process starts, none of its pages are in memory.

The process makes random references to its pages. Due to **locality of reference**, after referencing a page i , there is a 70% probability that the next reference will be to page i , $i-1$, or $i+1$. i wraps around from 9 to 0. In other words, there is a 70% probability that for a given i , Δi will be -1, 0, or +1. Otherwise, $|\Delta i| > 1$.

Suggested procedure:

- To compute the next i , first generate a random number r from 0 through 9.
- If $0 \leq r < 7$, then generate a random Δi to be -1, 0, or +1.
- For $7 \leq r \leq 9$, randomly generate $2 \leq \Delta i \leq 8$.

Simulate the **page replacement algorithms FIFO, LRU, LFU, MFU, and random pick**. Run each algorithm 5 times, 100 page references each time, to compute an **average hit ratio** of pages already in memory. For each reference, print the page numbers of the pages in memory and (if any) which page needed to be paged in and which page was evicted.

What to turn in

Email a zip file to ron.mak@sjsu.edu that contains:

- Your source files.
- Your output.

Name the file after your team, such as **superCoders.zip**. Your subject line should be **CS 149 Assignment #4-section number, team name**

Don't forget to CC all your team members.