Image volume or organ segmentation name	Data type	Defined in the base part of the dataset (432 patients)	Defined in extended part dataset (35 patients)	Defined in geometry	DL generated by commercial software or nnUNet	Clinically verified. (If DL generated it was potentially edited in the clinical workflow)	Folder location (multiple if defined in multiple geometries)  /Patient/MR_StorT2	Corresponding file name image.nii.gz	MRI original volume acquired from MRI scanner.
MRI fiducial marker positions	NIfTI	Yes	Yes	MRI	No	Yes	/Patient/MR_StorT2	mask_MRI_T2_ coords_fiducials .nii.gz	Mask with 3 mm radius spheres around each fiducial marker center of mass point.
MRI fiducial marker positions text file	Txt	Yes	Yes	MRI	No	Yes	/Patient/MR_StorT2	MRI_T2_DICO M_coords_fiduc ials.txt	Fiducial marker center of mass point in MRI DICOM coordinates.
sCT original	NIfTI	Yes	Yes	sCT	Yes	Yes	/Patient/sCT	image.nii.gz	sCT original volume created from original MRI volume using Spectronic MriPlanner.
sCT registered and resampled to MRI volume	NIfTI	Yes	Yes	MRI	No	No	/Patient/sCT	image_reg2MRI .nii.gz	sCT registered and resampled to MRI volume. sCT warning text removed.
Dose distribution original	NIfTI	Yes	Yes	sCT but not resampled to sCT voxel size	No	Yes	/Patient/sCT	dose_original.ni i.gz	Original dose matrix with clinical voxel size
Dose distribution registered and resampled to sCT	NIfTI	Yes	Yes	sCT	No	No	/Patient/sCT	dose_interpolate d.nii.gz	Interpolated and resampled dose distribution matrix to sCT geometry and voxel size.

Dose distribution registered and resampled to MRI	NIfTI	Yes	Yes	MRI	No	No	/Patient/MR_StorT2	dose_interpolate d.nii.gz	Interpolated and resampled dose distribution matrix to MRI geometry.
Bladder	NIfTI	Yes	Yes	MRI and sCT	Yes	Yes	/Patient/MR_StorT2 /Patient/sCT	mask_Bladder.n ii.gz	Bladder segmentation.  Originally created from  Spectronic MriPlanner and manually adjusted when required.
BODY	NIfTI	Yes	Yes	MRI and	No	Yes	/Patient/MR_StorT2 /Patient/sCT	mask_BODY.ni i.gz	Body contour segmentation.  Automatically created in the treatment planning system  Eclipse.
CTVT_427	NIfTI	Yes	Yes	MRI and	No	Yes	/Patient/MR_StorT2 /Patient/sCT	mask_CTVT_4 27.nii.gz	Clinical prostate target volume (CTV), prescribed total dose of 42.7 Gy, manually segmented by an oncologist.
CTVT_427_nn Unet_fold_n	NIfTI	No	Yes	MRI	Yes	No	/Patient/MR_StorT2/n nUNetOutput/folds	mask_CTVT_4 27_nnUNet_fol d_n.nii.gz	nnUNet prostate CTV segmentation from fold n (n=0:9).
CTVT_427_nn Unet	NIfTI	No	Yes	MRI	Yes	No	/Patient/MR_StorT2/n nUNetOutput	mask_CTVT_4 27_nnUNet.nii. gz	Final nnUNet prostate CTV segmentation.
CTVT_427_nn UNet_uncertai ntyMap	NIfTI	No	Yes	MRI	Yes	No	/Patient/MR_StorT2/n nUNetOutput	mask_CTVT_4 27_nnUNet_unc ertaintyMap.nii. gz	nnUNet prostate CTV segmentation uncertainty map.
CTVT_427_st ep1_obsN	NIfTI	No	Yes	MRI	No	No	/Patient/MR_StorT2/o bserverData	mask_CTVT_4 27_step1_obsN. nii.gz	nnUNet prostate CTVT_427 segmentation after editing without uncertainty map in step1, obsB-obsE.

CTVT_427_st ep2_obsN	NIfTI	No	Yes	MRI	No	No	/Patient/MR_StorT2/o bserverData	mask_CTVT_4 27_step2_obsN. nii.gz	nnUNet prostate CTVT_427 segmentation after editing with uncertainty map in step2, obsB-obsE.
FemoralHead_	NIfTI	Yes	Yes	MRI and sCT	Yes	Yes	/Patient/MR_StorT2 /Patient/sCT	mask_Femoral Head_R.nii.gz	Femoral head segmentation, patient right side.
FemoralHead_ L	NIfTI	Yes	Yes	MRI and sCT	Yes	Yes	/Patient/MR_StorT2 /Patient/sCT	mask_Femoral Head_L.nii.gz	Femoral head segmentation, patient left side.
Genitalia	NIfTI	Yes	Yes	MRI and	No	Yes	/Patient/MR_StorT2 /Patient/sCT	mask_Genitalia. nii.gz	Genitalia segmentation.
PenileBulb	NIfTI	Yes	Yes	MRI and	No	Yes	/Patient/MR_StorT2 /Patient/sCT	mask_PenileBul b.nii.gz	Penile bulb segmentation.
PTVT_427	NIfTI	Yes	Yes	MRI and sCT	No	Yes	/Patient/MR_StorT2 /Patient/sCT	mask_PTVT_42 7.nii.gz	Planning target volume (PTV). This is the prostate CTV with added 7 mm isotropic margin to account for error sources in radiotherapy treatment.
Rectum	NIfTI	Yes	Yes	MRI and	No	Yes	/Patient/MR_StorT2 /Patient/sCT	mask_Rectum.n ii.gz	Rectum segmentation.
Rectum_nnUn et_fold_n	NIfTI	No	Yes	MRI	Yes	No	/Patient/MR_StorT2/n nUNetOutput/folds	mask_Rectum_ nnUNet_fold_n. nii.gz	nnUNet rectum segmentation from fold n (n=0:9).
Rectum_nnUN et	NIfTI	No	Yes	MRI	Yes	No	/Patient/MR_StorT2/n nUNetOutput	mask_Rectum_ nnUNet.nii.gz	Final nnUNet rectum segmentation.
Rectum_nnUN et_uncertainty Map	NIfTI	No	Yes	MRI	Yes	No	/Patient/MR_StorT2/n nUNetOutput	mask_Rectum_ nnUNet_uncerta intyMap.nii.gz	nnUNet rectum segmentation uncertainty map.
Rectum_step1 _obsN	NIfTI	No	Yes	MRI	No	No	/Patient/MR_StorT2/o bserverData	mask_Rectum_s tep1_obsN.nii.g z	nnUNet rectum segmentation after editing without uncertainty map in step1, obsB-obsE

Rectum_step2	NIfTI	No	Yes	MRI	No	No	/Patient/MR_StorT2/o	mask_Rectum_s	nnUNet rectum segmentation
_obsN							bserverData	tep2_obsN.nii.g	after editing with uncertainty
								z	map in step2, obsB-obsE