

Trainer : Sujata Mohite

sujata.mohite@sunbeaminfo.com



Simple Average :

- An average of a set of values is the sum of values divided by the total number of values.
- Average of 'n' values = (Sum of the 'n' values)/n
- This is also called as Arithmetic Mean.
- Average (A) = Sum (S)/ Number(n)
- $S = A \times n$
- Weighted Average :
- When all values whose average we want to find do not have uniform occurrences we calculate the weighted average.
- If values y1, y2, y3...occur w1, w2, w3... times then
- Weighted Avg = (w1y1+w2y2+w3y3+ ..)(w1+w2+w3..)



Q. In a class of 50 students, 24 secured 60 in Physics, 16 secured 70 marks and the rest secured 80. What is the average score for Physics in the class?

A.64.8

B. 65.4

C. 67.2

D. 66.7

Soln:-

Students 24 16

Marks

60

70

80

10.

Average

= 24x60 + 16x70 + 10x80

24 + 16 + 10

= 3360/50

= 67.2

Ans: C



- Only For Consecutive Numbers -
- Whenever, we have consecutive numbers or consecutive odd numbers or consecutive even numbers, then always remember the middle number is the Average.
- Examples-
- A. $5,6(7)8,9 \rightarrow Avg = 7$
- B. 5,6,7,8 \rightarrow Avg =6.5
- C. 1,3(5)7,9 \rightarrow Avg =5
- D. 21,23,25,27 \rightarrow Avg =24

Q. The average age of a class of 22 students is 21 years. The average increased by 1 when the teacher's age also included. What is the age of the teacher?

A. 48

B. 45

C. 43

D. 44

Ans: D



Q. The average age of a class of 22 students is 21 years. The average increased by 1 when the teacher's age also included. What is the age of the teacher?

Solution 1:-

- Before teacher, total age of students = 22x21
- After teacher is added,

Total age of all students + Age of the teacher = 23×22

```
• Age of the teacher =23\times22-22\times21
=22(23-21)
=22\times2
```

=44 years



 The average age of a class of 22 students is 21 years. The average increased by 1 when the teacher's age also included. What is the age of the teacher?

- Solution 2:-
- New value = old avg + (n + 1)(diff)
- Where, n = total no. of students
- New value = 21 + (22+1)(1)= 21 + 23= 44 years

+ if member added

- If member removed

difference = | Old avg – new avg |

Q. There are 50 students in a class. Their average weight is 45 kg. When one student leaves the class the average weight reduces by 100 g. What is the weight of the student who left the class?

A. 45 kg.

B. 47.9 kg.

C. 49.9 kg.

D. 50.1 kg.

Soln:

New value = old avg + (n + 1)(diff)

=45+(50-1)(0.1)

=45 + 49(0.1)

= 45 + 4.9

= 49.9 kg

Ans: C

(as we convert 100g into kg =
$$\frac{100}{1000}$$
 = 0.1 kg)

Q. There are 50 students in a class. Their average weight is 45 kg. When one student leaves the class the average weight reduces by 100 g. What is the weight of the student who left the class?

A. 45 kg.

B. 47.9 kg.

C. 49.9 kg.

D. 50.1 kg.

Soln:

Total weight of 50 students = (45×50) kg = 2250 kg

Average weight of 49 students = 45 kg - 100 g = 44.9 kg

So, total weight of 49 students = (44.9×49) kg = 2200.1kg

Weight of the students who left the class = 2250 - 2200.1 = 49.9 kg

Ans: C



Q. The average age of 16 men increases by 3 years when a person 27 years old is replaced by another. How old is the new person?

A.75

B. 30

C. 48

D. 64

Soln:-

Number of men = 16

Let average age be a

→ Total age of 16 men = 16a (Old total)

New average = a+3

→ New total age of 16 men = 16 (a+3) = 16a + 48

New Total - Old Total = 48

 \rightarrow Age of new man = 27 + 48 = 75



Q. The average age of 16 men increases by 3 years when a person 27 years old is replaced by another. How old is the new person?

A.75

B. 30

C. 48

D. 64

Soln:-

- Average of 16 men increases by 3 years means,
- total age increases by $16 \times 3 = 48$
- If the age of new person same as replaced person then there would have been no change in average.
- But average age of 16 men increased by 3 years
- So, total age of the person replacing another person = 27 + 48 = 75years

Q. The average age of 8 men is decreased by 2 years when two of them, whose ages are 22 and 28, are replaced by two new men.. What is the average age of two men?

A. 34years

B. 30years

C. 15years

D. 17years

Soln:

- Average of 8 men reduce by 2 years means total age reduces by 16 if two men leave.
- So, the total age of the new men replacing the old men = 22+28–16=34
- => Average = 34/2 = 17 years.

<u>OR</u>

- Total age decreased= (8 * 2) years = 16 years.
- Sum of ages of two new men = (22 + 28 16) years = 34 years
- Average age of two new men = (34/2) years = 17 years.
- · Ans: D



Q. The average age of students is 7 years and average age of 10 teachers is 50 years. If average age of group of all teachers and students is 8 years. Find the number of students?

A. 420

B. 250

C. 300

D. 270

Soln:

We know, Total = avg x n

S

No. 10

50 Avg

= (student) x avg + (teacher) x avg (student + teacher)x avg

 $(z + 10) \times 8$

8z+80 = 7z + 500

Z=420 students

 $\times 7 + (10)$

Q. Find average of all the numbers between 6 and 34 which are divisible by 5.

A. 18

B. 20

C. 34

D. 3

Ans: B



Q. The average weight of 16 boys in a class is 50.25 kg and that of the remaining 8 boys is 45.15 kg. Find the average weights of all the boys in the class.

A. 47.55 kg

B. 48 kg

C. 48.55 kg

D. 49.25 kg

Ans: C

$$= 50.25 \times 16 + 45.15 \times 8$$

$$= (804+361.2)/24$$

$$= 1165.2 / 24$$

$$=48.55$$



Q. The average age of a class of 39 students is 15 years. If the age of the teacher be included, then the average increases by 3 months. Find the age of the teacher.

A. 20 years

B. 25 years

C. 30 years

D. 27 years

Ans: B



Q. The average marks of a class of 87 students is 56. When a new student was added and average becomes 56.5. Find marks of new student.

A. 56

B. 44

C. 100

D. 90

Ans: C



Q. Find the average of first 97 natural numbers.

A. 47

B. 37

C. 48

D. 49

E. 49.5

Ans: D



Q. The average age of a class of 30 students is 9years. When teacher's age is also added, the average becomes 10. What is the age of the teacher?

A. 41 years

B. 40 years

C. 39 years

D. 42 years

Ans: B



Q. The average of 50 numbers is 30. If two numbers, 35 and 40 are discarded, then the average of the remaining numbers is nearly:

A. 28.32

B. 29.68

C. 28.78

D. 29.27

Ans: B



Q. The average age 8 men is increased by 2 years when two of them whose ages are 21 years and 23 years are replaced by two new men. The average age of the two new men is?

A. 22 years

B. 24 years

C. 28 years

D. 30 years

Ans: D



Q. The average weight of the students of a class is 60 kg. If eight new students of average weight 64 kg join the class, the average weight of the entire class becomes 62 kg. How many students were there in the class initially?

A. 8 students

B. 16 students C.10 students

D. 12 students



Q. The average of ten numbers is 8. If the average of first nine numbers is 7. Find the 10th number?

A. 17

B. 16

C.15

D. 12



Q. The average marks obtained by 150 students is 30. If the average marks of passed candidates was 40 and that of failed candidates was 20. Find the number of candidates who passed the exam?

A. 25

B. 85

C.75

D. 45

Ans: C



Q. The average expenditure of a man for the first five months is Rs. 3600 and for next seven months is Rs. 3900, if he saves Rs.8700 during the year, his average income per month is ?

A. Rs.4500

B. Rs.8500

C. Rs.7500

D. Rs.5400



Q. The average of first five multiples of 3 is:

A. 9

B. 10

C. 8

D. 11



Q. Find the average of first 100 positive numbers

A. 49.5

Ans: B

B. 50.5

C. 51

D. 100



Q. The average expenditure of a man for the first five months of a year is Rs. 5000 and for next seven months is Rs. 5400, if he saves Rs.2300 during the year, his average income per month is ?

A. Rs.5425

B. Rs.5446

C. Rs.5500

D. Rs.5600



Ram is at present some age(x). Age 15 years ago or future age, then



'n' times of Ram's age means, = n x age



Q. Karan's age after 15years will be 5 times his age 5 years back. What is the present age of Karan?

A. 12 years

B. 10 years

C. 20 years

D. 25 years

Soln:

Present age = x

As given,

Future age = x + 15

Old age = x-5 5 times is that n times

So, x + 15 = 5(x-5)

x + 15 = 5x - 25

x = 10 years(Karan's present age)

Ans: B



Q. Present age of Sam & Ana are in the ratio 5:4 respectively. Three years hence ,their ratio will become 11:9 respectively. What is Ana's present age?

A. 6 years

B. 24 years

C. 28years

D. 32years

Soln:

Present age –

S -> 5x, A -> 4x

3 years hence means (+) as its future ratio given and so its fraction

$$\frac{5x+3}{4x+3} = \frac{11}{9}$$

$$45x+27 = 44x + 33$$

x = 6 years

For A,


 $4x = 4 \times 6 = 24 \text{ years}$

Ans: B



Q. Consider 5 siblings born apart by 3 years each. If the sum of the ages of all children is 50 years. What is the age of youngest child?

Soln:



Eldest

Given,

Sum of ages = 50 years

$$x+12+x+9+x+6+x+3+x = 50$$

$$5x + 30 = 50$$

x = 4 years (age of youngest child)



Q. A mother said to her daughter "I was as old as you are at the time of your birth". If the mother's age is 38 years now. What was the daughter's age 5 years back?

A. 14years

B. 19years

C. 38years D. None of these

Soln:

M

Present

38

At birth time

38-x

I was as old as you are at the time of your birth" shows

M

38-x = x

38 = 2x

x = 19 years(present age of daughter)

5years back, 19-5 = 14 years

Mother's age at time of birth = 38 - x

= 38 - 19

Ans: A

= 19 years



Q. A man was asked to state his age in years. His reply was, "Take my age 3 years hence, multiply it by 3 and then subtract 3 times my age 3 years ago and you will know how old I am". What is the age of the man?

A. 18 years

B. 20 years

C. 24 years

D. 32 years

Soln:

Let the present age of the man be x years

$$3(x+3)-3(x-3)=x$$

$$(3x+9)-(3x-9)=x$$

x = 18



Q. Ten years ago, a man was seven times as old as his son. Two years hence, twice his age will be equal to five times the age of his son. What is the present age of the son?

A. 12 years

B. 13 years

C. 14 years

D. 15 years

Ans: C



Ages(Assignment)

Q. A is 2 years old than B who is twice as old as C. The total ages of A,B,C be 27. How old is B?

A. 5 years B. 12 years C. 10 years D. None of these

- Soln:
- So, we need to first find x here
- A = 2 + B
- B = 2C
- C = x
- So B becomes, B =2x
- So A becomes,
- A = 2 + B
- A = 2 + 2x
- Ans: C

Given, the total age =
$$A + B + C = 27$$

Substitute the values here for A,B,C

$$2 + 2x + 2x + x = 27$$

$$5x = 25$$

Age of B =
$$2x = 2 \times 5 = 10$$
 years



Q.A man who is 40 years old has three sons, ages 6, 3 and 1. In how many years will the combined age of his three sons equal 80% of his age?

A.5

B. 10

C. 15

D. 20

Soln:

- Let the condition occur after y years.
- After y years
- Man's age = (40+y)
- Son's ages (6+y), (3+y), (1+y)
- Sum of sons' ages = (10+3y)
- (10+3y) = 80/100(40+y)
- 5(10+3y) = 4(40+y)
- 50 + 15y = 160 + 4y
- 11y = 110
- y = 10



Q. The ratio of Present age of A and B is 6:7. A is 7 years younger than C. C's age after 8 years will be 51 years. Then what is the difference between the present ages of A and B?

A. 3 Years B. 4 Years C. 5 Years D. 6 Years E. Cannot be determined

Ans: D



Q. The average age of A, B, C, D and E is 40 years. The average age of A and B is 35 years and the average of C and D is 42 years. Age of E is :

A. 48 years

B. 46 years

C. 42 years

D. 45 years



Q. 10 years ago, age of father was thrice the age of his son. Ten years hence, father's age will be twice that of his son. The ratio of their present ages is:

A. 5:2

B. 7:3

C. 9:2

D. 13:4



Q. The average age of A, B and C is 28 years, if average age of B and C is 29 years. What is the age of A in years?

A. 24 years

B. 26 years

C. 28 years

D. 30 years



Q. Sachin is younger than Rahul by 7 years. If their ages are in the respective ratio of

7:9, how old is Sachin?

A. 16 years B. 18 years C. 28 years D. 24.5 years E. None of these

Ans: D



Q. At present, the ratio between the ages of Arun and Deepak is 4:3. After 6 years, Arun's age will be 26 years. What is the age of Deepak at present?

A. 12 years B. 15 years C. 19.5 years D. 21 years E. None of these



Q. The present ages of three persons in proportions 4:7:9. Eight years ago, the sum of their ages was 56. Find their present ages (in years).

A. 8, 20, 28 years

B. 16, 28, 36 years

C. 20, 35, 45 years

D. None of these



Q. The sum of the ages of two brothers 21 years hence will be twice the sum of their ages today. If the difference in their ages is 12 years, how old is the younger brother?

A. 27 years

B. 21 years

C. 17 years

D. 15 years

Ans: D

Soln-

Present age of elder brother = x

Present age of younger brother = y

After 21 years, elder brother = x+21 and younger brother = y+21

As per given condition,

$$x+21 + y+21 = 2(x + y)$$
 ----- (1)

$$x - y = 12$$
 -----(2)

Solving 1 and 2, we get,

x = 27 years and y = 15 years



- Ratio: Ratio is a comparison of two numbers (quantities) by division.
- The ratio of a to b is written as
- $a : b = a/b = a \div b$.

* Ratio is defined only for two values of same units ratio between 20 kg & 50 kg is 2:5



Some Useful Results

• If
$$a:b = c:d$$
 or $a/b = c/d$

1.
$$axd = bxc$$

2.
$$b/a = d/c$$
 (Invertendo)

3.
$$a/c = b/d$$
 (Alternendo)

4.
$$a+b/b = c+d/d$$
 (By Componendo)

5.
$$a-b/b = c-d/d$$
 (By Dividendo)

6.
$$(a+b)/(a-b) = (c+d)/(c-d)$$
 (By Componendo & Dividendo)



Proportion: A proportion is an expression that states that two ratios are equal.

```
i.e. a: b = c: d e.g 2: 3 = 4: 6 or 2: 3:: 4: 6
a, b, c & d are called the 1st, 2nd, 3rd & 4th proportional.

1st & 4th proportionals are called extreme terms & 2nd & 3rd proportionals are called mean terms.

Product of means = Product of extremes. bc = ad
```

Continued Proportion

Three quantities are said to be in continued proportion if

```
a:b=b:c or a/b=b/c
```

If a: b:: b: c then $b^2 = ac$ (b is the mean proportion of a & c)

$$a:b=b:c=c:d \text{ or } a/b=b/c=c/d$$



Q. If A: B = 2:3, B: C = 4:5 and C: D = 5:9 then A: D is equal to:

A. 11:17 B.8:27 C.5:9 D.2:9

Soln:

$$\frac{A}{D} = \frac{A}{B} \times \frac{B}{C} \times \frac{C}{D}$$

$$\frac{A}{D} = \frac{2}{3} \times \frac{4}{5} \times \frac{5}{9}$$

$$\frac{A}{D} = \frac{8}{27}$$

Q. What is the value of A+B/A-B, if A/B=7

A. 4/3

B. 2/3

C. 2/6

D. 7/8

Ans: A

$$A/B = 7/1$$

$$A+B/A-B = 7+1/7-1 = 8/6 = 4/3$$



If X: Y = 3: 4 and Y: Z = 8: 9 then X: Z is

A. 3:4

B.5:4

C. 2:3

D. 8:9

Soln:

$$X : Y = 3 : 4$$
 (Inverted N)

$$Y : Z = 8 : 9$$

= 3x8 : 8x4 : 4x9

= 24 : 32 : 36

= 6 : 8 : 9

Now, X:Z

6:9

2:3

Ans: C

$$\frac{X}{Z} = \frac{X}{Y} \times \frac{Y}{Z}$$

$$\frac{X}{Z} = \frac{3}{4} \times \frac{8}{9}$$

$$\frac{X}{Z} = \frac{2}{3}$$

If A: B = 2:3 and B: C = 4:5 then A: B: C is

A. 2:3:5

B.5:4:6 C.8:12:15

D. 6:4:5

Ans: C

- - A : B : C
- A:B:C = $2 \times 4:3 \times 4:3 \times 5$ = 8 : 12 : 15



Q. A sum of Rs. 1240 is distributed among A, B and C such that the ratio of amount received by A and B is 6:5 and that of B and C is 10:9 respectively. Find the share of C?

A.Rs. 480

B.Rs. 360

C.Rs. 400

D.Rs. 630

· Soln:

• Given, A: B = 6:5, B: C = 10:9

• A:B:C

• 6:5

10:9

60:50:45

12:10:9

Ans: B

A:B:C=12:10:9

12x + 10x + 9x = 1240

x = 40

C's share = $9 \times 40 = \text{Rs.} 360$

If A: B = 2:3, B: C = 4:5 and C: D = 6:7. Find A:B:C:D

A. 2:3:4:5 B. 2:12:30:7 C. 16:24:30:35 D. 4:5:6:7

Soln:

A: B = 2: 3
B: C = 4:
$$\sqrt{5}$$
C: D = 6: 7

= ABC : BBC : BCC : BCD = 2X4X6 : 3X4X6 : 3X5X6 : 3X5X748 : 72 : 90 : 105 16 : 24 : 30 : 35

Ans: C



Dividing a given number in the given Ratio:

Let A be the given number. Let the given ratio be a:b:c

This means A is divided into three parts such that

First Part = $A \times a/(a+b+c)$

Second Part = $A \times b/(a+b+c)$

Third Part = $A \times c/(a+b+c)$

And First Part + Second Part + Third Part = A

Any Part = Total Amount x (Its related ratio term / Sum of Ratio Terms)



Q. Find B's share in Rs 6,300 if A:B = 2:3, B:C = 4:5, C:D = 3:7
A.Rs 1080
B. Rs 1800
C. Rs 810
D. Rs 1200

Soln:

A/B B/C C/D 2/3 4/5 3/7

A : B = 2 : 3

B:C=4:5

C : D = 3 : 7

A : B : C : D

8 : 12 : 15 : 35

So B's share = $6300 \times 12/70 = 1080$

Ans: A



Q. Divide Rs. 18200 amongst 3 persons such that A gets 5/9th of what B & C together get & B gets 6/7th of what A & C together get. What does C get?

A. Rs. 6500

B. Rs. 3300 C. Rs. 8400 D. Rs. 1400

Soln:

A: (B+C)

5:9

A+B+C = 5x+9x = 14x

 $14x = 18200 \rightarrow x = 1300 \rightarrow A = 5x = 6500$

B: (C+A)

6:7

A+B+C = 6y + 7y = 13y

 $13y = 18200 \rightarrow y = 1400 \rightarrow B = 6y = 8400$

C = 18200 - 8400 - 6500 = 3300



Q. Which of the following is a ratio between a number and the number obtained by adding one-fifth of that number to it?

A. 4:5

B. 5:4

C. 5:6

D. 6:5

Ans: C



Q. If A:B =2:3, B:C= 4:5 and C:D =6:7 Find A:D is equal to:

A. 16:35 B. 8:25 C. 4:15 D. 2:10

Ans: A



Q. The difference between two positive numbers is 10 and the ratio between them is

5:3. Find the product of the two numbers.

A.375

B.175

C.275

D.125

E.250

Ans: A



Q. Two numbers are in ratio 4:5 and their LCM is 180. The smaller number is

A.9

B.15

C.36

D.45

Ans: C



Q. The average income of all employees is Rs. 20000. The average salary of male employees is Rs. 22000. The average salary of female employees is Rs. 15000. What is the ratio of male employees to female employees?

A. 2:5

B. 3:4

C. 5:2

D. 3:5

Ans: C



Q. The sum of 3 numbers is 98. If ratio between first and second numbers be 2:3 and between second and third be 5:8, then the second number is?

A. 30

B. 40

C. 50

D. 60

Ans: A



Two numbers are in ratio 7:11. If 7 is added to each of the numbers, the ratio becomes 2:3. The smaller number is?

A. 39

B. 49

C. 66

D. 77

Ans: B

Let the numbers be 7x and 11x.

(7x+7)/(11x+7)=2/3

22x+14=21x+21

x=7

Smaller number= $7x = 7 \times 7 = 49$

Q. What must be added to each of the numbers 7, 11 and 19, so that the resulting numbers may be in continued proportion?

A. -3

B. -4

C. 3

D. 4

Ans: A



Q. The incomes of A & B are in the ratio 3:2. Their respective expenditures are in the ratio 5:3. If each of them saves Rs. 2000, what is the income of B?

A. Rs 12,000

B. Rs 8,000

C. Rs 16,000

D. Rs 6,000



Q. When a particular number is subtracted from each of 7, 9, 11 and 15, the resulting numbers are in proportion. The number to be subtracted is -

A. 1

B. 2

C. 3

D. 5

Ans: C

Sol:

Let the required number be x

•
$$(7 - x)(15 - x) = (11 - x)(9 - x)$$

•
$$105 - 22x + x2 = 99 - 20x + x2$$

•
$$2x = 6$$

•
$$x = 3$$

- Alligation: It is the rule which enables us to find the ratio in which two or more ingredients at given prices must be mixed to produce a mixture of a desired price. (mixing / linking)
- **Mean Price**: The cost price of a unit quantity of mixture is called the mean price.
- **Dearer**: The more expensive ingredient
- Note:


Always maintain the order in which problem is given else answer gets changed




Type 1 oranges at Rs.60 per kg and Type 2 oranges at Rs.120 per kg and when mixed cost is Rs.75 per kg. Find the ratio in which Type 1 and Type 2 oranges are mixed.

Soln:

Type 1 Type 2 120



$$\frac{x}{y} = \frac{d-m}{m-c} = \frac{120-75}{75-60} = \frac{45}{15} = \frac{3}{1} = 3:1$$



$$\frac{\text{Quantity of cheaper ingredient}}{\text{Quantity of costlier ingredient}} = \frac{d - m}{m - c}$$



Mean

```
= (C.P. of Higher) - (Mean Price)
Quantity of Lower
Quantity of Higher
                         (Mean Price) – (C.P. of Lower)
                                   CPh - CPm
            <u>Q</u>|
            Qh
                                   CPm - CPI
                                   (CPh-CPm): (CPm-CPI)
(Qty Low) : (Qty High)
                 Low
                                                           High
                 Rate
                                                            Rate
                                     Mean Rate
                 High-
                                                           Mean-
```



Low

Q. CP of rice A is Rs. 15/kg and CP of rice B is Rs.20/kg. If both A and B are mixed in the ratio 2:3. Then find the price per kg of the mixed rice.


A. Rs. 28

B. Rs. 17

C. Rs. 18

D. Rs. 48

Soln:



$$\frac{x}{y} = \frac{d-m}{m-c}$$

$$2 \qquad 20-n$$

$$\frac{2}{3} = \frac{20-m}{m-15}$$

$$m = \frac{90}{5} = Rs.18$$

Ans: C



Q. In what ratio must a grocer mix two varieties of dal worth Rs. 60/kg & Rs. 65/kg, so that selling the mixture at 68.20/kg, he may gain 10%.

Soln:

- Mean price is always CP
- Steps-
- 1. m=?
- 2. m = cost price(CP)
- 3. SP = given
- 4. find x/y=?



In what ratio must a grocer mix two varieties of dal worth Rs. 60/kg & Rs. 65/kg, so that selling the mixture at 68.20/kg, he may gain 10%.

A. 3:2

B. 2:3


C. 3:4

D. 4:3

- SP of 1 kg of mixture = Rs. 68.20
- Gain =10%
- In case of profit, $SP = \frac{C.P. x (100 + \%gain)}{100}$
- CP of 1kg of mixture = Rs $(\frac{100}{100+10} \times 68.2)$

Mean price =Rs. 62

- By the rule of alligation, we have:
- C.P. of 1kg dal of 1st kind C.P. of 1kg dal of 2nd kind



Q. A person blends two varieties of tea, one cost Rs. 160/kg and other cost Rs. 200/kg in the ratio 5 : 4. He sells the blended variety at Rs.192/kg. Find the profit %.

A. 6%

B. 8%

C. 7%

D. 9%

Soln:

$$\frac{x}{y} = \frac{d-m}{m-c}$$

$$\frac{5}{4} = \frac{200 - m}{m - 160}$$

$$5m - 800 = 800 - 4m$$

$$9m = 1600$$

$$m = \frac{1600}{9}$$

SP=Rs.192(given), CP =mean price

Profit% =
$$\frac{SP-CP}{CP} \times 100$$

= $\frac{192 - \frac{1600}{9}}{1600} = \frac{17}{2}$

$$= \frac{192 - \frac{1600}{9}}{\frac{1600}{9}} = \frac{1728 - 1600}{1600} = \frac{128}{16} = 8\%$$

cheaper price

dearer price



Ans: B



Q. Two jars A and B contain milk and water in the ratio 7:5 and 17:7 respectively. In what ratio mixtures from two vessels should be mixed to get a new mixture containing milk and water in the ratio 5:3?

A. 2:1

B. 1:2

C. 2:3

D. 3:4

Soln:

For these type of questions consider 1 ingredient out of the two ingredients and represent as fraction of one.

Α

B

m:w

m:w

7:5

17:7

C

m:w

5:3

To make calculations easier, convert all denominator into common one

So, find LCM(12,24,8) = 24

A

 $\frac{7}{12}$ X $\frac{2}{2} = \frac{14}{24}$

24


В

 $\frac{5}{8} \times \frac{3}{3} = \frac{15}{24}$

 $\frac{-}{8} \times \frac{-}{3} = \frac{-}{24}$

forget denominators,

By rule of Alligation,



2:

We consider milk here, so fraction of milk,

A

$$\frac{7}{7+5} = \frac{7}{12}$$

В

$$\frac{17}{17+7} = \frac{17}{24}$$

C

$$\frac{5}{5+3} = \frac{5}{8}$$

Q. Two vessels A and B contain spirit and water mixed in the ratio 5:2 and 7:6 respectively. Find the ratio in which these mixtures are mixed to obtain a new mixture in vessel C containing spirit and water in the ratio 8:5?

A. 4:3

B. 3:4

C. 5:6

D. 7:9

Ans: D



Q. How many kg of sugar costing Rs. 9 per kg must be mixed with 27kg of sugar costing Rs. 7 per kg, so that there maybe a gain of 10% by selling the mix at 9.24 per kg?


A. 62kg

B. 63kg

Soln:

$$SP = \frac{C.P. \times (100 + \%gain)}{{}_{100}}$$

 $CP (Mean) = 9.24 \times 100/110 = 8.4$



- Qty of Low: Qty of High = 0.6/1.4 = 6/14 = 3/7
- 27 / QH = 3/7
- $QH = 27 \times 7/3 = 63 \text{ kg}$

Ans: B



- Final concentration = Initial $(1-\frac{R}{Initial})^n$
- where,
- Final concentration is the amount of concentration remaining after the process
- n is the number of times the process is done and
- R is the replaced quantity.
- Initial is the initial concentration



Q. A container contains 40 litres of milk. From this container 4 litres of milk was taken out and replaced by water. This process was repeated further two times. How much milk is now contained by the container?

A. 26.34 litres

B. 27.36 litres

C. 28 litres

D. 29.16 litres

Ans: D

· The volume of milk remaining after the three processes is,

• V=N(1- $\frac{R}{N}$)ⁿ = 40(1- $\frac{4}{40}$)³ = 40(1- $\frac{1}{10}$)³ = 40(0.729) =29.16

where,

N is the original amount of milk, n is the number of processes and R is the replaced quantity.

Q. A container contains 100 L of milk. From this container 10 L of milk was taken out and replaced by water. This process was further repeated three times. How much milk does the container have now?

A. 72.9 litres

B. 65.61 litres

C. 34.39 litres

D. 81 litres

Ans: B

Final concentration = Initial concentration (1-Replaced/Initial)n



Q. The ratio of milk to water in 80 litres of a mixture is 7:3. The water (in litres) to be added to it to make the ratio 2:1 is?

A. 4 litres


B. 5 litres

C. 6 litres

D. 8 litres

Soln:

Mixture = 80 litres



$$= 7+3 = 10(total parts of mixture)$$

Quantity of Milk =
$$\frac{7}{10}$$
 x 80 = 56 litres

Quantity of Water =
$$\frac{3}{10}$$
 x 80 = 24 litres

Let quantity of water added be 'x' litres

$$\frac{56}{24+x} = \frac{2}{1}$$

$$56 = 48 + 2x$$

$$x = 4$$
 litres of water is to be added.

Let, Milk =
$$7x$$
 and Water = $3x$

$$7x + 3x = 80$$
 litres

$$10x = 80$$

$$x = 8$$
litres

$$Milk = 7x = 7x8 = 56$$
 litres

Water =
$$3x = 3x = 24$$
 litres

$$\frac{56}{24+x} = \frac{2}{1}$$
 56 = 48 + 2x

$$56 = 48 + 2x$$

x = 4 litres of water is to be added.



Q. What quantity of sugar costing Rs 21.20 per kg must be mixed with 144 kg of sugar priced at Rs 26.20 per kg so that 10% may be gained by selling mix at Rs 25.30/kg?

A. 256 kg

B. 265 kg

C. 244 kg

D. 144 kg



Q. Find the ratio in which the contains of 2 jars A & B containing spirit & water in the ratio 1:3 & 3:2 respectively must be mixed so that resulting mixture contains 45% spirit?

A. 2:3

B. 3:5

C. 3:2

D. 3:4

Ans D



Q. Two solutions have milk: water ratio of 2:3 and 4:5. In what ratio must they be mixed such that the resultant solution has milk: water ratio of 3:4? A. 8:3 B. 3:8 C. 5:9 D. 9:5

Ans: C



Q. In what ratio rice at Rs. 9.30/kg be mixed with rice at Rs. 10.80/kg. So that the mixture be worth Rs. 10/kg.

A. 6:5

B. 8:7

C. 3:7

D. 6:1

Ans: B



Q. The ratio, in which tea costing Rs. 192 per kg is to be mixed with tea costing Rs. 150 per kg so that the mixed tea when sold for Rs. 194.40 per kg, gives a profit of 20%.

A. 2:5

B. 3:5

C. 5:3

D. 5:2



Q. In what ratio must a mixture of 30% alcohol strength be mixed with that of 50% alcohol strength so as to get a mixture of 45% alcohol strength?

A. 1:2

B. 1:3

C. 2:1

D. 3:1

Ans: B



Q. A mixture of 70 litres of alcohol and water contains 10% of water. How much water must be added to the above mixture to make the water 12.5% of the resulting mixture?

A. 1 litre

B. 1.5 litres C. 2 litres

D. 2.5 litres

Ans: C

- Water=10% of 70 lit=7 lit,
- alcohol=90% of 70 lit=63 lit.
- Let, x lit water must be added. (7+x)_ 12.5% 87.5%
- 7 + x = 787.5/87.57 + x = 9
- x=2 litres

Q. In what ratio should two qualities of coffee powder having the rates of ₹47 per kg and ₹32 per kg be mixed in order to get a mixture that would have a rate of ₹37 per kg?

A. 1:2

B. 4:1

C. 1:3 D. 3:1

E. 1:4



Q. How many kilograms of tea worth Rs. 3. 60 per kg. must be mixed with 8 kg. of tea worth Rs. 4.20 per kg. so that by selling the mixture at Rs. 4.40 per kg. There may be a of 10%.

A) 4 kg

B) 3 kg.

C) 6 kg.

D) 8 kg.



Q. The ratio of milk to water in 20 litres of a mixture is 3:1. The Milk (in litres) to be added to the mixture so as to have milk and water in the ratio 4:1 is?

A. 7 litres

B. 4 litres

C. 5 litres

D. 6 litres

Ans: C



Q. In what ratio must water be mixed with milk costing Rs. 12 per litre to obtain a mixture worth of Rs. 8 per litre?

A. 1:2


B. 2:1

C. 2:3

D. 3:2

Ans: A

By the rule of alligation:



Ratio of water to milk

= 4:8

= 1:2

Basics

Profit (Gain) = (S.P - C.P)

Loss =(C.P - S.P)

% gain = $(Gain / C.P) \times 100$

% loss = $(Loss / C.P) \times 100$

Multipliers to find S.P

In Case of Profit: S.P. = C.P. \times (100 +%gain)/100

In Case of Loss : S.P. = C.P. x (100 - %loss)/100

i.e For sale at 25% profit S.P. = 125 % of C.P.

For sale at 25% loss S.P. = 75% of C.P.



Q. A man bought certain no of oranges at the rate of 5 for Rs 4 and sold them at the rate of 4 for Rs 5. Find his overall profit/loss percentage?

A. 25.5% Pr

B. 36.5% Pr C. 56.2% Pr

D. 64.5% Pr

Soln

Cost Price

Selling Price

Oranges → Rs Oranges →

Rs

 $20 \rightarrow 16 20 \rightarrow$

25

SP>CP, so profit

 $P\% = (SP - CP)/CP \times 100$

 $= (25-16)/16 \times 100$

= 225/4 = 56.20%

Ans: C

Cost Price Oranges → Rs

Selling Price Oranges > Rs

SP>CP, so profit $P\% = (SP - CP)/CP \times 100$

Q. A man bought banana at the rate of 8 for Rs 34 and sold them at the rate of 12 for Rs 57 How many banana should be sold to earn a net profit of Rs. 45?

A. 90

B. 100

C. 135

D. 150

Soln:-

Cost Price

banana >

Rs

Selling Price

banana ->

12

Rs

57

- SP>CP, so profit
- Profit = (SP CP)

$$= \frac{19}{4} - \frac{17}{4} = \frac{1}{2}$$

No. of banana to make a profit of Rs.45

$$= \frac{\text{Profit total}}{\text{Pofit one}} = \frac{45}{1/2} = 90 \text{ banana}$$



Q. A shopkeeper purchases 11 sword for Rs.10 and sells them at the rate of 10 sword for Rs. 11. He earns a profit % of?

A. 11%

B. 15%

C. 20%

D. 21%

Ans: D



Q. If selling price is doubled, the profit triples. Find the profit %.

A.
$$66\frac{2}{3}\%$$

B. 100%

C.
$$105\frac{1}{3}\%$$

D. 120%

Soln:

Let,
$$CP = C$$
, $SP=S$

As they ask profit %, we know profit = SP - CP

As per given,

$$3(S-C) = 2S-C$$

$$3S - 3C = 2S - C$$

$$S = 2C$$

But, Profit =
$$S - C = 2C - C = C$$

Profit % =
$$\frac{\text{profit}}{\text{CP}} \times 100 = \frac{\text{C}}{\text{C}} \times 100 = 100\%$$



Q. If the cost price of 6 pencils is equal to the selling price of 5 pencils, then the gain per cent is

```
A. 10%
```

B. 20%

C. 15%

D. 25%

```
Soln:
```

```
Let the cost price of one pencil be Rs.1.
CP of 5 pencils =Rs. 5
CP of 6 pencils =Rs. 6
as, SP of 5 pencils = CP of 6 pencils
SP of 5 pencils = Rs.6
if, SP >CP so it's a profit
profit = SP - CP
= 6 - 5
Profit \% = profit/cp x 100
         = 1/5 \times 100
         = 20%
```


Ans: B



Alligation

Q. A person blends two varieties of tea, one cost Rs. 160/kg and other cost Rs. 200/kg in the ratio 5: 4. He sells the blended variety at Rs.192/kg. Find the profit %.


Soln:



SP=Rs.192(given), CP =mean price

Profit% =
$$\frac{\text{SP-CP}}{\text{CP}} \times 100$$

= $\frac{192 - \frac{1600}{9}}{\frac{1600}{9}} = \frac{1728 - 1600}{1600} = \frac{128}{16} = 8\%$





Combination

Q. A merchant has 1000 kg of sugar, part of which he sells at 8% profit and rest at 18% profit. he gains 14% on the whole. What is the quantity sold at 18% profit?

A. 300 kg

B. 700 kg

C. 600 kg

D. 400 kg

Ans: C



If gain is half of SP, the gain percentage is _____?

A. 50%

B. 33.33%

C. 25%

D. 100%

Soln:

we know profit = SP - CP

As per given,

1/2SP = SP-CP

CP = SP - 1/2SP

SP = 2CP

But, Profit = SP - CP = 2CP - CP = CP

Profit % = $\frac{\text{profit}}{\text{CP}}$ x 100 = $\frac{\text{CP}}{\text{CP}}$ x 100 = 100%

Ans: D



Q. A bookseller sells 84 books at the cost of 72 books. Find his profit or loss%

A. 14.28%

B. 28.24%

C. 20.4%

D. 12.86%



Q. By selling 100 pencils, a shopkeeper gains the selling price of 20 pencils. His gain per cent is

A) 25

B) 20

C) 15

D) 12

Ans: A

SP – CP = gain here gain = SP of 20 pencils

S.P. of 100 pencils – C.P. of 100 pencils = S.P. of 20 pencils

S.P. of 80 pencils = C.P. of 100 pencils

Let C.P. of 1 pencil = Rs. 1

S.P. of 80 pencils = Rs. 100

C.P. of 80 pencils = Rs. 80

Profit $\% = \frac{100-80}{80} \times 100 = 25\%$

Q. A man bought a horse & carriage together for Rs 15600 & sold them together, the horse at 36% profit & the carriage at 15% loss. If selling price of both is equal. Find the cost of the carriage?

A.Rs.6000

B. Rs.7600

C. Rs.3600

D. Rs.9600

- · Soln
- Let CP of horse be H & Carriage be C → H+C= 15600
- SP of both is equal
- So, comparing the CPs
- 136H/100 = 85C/100

• H

= 5C/8

• 5C/8 + C

= 15600

• 13C/8

= 15600

• (

 $= 1200 \times 8$

• C

= 9600

Q. A vendor bought 6 oranges for Re 10 and sold them at 4 for Re 6. Find his loss or gain percent.

A. 8% gain

B. 10% gain

C. 8% loss

D. 10% loss

Ans: D



Q. A shopkeeper sells his goods at 10% loss but uses a weight of 750gms instead of 1kg. Find profit %

A. 20% Pr

B. 14.28% Pr C. 30% Pr

D. 25% Ls



Q. A fruit seller buys oranges at 4 for Rs. 3 and sells them at 3 for Rs. 4. Find its profit percent.

A. 43.75% Pr B. 77.7% Pr C. 75% Pr

D. 65.7% Ls

Ans: B



Q. A man buys a cycle for Rs. 1400 and sells it at a loss of 15%. What is the selling price of the cycle?

A. Rs. 1090

B. Rs. 1160

C. Rs. 1190

D. Rs. 1202

Ans: C



Q. 100 oranges are bought at the rate of Rs. 350 and sold at the rate of Rs. 48 per dozen. The percentage of profit or loss is:

A. 14 2/7% gain B. 15% gain

C. 14 2/7% loss

D. 15 % loss



Q. A shopkeeper sells his goods at 20% profit and to make an extra profit he gives only 800 gm per kg. Find his profit %

A. 25% Pr B. 33.33% Pr C. 50% Pr D. 25% Ls

Soln

CP SP Profit

100 120 20

80 120 40

% Profit = $40/80 \times 100$

 $= 1/2 \times 100$

= 50%

Ans: C





