

Trainer: Sujata Mohite

sujata.mohite@sunbeaminfo.com



If P = Principal, R = Rate of interest, N = Time in years, I = Interest, A = AmountThen A = P + I

#### **Simple Interest**

$$S.I. = (P \times R \times N) / 100$$

Basic principal remains constant.

S.I. is good example of AP(Arithmetic Progression)

#### **Compound Interest**

$$A = P (1 + R/100)^T$$

C.I. = A - P

T = periods of compounding,

R = rate for compounding period

Basic principal keeps on increasing as we get interest on interest.

C.I. is good example of GP(Geometric Progression)



Q. A shopkeeper with an OD facility at 18% with a bank borrowed Rs. 15000 on Jan 8, 2011 and returned the money on June 3, 2011 so as to clear the debt. The amount that he paid was -

A. Rs. 16080

B. Rs. 16280

C. Rs. 16400

D. None of these

#### Soln:

- P = 15000, r= 18%, T = 23(jan)+28(feb-nonleap)+31(march)+30(April)+31(may)+3(june) = 146 days
- 146/365 days = 2/5 years.
- $SI = 15000 \times 18 \times 2/5 \times 1/100 = 30 \times 18 \times 2 = 1080$

```
Amount = P + SI
=15000+1080
=Rs. 16080
```

#### Ans: A



Q. A sum of money at simple interest amounts to Rs. 815 in 3 years and to Rs. 854 in 4 years. The sum is:

A. Rs. 650

B. Rs. 690

C. Rs. 698

D. Rs. 700

Soln:-

amount after 4 years = amount after 3 years + simple interest in one year

S.I. in one year = Rs. (854 - 815) = Rs. 39.

S.I. for 3 years =  $Rs.(39 \times 3) = Rs. 117$ .

Principal = amount - interest

Principal = 815 - 117 = Rs. 698.



Q. A farmer borrowed Rs.3600 at 15% simple interest per annum. At the end of 4 years, he cleared this account by paying Rs.4000 and a donkey. The cost of the donkey is -

A. Rs. 1000

B. Rs. 1200

C. Rs. 1550

D. Rs. 1760

#### Soln:

SI for 4 years =  $Rs.(3600 \times 0.15 \times 4) = Rs.2160$ 

Amount after 4 years = Rs. (3600+2160) = Rs. 5760

Cost of donkey = Rs. (5760-4000) = Rs. 1760

Ans: D



# Q. P =Rs. 2000, R =10%, N =2yrs, Find A and CI

#### Soln:

A = 
$$2000(1 + \frac{10}{100})^2$$
  
=  $2000(\frac{110}{100})^2$   
=  $2000(\frac{121}{100})$   
= Rs.  $2420$   
CI =  $2420 - 2000$  = Rs.  $420$ 

2000 → 10% = 200  
10% 10%  
2000 → 2200 → 2420  

$$CI = 2420 - 2000 = 420$$



Q. Simple interest on a certain sum of money for 3 years at 8% per annum is half the compound interest on Rs. 4000 for 2 years at 10% per annum. The sum placed on simple interest is:

A. Rs. 1550

B. Rs. 1650

C. Rs. 1750 D. Rs. 2000

#### Soln:

A = P(1+R/100)^N = 4000(1+
$$\frac{10}{100}$$
)² = 4000 x ( $\frac{11}{10}$ )² = 4000 x  $\frac{11}{10}$  x  $\frac{11}{10}$  = Rs. 4840

#### <u>OR</u>

$$CI = A - P$$

$$CI = 4840 - 4000 = Rs. 840$$

$$SI = \frac{1}{2} CI$$

$$\frac{PNR}{100} = \frac{1}{2} \times 840$$

$$\frac{P \times 3 \times 8}{100} = 420$$

P(sum) = 
$$\frac{420 \times 100}{3 \times 8}$$
  
= Rs. 1750

Q. P =Rs. 4000, R =20% per annum, N =6months.Find CI computed quarterly for given period.

#### Soln:

```
N =6months(2 quarterly)
rate(R) = 20 % per annum = 5 % quarterly
After every 3 months CI will be calculated.
by 5%=200
by 5%=210
4000
4200
4410
I = 4410 -4000
= Rs. 410
```



Q. Difference between Compound interest & simple interest on a sum placed at 8% p.a. compounded annually for 2 years is Rs 128. Find the Principal

• A.20000

B. 24000

C. 26000

D. 15000

- <u>Soln</u>:
- Let the principal be P = Rs. 100.
- time N = 2 years, rate of interest R = 8% per annum
- simple interest =  $PNR/100 = \frac{100 * 8 * 2}{100} = Rs. 16$
- CI (for 2 years)
- 8% 8%
- 100\_\_\_\_\_\_ 108 \_\_\_\_\_ 116.64
- 16.64 P SI CI Diff 100 16 16.64 0.64
- 0.64 -> 100
- 128 *->* ?
- $\frac{12800}{0.64}$  = Rs. 20000



Q. Difference between Compound interest & simple interest on a sum placed at 8% p.a. compounded annually for 2 years is Rs 128. Find the principal

• A.20000

B. 24000

C. 26000

D. 15000

· Soln:

• Let the principal be P = Rs. 100.

time N = 2 years, rate of interest R = 8% per annum

• simple interest =  $PNR/100 = \frac{100 \times 8 \times 2}{100} = Rs. 16$ 

compound amount= P(1+R/100)^N

• =  $100*(1+\frac{8}{100})^2 = 100*(\frac{108}{100})^2 = 100(\frac{11664}{10000}) = \frac{11664}{100} = 116.64$ 

compound interest = compound amount – principal

• C.I = A - P =116.64-100=Rs. 16.64

• the difference between the compound interest and simple interest = 16.64-16.00 = Rs. 0.64

• 0.64 -> 100

• 128 -> ?

 $\bullet = \frac{128*100}{0.64} = 20000$ 

Thus, the principal is Rs. 20000.

#### <u>Interest</u>

- If the difference between compound and simple interest is of two years than,
   Difference = P(R)²/(100)²
   Where P = principal amount, R = rate of interest
- If the difference between compound and simple interest is of three years than,
   Difference = 3 x P(R)²/(100)² + P (R/100)³.
   Here also, P = principal amount, R = rate of interest



#### **Partnership**

Q.A started business with Rs. 45,000 and B joined afterwards with 30,000. If the profit at the end of a year was divided in the ratio 2: 1 respectively, then B would have joined A for business after.

A. 1 month

B. 2 months

C. 3 months

D. 4 months

#### Soln:

• Capital of A = Rs. 45,000

Capital of B = Rs. 30,000

- Ratio of P1:P2=2:1
- using formula,

• In this type, the time period is 12 months i.e. one year

• 
$$\frac{45000 \times 12}{30000 \times T2}$$
 =  $\frac{2}{1}$ 

- T2=9
- B would join business after (12 9) = 3 months
- Ans: C



#### **Partnership**

Q. If 4 (A's capital) = 6 (B's capital) = 10 (C's capital), then out of a profit of Rs. 4650, C will receive \_\_\_\_

A) Rs.700

B) Rs.800

C) Rs.900

D) Rs.1000

#### Soln:

$$4A = 6B = 10C$$
 $A = 10/4C = 5/2C$  and  $B = 10/6C = 5/3C$ 
 $A + B + C = 4650$ 
 $5/2C + 5/3C + C = 4650$ 
 $C = 900$ 

Share of C or C will receive Rs.900



#### **Partnership**

Q. A, B & C enter into a partnership with total of Rs 8,200. A's capital is Rs 1000 more than B's & Rs 2000 less than C's. What is B's share of annual profit of Rs 2,460?

A. Rs 1320

B. Rs 720

C. Rs 420

D. Rs 520



- Q. A sum of money placed at compound interest doubles in 7 years. In how many years the principal becomes
  - a. 4 times of itself
  - b. 8 times of itself

#### Soln:

Let initial value be 100

7yrs 7yrs 7yrs
$$100 \longrightarrow 200 \longrightarrow 400 \longrightarrow 800$$
doubles 14 yrs 21yrs

- a. In 14yrs
- b. In 21 yrs

#### <u>OR</u>

the time becomes= 7+7+7=21 years.



Q. A started a business by investing Rs. 32000. After 2 months B joined him with some investments. At the end of the year the total profit was divided in the ratio 8:5. How much capital was invested by B?

A. Rs. 30,000

B. Rs. 28000

C. Rs. 24000

D.Rs. 19000

- Soln:
- using formula,

$$\cdot \frac{\text{C1T1}}{\text{C2T2}} = \frac{P^2}{P^2}$$

$$\frac{32000 \times 12}{\text{C2} \times 10} = \frac{8}{5}$$

• C2 = Rs. 24000

Q. When annual compounding is done, a sum amounts to Rs 5000 in 6 years and 7200 in 8 years. What is the int rate?

A. 10%

B. 15%

C. 20%

D. 25%

#### <u>Soln</u>

Let P be the principal & R the int rate

**→** 5000

 $= P(1+R/100)^6....(1)$ 

→ 7200

 $= P(1+R/100)^8....(2)$ 

→ 36/25

 $= (1+R/100)^2$ 

→ Taking square roots of both sides

→ 1+R/100

= 6/5

→ R/100

=1/5

 $\rightarrow$  R

= 20%



Q. A sum fetched a total simple interest of Rs.7056 at the rate of 8 percent per year in 7 years. What is the sum?

A. Rs 12600

B) Rs 15120

C) Rs 10080

D) Rs 7560

Ans: A



Q. Find the compound interest on Rs. 15,625 for 9 months at 16% per annum compounded quarterly.

A. Rs. 1851

B. Rs. 1941

C. Rs. 1951

D. Rs. 1961



Q. What is the difference between the simple interest on a principal of Rs. 500 being calculated at 5% per annum for 3 years and 4% per annum for 4 years?

A.Rs. 5 B.Rs. 10 C.Rs. 20

D.Rs. 40 E. None of these

$$SI_1 = P N_1 R_1 / 100$$
  
=  $\frac{500 \times 3 \times 5}{100} = Rs. 75$ 

$$SI_2 = P N_2 R_2 / 100$$
  
=  $\frac{500 \times 4 \times 4}{100} = Rs. 80$ 

Difference = 80 - 75 = Rs. 5

$$500 == 15\% \uparrow \Rightarrow 575 \text{ (1st case)}$$

$$500 == 16\% \uparrow \Rightarrow 580 \text{ (2}^{\text{nd}} \text{ case)}$$

difference = 580 - 575 = Rs. 5

Ans: A



Q. A sum of money placed at compound interest doubles itself in 4 years. In how many years will it amount to 8 times?

A. 9 years

B. 8 years

C. 27 years

D. 12 years

Ans: D



Q. Difference between Compound interest & simple interest on a sum placed at 20% per annum compounded annually for 2 years is Rs. 72. Find the sum.

A. Rs. 2400

B.Rs. 8400

C. Rs.1800

D.Rs. 900



Q. What is the simple interest on a sum of Rs. 700 if the rate of interest for the first 3 years is 8% per annum and for the last 2 years is 7.5% per annum?

A.Rs. 269.5 B.Rs. 283 C.Rs. 273 D.Rs. 280 E. None of these



Q. Rs.2100 is lent at compound interest of 5% per annum for 2 years. Find the amount after two years.

• A.Rs. 2300

- B.Rs. 2315.25
- C.Rs. 2310

- D.Rs. 2320 E. None of these

- Soln:
- $A = P (1 + R/100)^T$
- $A = 2100(1+5/100)^2$
- A=2100×[105/100]2
- $A = \frac{2100 \times 11025}{100 \times 11025}$
- Amount, A=Rs.2315.25
- Ans : B



Q. A man borrowed total Rs 2500 at Simple interest from two money lenders. He paid interest at 12% p.a. to one and 14% p.a. to the other. The total interest paid for the year was Rs.326. How much did he borrow at 14%?

A. Rs 1000

B. Rs 1200

C. Rs 1300

D. Rs 1500

#### Soln:

Let, x = Principal at 12%

&

2500-x = Principal at 14%

SI at Rs.x = 
$$\frac{x \times 1 \times 12}{100} = \frac{12x}{100} = \frac{3x}{25}$$

SI at Rs.2500 -x = 
$$\frac{2500-x\times1\times14}{100}$$
 =  $\frac{(2500-x)\times7}{50}$  =  $\frac{17500x-7x}{50}$ 

SI at x + SI at 2500 - x = 326

Substitute and solving the equation gives x = Rs. 1200

We need Principal at 2500-x = 2500 - 1200 = Rs. 1300



Q.A certain sum of money amounts to Rs. 704 in two years and Rs 800 in 5 years. Find the Principal.

• A. Rs. 640

B. Rs. 600

C. Rs. 550

D. Rs.450

Ans: A



Q. A started a business by investing Rs. 32000. After 4 months B joined him with some investments. At the end of the year the total profit was divided in the ratio 6:5. How much capital was invested by B?

A. Rs. 30,000

B. Rs. 28000

C. Rs. 40000

D. Rs. 19000



Q. Three persons stared a placement business with a capital of Rs. 3000. B invests Rs. 600 less than A and C invests Rs. 300 less than B. What is B's share in a profit of Rs. 886?

A. Rs. 443

B. Rs. 354.40

C. Rs. 265.80

D. Rs. 177.20



Q. What should be the simple interest obtained on an amount of Rs 5,760 at the rate of 6% p.a. after 3 years?

A. Rs 1036.80

B. Rs 1666.80

C. Rs 1336.80

D. Rs 1063.80

E. None of these

Ans: A



Q. Anand and Deepak started a business investing Rs.22,500 and Rs.35,000 respectively. Out of a total profit of Rs. 13,800. Deepak's share is

A. Rs 9600

B. Rs 8500

C. Rs 8450

D. Rs 8400

Ans: D

Ratio of their shares-

= 22500 : 35000

= 9:14

Deepak's share =  $Rs.(13800 \times 14/23)$ 

= Rs. 8400



Q. A started a business with Rs. 21,000 and is joined afterwards by B with Rs. 36,000. After how many months did B join if the profits at the end of the year are divided equally?

A. 4

B. 5

C. 6

D. 7

Ans: B

• Capital of A = Rs. 21000

Capital of B = Rs. 36000

- Ratio of P1:P2=1:1
- using formula,

$$\cdot \frac{\text{C1T1}}{\text{C2T2}} = \frac{\text{P1}}{\text{P2}}$$

• In this type, the time period is 12 months i.e. one year

• 
$$\frac{21000 \times 12}{36000 \times T2}$$
 =  $\frac{1}{1}$ 

- T2=7
- B would join business after (12 7) = 5 months

Q. A,B,C subscribes Rs. 50000 for a buisness. A subscribes Rs. 4000 more than B and B Rs. 5000 more than C. Out of a total profit of Rs. 35000, A receives :

A. Rs. 8400

B. Rs. 11900

C. Rs. 13600

D. Rs. 14700

Ans: D



Q. The simple interest on Rs.1820 from March 9, 2012 to May 21, 2012 at 7.5% rate will be

A. Rs. 22.50

B. Rs. 27.30

C. Rs. 28.80

D. Rs. 29

Ans: B



#### **Permutation & Combination**

- What is permutation?
- It is the number of ways a group of things can be arranged.

E.g. Consider 3 letters A,B,C. In how many ways they can be arranged?

- ABC
- A C B
- BAC
- BCA
- CAB
- CBA

6 ways to arrange these 3 letters

- For 3 letter / 4 letter words its possible but for more number of letters we need a formula-
- $nPr = \frac{n!}{(n-r)!}$

#### **Permutation & Combination**

Q. Consider 4 letters A,B,C,D and arrange them in 3 spaces

- - 3 spaces
- No . Of letters = 4

No of spaces = 3

nPr = 
$$4P_3 = \frac{4!}{(4-3)!} = \frac{4!}{1!} = 4! = 4 \times 3 \times 2 \times 1 = 24$$
 ways it can be arranged

Q. Arrange 7 letters A,B,C,D,E,F,G in 4 spaces

---- 4 spaces

$$nPr = 7P_4 = \frac{7!}{(7-4)!} = \frac{7!}{3!} = \frac{5040}{6} = 840$$



#### **Permutation & Combination - Remember**

$$2! = 2 \times 1 = 2$$

$$3! = 3 \times 2 \times 1 = 6$$

$$4! = 4 \times 3 \times 2 \times 1 = 24$$

$$5! = 5 \times 4 \times 3 \times 2 \times 1 = 120$$

$$6! = 6 \times 5 \times 4 \times 3 \times 2 \times 1 = 720$$

$$7! = 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1 = 5040$$



#### Difference between permutation and combination

#### **Combination (order does not matter)**

"My fruit salad is a combination of apples, grapes and bananas" We don't care what order the fruits are in, they could also be "bananas, grapes and apples" or "grapes, apples and bananas", its the same fruit salad.



#### **Permutation (When the order does matter)**

"The combination to the safe is 472". Now we do care about the order. "724" won't work, nor will "247". It has to be exactly 4-7-2.





#### <u>Difference between permutation and combination</u>

#### What is permutation?

**Permutation:** The various ways of arranging a given number of things by taking some or all at a time are all called as permutations.

Permutation includes word formation, number formation, circular permutation, etc. In permutation, objects are to be arranged in particular order. It is denoted by <sup>n</sup> P <sub>r</sub> or P(n, r).

**Example:** Arrange the given 3 numbers 1, 2, 3 by taking two at a time. Now these numbers can be arranged in 6 different ways: **(12, 21, 13, 31, 23, 32).** 

Here,

12 and 21, 13 and 31 or 23 and 32 do not mean the same, because here order of numbers is important.



#### Difference between permutation and combination

#### What is combination?

**Combination:** Each of different groups or selections formed by taking some or all number of objects is called a combination.

Combination is used in different cases which include team/group/committee.

In combination, objects are selected randomly and here order of objects doesn't matter. It is denoted by  $^n$  C  $_r$  or C(n, r) or  $^n$ C $_r = ^n$ C(n-r).

**Example:** If we have to select two girls out of 3 girls X, Y, Z, then find the number of combinations possible.

Now only two girls are to be selected and arranged. Hence, this is possible in 3 different ways: (XY, YZ, XZ,).

Here,

You cannot make a combination as XY and YX, because these combinations mean the same.



Q. In how many ways can the letters of the word 'LEADER' be arranged?

A. 72

B. 144

C. 360

D. 720

E. None of these

#### Soln:

The word LEADER has 6 letters. So I can be arranged in 6! ways.

Out of these 6 letters, 2 letters are repeated (letter E repeated twice)

So we write it as -

6! ways to arrange letters in the word LEADER

2! In the denominator as letter E is repeated twice

$$= \frac{6 \times 5 \times 4 \times 3 \times 2 \times 1}{2 \times 1}$$
$$= 360 \text{ ways}$$



Q. In how many different ways can the letters of the word 'LEADING' be arranged in such a way that the vowels always come together?

A. 360

B. 480

C. 720

D. 5040

E. None of these

Soln:

L E A D I N G vowels in this word are E,A I

Remaining letters(consonants) are - L D N G

now we can arrange the vowels together in the remaining spaces as

\_ L \_ D \_ N \_ G\_ in 5! ways and vowels be rearranged in those spaces in 3! ways

$$5! X 3! = 720$$
 ways



Q. In how many different ways can the letters of the word 'CORPORATION' be arranged so that the vowels always come together?

A. 810

B. 1440 C. 2880

D. 50400

E. 5760

#### Soln:

CORPORATION----- vowels in this word are O,O,A,I,O

Remaining letters(consonants) are - CRPRTN

now we can arrange the vowels together in the remaining spaces as

\_C\_R\_P\_R\_T\_N\_ in 7! ways and vowels be rearranged in those spaces in 5! Ways

But the repeated letters are 2R in consonants and 3O in vowels

$$\frac{7!}{2!} \times \frac{5!}{3!} = 50400$$
 ways



Q. Out of 7 consonants and 4 vowels, how many words of 3 consonants and 2 vowels can be formed?

A. 210

B. 1050

C. 25200

D. 21400 E. None of these

#### Soln:

we need to form a 5letter word with 3consonants & 2vowels = CCCVV

Ways to select, (3 consonants out of 7) AND (2 vowels out of 4)

$$= 7C_3 \times 4C_2 \times 5!$$

= 7C<sub>3</sub> X 4C<sub>2</sub> X 5! each group has 5 letters and they can be arranged in 5! ways

$$= \frac{7 \times 6 \times 5}{3 \times 2 \times 1} \times \frac{4 \times 3}{2 \times 1} \times 5!$$

 $= 35 \times 6 \times 120$ 

= 25200 ways



Q. In how many different ways can the letters of the word 'DETAIL' be arranged in such a way that the vowels occupy only the odd positions?

A. 32

B. 48

C. 36

D. 60

E. 120



Q. From a group of 7 men and 6 women, five persons are to be selected to form a committee so that at least 3 men are there on the committee. In how many ways can it be done?

A. 564

B. 645 C. 735 D. 756 E. None of these

#### Soln:

We may have (3 men and 2 women) or (4 men and 1 woman) or (5 men only).

Required number of ways=  $(7C3 \times 6C2) + (7C4 \times 6C1) + (7C5)$ 

= 
$$(\frac{7 \times 6 \times 5}{3 \times 2 \times 1} \times \frac{6 \times 5}{2 \times 1}) + (7C3 \times 6C1) + (7C2) \rightarrow [using \ ^nC_r = ^nC_{(n-r)}]$$
  
=  $525 + (\frac{7 \times 6 \times 5}{3 \times 2 \times 1} \times \frac{6}{1}) + (\frac{7 \times 6}{2 \times 1})$   
=  $525 + 210 + 21$ 

= 756



Q. In a group of 6 boys and 4 girls, four children are to be selected. In how many different ways can they be selected such that at least one boy should be there?

A. 159

B. 194 C. 205 D. 209 E. None of these

#### Soln:

(1 boy and 3 girls) or (2 boys and 2 girls) or (3 boys and 1 girl) or (4 boys).

$$= (6C1 \times 4C3) + (6C2 \times 4C2) + (6C3 \times 4C1) + (6C4)$$

= 
$$(6C1 \times 4C1) + (6C2 \times 4C2) + (6C3 \times 4C1) + (6C2)$$
  $\rightarrow$  using  ${}^{n}C_{r} = {}^{n}C_{(n-r)}$ (to reduce calculation)

$$= (6 \times 4) + (\frac{6 \times 5}{2 \times 1} \times \frac{4 \times 3}{2 \times 1}) + (\frac{6 \times 5 \times 4}{3 \times 2 \times 1} \times 4) + \frac{6 \times 5}{2 \times 1}$$

$$= (24 + 90 + 80 + 15)$$

= 209

Q. How many 4-letter words with or without meaning, can be formed out of the letters of the word, 'LOGARITHMS', if repetition of letters is not allowed?

A. 40

B. 400

C. 5040

D. 2520



Q. In how many different ways can the letters of the word 'MATHEMATICS' be arranged so that the vowels always come together?

A. 10080

B. 4989600

C. 120960

D. None of these



Q. In how many different ways can the letters of the word 'OPTICAL' be arranged so that the vowels always come together?

A. 120

B. 720

C. 4320

D. 2160

E. None of these

Ans: B



Q. How many Permutations of the letters of the word APPLE are there?

A.600

B.120

C.240

D.60



Q. How many different words can be formed using all the letters of the word

**ALLAHABAD?** 

A.7560

B.7890

C.7650

D. None of these

Ans: A



**Q.** Find the value of  $^{50}P_2$ 

A. 4500

B. 3260

C. 2450

D. 1470



Q. How many words can be formed by using letters of the word 'DELHI'?

a. 50

b. 72

c. 85

d. 120



Q. Find the number of ways the letters of the word 'RUBBER' can be arranged?

A. 450

B. 362

C. 250

D. 180



Q. Out of 5 consonants and 4 vowels, how many words of 3 consonants and 2 vowels can be formed?

A. 60

B. 200

C. 5230

D. 7200



Q. In how many ways can a group of 5 men and 2 women be made out of a total of 7 men and 3 women?

A. 63

B. 90

C. 126

D. 45

E. 135

Ans: A



#### **IMPORTANT FORMULAE**

- I.1.Area of a rectangle=(length x breadth)
- Therefore length = (area/breadth) and breadth=(area/length)
- 2.Perimeter of a rectangle = 2 x (length + breadth)
- II.Area of a square = (side)^2 =1/2(diagonal)^2
- III Area of four walls of a room = 2\*(length + breadth)\*(height)
- IV 1.Area of the triangle=1/2(base\*height)
- 2. Area of a triangle =  $(s^*(s-a)(s-b)(s-c))^(1/2)$ , where a,b,c are the sides of a triangle &  $s = \frac{1}{2}(a+b+c)$
- 3.Area of the equilateral triangle =((3^1/2)/4)\*(side)^2



#### **IMPORTANT FORMULAE**

- **V.**1.Area of the parellogram =(base \*height)
- 2.Area of the rhombus=1/2(product of the diagonals)
- 3.Area of the trapezium=1/2(size of parallel sides)\*distance between them.
- **VI** 1.Area of a circle =pi\*r^2, where r is the radius
- 2. Circumference of a circle = 2ΠR.
- 3. Length of an arc =  $2\Pi R\theta/(360)$  where  $\theta$  is the central angle
- 4. Area of a sector = (1/2) (arc x R) =  $pi*R^2*\theta/360$ .
- VII. 1. Area of a semi-circle = (pi)\*R^2.
- 2. Circumference of a semi-circle = (pi)\*R.
- where, pi = 3.142



#### **VOLUME AND SURFACE AREA – IMPORTANT FORMULAE**

- I. CUBOID
- Let length = I, breadth = b and height = h units. Then,
- 1. Volume = (I x b x h) cubic.units.
- 2. Surface area = 2(lb + bh + lh) sq.units.
- **3. Diagonal**.= $\sqrt{l^2 + b^2 + h^2}$  units
- II. CUBE
- Let each edge of a cube be of length a. Then,
- 1. Volume =  $a^3$  cubic units.
- 2. Surface area =  $6a^2$  sq. units.
- 3. Diagonal =  $\sqrt{3}$  a units.
- III. CYLINDER
- Let radius of base = r and Height (or length) = h. Then,
- 1. Volume = ( r2h ) cubic units.
- 2. Curved surface area =  $(2 \square \text{ rh})$ . units.
- 3. Total surface area =  $2 \prod r (h+r) sq.$  units



#### **VOLUME AND SURFACE AREA – IMPORTANT FORMULAE**

- IV. CONE
- Let radius of base = r and Height = h. Then,
- 1. Slant height,  $I = \sqrt{h2+r2}$
- 2. Volume =  $(1/3) \prod r^2 h$  cubic units.
- 3. Curved surface area = (☐ rl) sq. units.
- 4. Total surface area =  $(\prod rl + \prod r^2)$  sq. units.
- V. SPHERE
- Let the radius of the sphere be r. Then,
- 1. Volume =  $(4/3) \prod r^3$  cubic units.
- 2. Surface area =  $(4 \prod r^2)$  sq. units.
- VI. HEMISPHERE
- Let the radius of a hemisphere be r. Then,
- 1. Volume =  $(2/3) \prod r^3$  cubic units.
- 2. Curved surface area =  $(2 \prod r^2)$  sq. units.
- 3. Total surface area =  $(3 \sqcap r^2)$  units.



## **Surds and Indices**

#### Rules of Indices: -

i. 
$$a^n * a^m = a^{m+n}$$

ii. 
$$\frac{a^m}{a^n} = a^{m-n}$$

iii. 
$$(a^n)^m = a^{mn}$$

iv. 
$$(ab)^n = a^n * b^n$$

$$v. \qquad \left(\frac{a}{b}\right)^n = \frac{a^n}{b^n}$$

vi. 
$$a^0 = 1$$
 (where  $a \neq 0$ )

vii. 
$$a^{-n} = \frac{1}{a^n}$$

### Rules of Surds: -

i. 
$$\sqrt[n]{a} = a^{\frac{1}{n}}$$

ii. 
$$\sqrt[n]{ab} = a^{\frac{1}{n}} * b^{\frac{1}{n}}$$

iii. 
$$\sqrt[n]{\frac{a}{b}} = \frac{a^{\frac{1}{n}}}{b^{\frac{1}{n}}}$$

iv. 
$$(\sqrt[n]{a})^n = a$$

v. 
$$\left(\sqrt[n]{a}\right)^m = a^{\frac{m}{n}}$$

### **Races**

#### **Races**

- A contest of speed in running, riding, driving, sailing or rowing is called a race.
- If in a race Ram is at starting point & Shyam starts from 20 mts ahead, then it is said that Ram has given Shyam a start of 20 mts or Ram gives Shyam 20 mts.
- This means that if they start from same point Ram would beat Shyam by 20 mts.



## Races

Q. In a 100 mt race A gives B a start of 25 mt & still wins by 9 sec. Find the speed of A if speed of B is 6 kmph.

A.8 kmph

B. 9 kmph

C. 10 kmph

D. 12 kmph

Soln

!-----!

A<---25--->B<-----> A=t-9, B=t

Sb = 6 kmph =  $6 \times 5/18 = 5/3 \text{ m/s}$ 

Tb = Db/Sb = 75/(5/3) = 45 sec

Ta = Tb-9 = 36 sec

Sa = Da/Ta = 100/36 m/s

 $= 100/36 \times 18/5$ 

= 10 kmph



# Races(Assignment)

Q. In a 100 m race, A can beat B by 25 m and B can beat C by 4 m. In the same race, A can beat C by:

A. 21 m

B. 26 m

C. 28 m

D. 29 m

• Soln:-

A : B = 100 : 75

B:C=100:96

A:C=
$$(\frac{A}{B} \times \frac{B}{C}) = (\frac{100}{75} \times \frac{100}{96}) = 100:72$$

A beats C by (100-72)=28 m.

### **Circular Motion**

- Use of both relative speed & LCM
- Let Sa, Sb = speeds of two persons.

Sr = Their relative speed

Distance traveled in 1 round = circumference

Case A: Both running in Same direction

Both meet again first time when → Time = dist/Sr = Circumference/Sa-Sb

Case B: Both running in opposite directions(DistA+ DistB = Circumference)

Both meet first time when → Time = Circumference/Sa+Sb

Case C: Both running in same/opposite directions

Both meet again at starting point at LCM of their Lap times.



## Circular Motion(Races)

Two friends P & Q start from same point at the same time on a circular track 336 meters long in opposite directions at 6 m/s & 8 m/s respectively. After how much time will they meet again at the starting point for the first time?

A. 56 sec

B. 112 sec C. 168 sec D. 214 sec

Ans: C

Step1 – find the time taken by each member /player to complete 1 round

Step2 – Calculate LCM(Lap time)

LapTm(P) = 
$$\frac{\text{Circumference}}{\text{Sp}} = \frac{336}{6} = 56 \text{ sec}$$

$$LapTm(Q) = \frac{Circumference}{SQ} = \frac{336}{8} = 42 \text{ sec}$$

LCM(42,56) = 168 sec

## **Circular Motion(Assignment)**

Q. A, B & C start together running along a circular track of 500 m at 8 km/hr, 5 km/hr & 3 km/hr respectively. After how much time will all three meet again at the starting point for the first time?

A. 20 min

B. 24 min

C. 30 min

D. 36 min





