

DH 2013 Table 6. Local and global Cochrane–Piazzesi regressions

	Country	n	b_CP	R2_loc	b_GCP	R2_glb	b_CPp	b_GCP.j	R2_jnt	Wald p
	BE	2	1.69	0.41	2.24	0.28	1.47	2.24	0.41	[0.00]
		5	5.78	0.44	7.42	0.28	5.31	7.42	0.44	[0.00]
		10	9.99	0.35	13.73	0.26	8.14	13.73	0.36	[0.00]
	DE	2	1.49	0.23	2.03	0.32	−0.82	2.03	0.33	[0.00]
		5	5.87	0.29	7.38	0.36	−0.30	7.38	0.35	[0.00]
		10	10.78	0.27	12.79	0.29	3.23	12.79	0.30	[0.00]
	FR	2	1.51	0.29	2.23	0.35	0.08	2.23	0.35	[0.00]
		5	5.65	0.36	7.43	0.35	3.31	7.43	0.37	[0.00]
		10	11.13	0.37	13.60	0.31	10.03	13.60	0.37	[0.00]
	IT	2	1.47	0.46	2.43	0.25	1.66	2.43	0.47	[0.00]
		5	5.74	0.48	8.62	0.21	7.23	8.62	0.50	[0.00]
		10	11.16	0.47	17.67	0.23	13.25	17.67	0.48	[0.00]
	NL	2	1.43	0.23	2.02	0.31	−0.63	2.02	0.32	[0.00]
		5	5.76	0.32	7.35	0.35	1.39	7.35	0.35	[0.00]
		10	11.32	0.32	13.56	0.31	7.17	13.56	0.33	[0.00]
	CH	2	1.18	0.11	1.12	0.18	−0.35	1.12	0.18	[0.01]
		5	6.44	0.27	5.33	0.32	1.53	5.33	0.33	[0.00]
		10	11.19	0.21	9.81	0.29	0.21	9.81	0.28	[0.00]
	GB	2	1.31	0.17	1.72	0.20	0.31	1.72	0.20	[0.00]
		5	5.89	0.29	6.46	0.23	5.37	6.46	0.29	[0.00]
		10	11.67	0.30	12.66	0.23	11.07	12.66	0.29	[0.00]
	SE	2	1.66	0.47	2.79	0.45	1.06	2.79	0.49	[0.00]
		5	5.47	0.45	9.56	0.46	2.56	9.56	0.48	[0.00]
		10	10.77	0.45	18.55	0.45	5.78	18.55	0.47	[0.00]
	CA	2	1.66	0.27	2.30	0.34	−0.17	2.30	0.34	[0.00]
		5	5.63	0.34	7.51	0.40	0.55	7.51	0.40	[0.00]
		10	10.44	0.33	14.13	0.40	0.21	14.13	0.40	[0.00]
	JP	2	1.40	0.62	1.08	0.44	1.34	1.08	0.62	[0.00]
		5	6.79	0.69	5.78	0.59	5.05	5.78	0.71	[0.00]
		10	9.44	0.42	8.59	0.41	5.48	8.59	0.46	[0.00]
	US	2	1.84	0.30	1.86	0.26	2.39	1.86	0.30	[0.00]
		5	5.49	0.25	5.49	0.22	7.66	5.49	0.25	[0.00]
		10	9.80	0.23	9.92	0.21	12.08	9.92	0.23	[0.00]

$r^2(n)$ on: local CP (Eq 4); global GCP (Eq 6); and both, with the local factor orthogonalized vs GCP (Eq 7).
Adjusted R2 shown; Wald p–value of joint significance in [.]. Newey–West, 12 lags. All 11 countries, n in {2,5,10}.