```
SPC: find file
, switch buffer
. browse files
: MX
; EX
< switch buffer
` eval
u universal arg
x pop up scratch
~ toggle last popup
TAB workspace
   TAB Display tab bar
    . switch workspace
    0 last workspace
    1-9 : x workspace
   L load session
   S autosave current session
   X delete sessions
    [ previous workspace
    ] next workspace
    d delete workspace
    l load workspace from file
    n workspace
    s save workspace to file
    x kill all buffers'
/ search
    i symbols
    I symbols accr. buffers
    b buffer
    d directory
    o Online providers
```

```
p project
[ prev
    S spelling corr
    [ text size
   b buffer
   d diff
   e error
   h smart jump
    s spelling error
    t todo
   w workspace
] next
    S spelling corr
    [ text size
    b buffer
    d diff
    e error
   h smart jump
    s spelling error
   t todo
   w workspace
b buffer
    B switch buffer
    S sudo edit
    [ prev
    ] next
    b switch ws buffer
    k kill buffer
    n new empty buffer
    o kill other buffers
    s save buffer
    x pop scratch buffer
    z burry buffer
```

```
c code
    d jump to def
    D jump to ref
    e evaluate buffer
   E evaluate and replace
    b build
    r repl
    x list errors
f file
    . find file
    / find file in project
    > sudo find file
    ? find file from here
    E Browse emacs.d
    P browse private config
    R recent project files
    a find other file
    c open project editor config
    d find dir
    e find file in emacs.d
    p find file in private config
    r recent files
    y yank filename
g git
    c magit commit
    C magit clone
    G list gists
    L list reps
    P magic pull popup
    R git revert
    S git stage
    U git unstange hunk
    [ previous
```

```
] next
    b magic blame
    d magic dispatch
    f magic find
    g magit status
    i init repo
    l magit buffer log
    p push popup
    r git revert hunk
    s git status
    t git time matchine
o open
   M mail
    N neotree
    O reveal proj finder
    b browser
    d debugger
    n neotree
    o reveal in finder
    r repl
    t terminal
p project
    ! run cmd in project root
    . browse
    / find in project
    c compile project
    o find other file
    p switch project
    r recent project files
    t list project tasks
    x invalidate cache
q quit
    q save and quit
```

Q quit

r remote

- . browse remote files
- > detect remote changes
- D diff local and remote
- U upload local
- d download remote
- u upload local

s snippets

- S find snippet
- i insert snippet
- n new snippet
- s find snippet for mode

t toggle

- F frame fullscreen
- I indente
- b big mode
- f flycheck
- g evil goggles
- h impatient modei indet guides
- l line numbers
- p org-tree-slide-mode
- s flyspell

w window

- + increase height
- descr height
- < dec width
- = balance windows
- > incr width
- H move left
- J move down
- K move up
- L move right

- R rotate up
- S split
- W prev
- _ set height
- b bottom right
- c close window
- h left
- j down
- k up
- l right
- n new
- o enlargen
- p mru
- q quit
- r rotate down
- s split
- t top left
- u winner undo
- v vsplit
- w next
- | set width