

Visoka škola strukovnih studija za  
informacione i komunikacione tehnologije

## **Exchange Currency**

<https://janamatovic66.github.io/wp1sajt/index.html>

Smer: Internet Tehnologije  
Modul: Web programiranje  
Predmet: Web programiranje 1

Jana Matović 139/19

## Sadržaj

### 1. Uvod

- a. Korišćene tehnologije
- b. Opis funkcionalnosti
- c. Template

### 2. Organizacija

- a. Organizaciona šema
- b. Opis stranica
  - 1. Index.html
  - 2. Services.html
  - 3. News.html
  - 4. Contact.htmlKodovi

#### c. HTML

- 1. Index.html
- 2. About.html
- 3. Exchange.html
- 4. Services.html
- 5. News.html
- 6. Contact.html
- 7. Autor.html
- 8. Sitemap.xml

#### d. JavaScript

- 1.main.js

### 1.a Korišćene tehnologije

- HTML 5
- CSS 3
- JavaScript
- jQuery

## **1.b Opis funkcionalnosti**

- Dinamičko učitavanje menija u hederu i futeru svake stranice
- Dinamičko učitavanje blokova usluga i vesti na određenim stranicama
- Dinamičko ispisivanje kontakt informacija u futeru svake stranice
- Na određenim stranicama klikom na dugme "See More >" pojavljuje se dodatni blok a dugme menja sadržaj u "See Less>"
- Provera podataka dve forme za kontakt i newsletter polja u futeru stranice

## **1.c Template**

Korišćen je gotov css template

<https://www.free-css.com/free-css-templates/page255/currency-exchange>

uz modifikaciju prilagođenu mojim potrebama.

## **2. Organizacija**

### **2.a Organizaciona šema**

Svaka stranica vodi do svake stranice.

### **2.b Opis stranica sajta**

#### **2b1 index.html**

Po učitavanju strane JavaScriptom se iz niza ispisuje navigacija u hederu i futeru stranice (stranice na kojima nema poseban kod a pojavljuje se navigacija u hederu i futeru neće biti dokumentovane), ispisuju se vrste usluga, vesti i kontakt podaci u futeru. Postoji i kontakt forma koja sadrži potrebne provere za svako polje. Klikom na taster SEND polja se proveravaju i ako nešto nije pravilno popunjeno, greška se ispiše unutar tog polja koji će biti uokviren crvenom bojom i biće prikazan primer kako treba da se popuni. Takođe, newsletter polje u futeru isto sadrži proveru da li je pravilno uneta email adresa.

#### **2b2 services.html**

Pored navigacije, sadrži blok gde se dinamički 4 usluge prikazuju, a jos 4 se ispišu samo što se sakriju. Na dugme SEE MORE se otkrivaju dodatne 4 usluge, a na dugme SEE LESS se opet skrivaju. Svaki blok sadrži naslov(ime) usluge.

### 2b3 news.html

Kao services stranica, sadrži inicijalno 3 dinamički ispisana bloka. Klikom na dugme SEE MORE se pojavljuju još 3, a na SEE LESS se skrivaju. Takođe prelaskom preko blokova, sakriva se tekst i vidi se cela slika. Svaki blok sadrži naslov i kratak text.

### 2b4 contact.html

Sadrži kontakt formu koja klikom na dugme SEND proverava svako polje. Nijedno polje ne sme biti prazno. Ime mora imati najmanje 3 slova, može veliko ili malo početno slovo. Email mora imati strukturu email adrese. Telefon mora biti iz Srbije (060-069) i imati jos 6 ili 7 cifara. Poruka može imati neograničeno karaktera(1 ili 1000). Svaka greška će se ispisati unutar polja uokvireno crvenom bojom a ako je pogrešan unos(ime premalo slova), ispisaće se poruka sa greškom i primer kako treba uneti pravilno.

## 2.c HTML Kodovi

### 2c1 index.html

```
<!DOCTYPE html>
<html Lang="en">
<!-- Basic -->

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <!-- Mobile Metas -->
  <meta name="viewport" content="width=device-width, minimum-
scale=1.0, maximum-scale=1.0, user-scalable=no">

  <!-- Site Metas -->
```

```

<title>Exchange Currency</title>
<meta name="keywords" content="exchange, currency, services, news, contact">
<meta name="description" content="The brokerage services market in Forex is being actively developed, its legislation is being changed, trade mechanisms are improving, new brokers are appearing, and the latest technology are being introduced, so the question of choosing the best Forex broker for trading will always be relevant both for the beginners and for experienced traders. Premium Trading offers a special forex brokers list rating and a unique comparison of trading conditions offered by the TOP Forex brokers taking into account cash rebates from Premium Trading.">
<meta name="author" content="Jana Matovic">

<!-- Site Icons -->
<link rel="shortcut icon" href="#" type="image/x-icon" />
<link rel="apple-touch-icon" href="#" />

<!-- Bootstrap CSS -->
<link rel="stylesheet" href="css/bootstrap.min.css" />
<!-- Pogo Slider CSS -->
<link rel="stylesheet" href="css/pogo-slider.min.css" />
<!-- Site CSS -->
<link rel="stylesheet" href="css/style.css" />
<!-- Responsive CSS -->
<link rel="stylesheet" href="css/responsive.css" />
<!-- Custom CSS -->
<link rel="stylesheet" href="css/custom.css" />

<!--[if lt IE 9]>
<script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
<script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
<![endif]-->

</head>

<body id="home" data-spy="scroll" data-target="#navbar-wd" data-offset="98">

<!-- LOADER -->
<div id="preloader">
<div class="loader">

</div>
</div>
<!-- end loader -->

```

```

<!-- END LOADER -->

<!-- Start header -->
<header class="top-header">
  <div class="header_top">

    <div class="container">
      <div class="row">
        <div class="logo_section">
          <a class="navbar-
brand" href="index.html"></a>
        </div>
        <div class="site_information">
          <ul>
            <li><a href="mailto:exchang@gmail.com">exchang@gmail.com</a></li>
            <li><a href="tel:exchang@gmail.com">+7123569847</a></li>
            <li><a class="join_bt" href="contact.html">Join us</a
></li>
          </ul>
        </div>
      </div>
    </div>

    </div>
    <div class="header_bottom">
      <div class="container">
        <div class="col-sm-12">
          <div class="menu_orange_section">
            <nav class="navbar header-nav navbar-expand-lg">
              <div class="menu_section">
                <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbar-wd" aria-controls="navbar-wd" aria-
expanded="false" aria-label="Toggle navigation">
                  <span></span>
                  <span></span>
                  <span></span>
                </button>
                <div class="collapse navbar-collapse justify-content-
end" id="navbar-wd">
                  <ul class="navbar-nav" id="navigacija">

                    </ul>
                </div>
              </div>
            </nav>
          </div>
        </div>
      </div>
    </div>
  </div>
</header>

```

```
</div>
</nav>
<div class="search-box">
    <input type="text" class="search-txt" placeholder="Search">
    <a class="search-btn">
        
    </a>
</div>
</div>
</div>
</div>

</header>
<!-- End header -->

<!-- Start Banner -->
<div class="unlockd-home-slider">
    <div class="container-fluid">
        <div class="row">
            <div class="pogoSlider" id="js-main-slider">
                <div class="pogoSlider-slide" style="background-
image:url(images/slide_img.png);">
                    <!-- Ne moze da se skloni style zbog SEO-
a jer je animacija uradjena u templejtu -->
                    <div class="container">
                        <div class="row">
                            <div class="col-md-12">
                                <div class="slide_text white_fonts">
                                    <h3>Progress & Success<br><strong>Currenc
y</strong></h3>
                                    <br>
                                    <a class="start_exchange_bt" href="exchan
ge.html">Start Exchange </a>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>

```

```

        <h3>Progress & Success<br><strong>Current
y</strong></h3>

        <br>
        <a class="start_exchange_bt" href="exchan
ge.html">Start Exchange ></a>

        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
<!-- .pogoSlider -->
</div>
</div>
<!-- End Banner -->

<!-- section -->
<div class="section">
    <div class="container">
        <div class="row">
            <div class="col-md-6">
                <div class="full text_align_right_img">
                    
                </div>
            </div>
            <div class="col-md-6 layout_padding">
                <div class="full paddding_left_15">
                    <div class="heading_main text_align_left">
                        <h2><span class="theme_color">Welcome</span> To Exchan
ge</h2>
                    </div>
                </div>
                <div class="full paddding_left_15">
                    <p>Narrow ranges have been prevailing in risk-
cautious trading. The DXY dollar index settled around the 92.00 level, above yest
erday's 12-week low at 91.84. EUR-USD remained buoyant but off from the 12-
day peak seen yesterday at 1.1942. Cable also held within its Thursday range. USD
-JPY ebbed to a four-
day low at 103.91. The yen was concurrently steady versus the euro and the pound,
but posted respective two- and ...</p>
                </div>
                <div class="full paddding_left_15">
                    <a class="main_bt" href="about.html">About more ></a>
                </div>
            </div>
        </div>
    </div>
</div>

```



```

        </div>
    </div>
</div>
<!-- end section -->
<!-- section -->
<div class="section layout_padding">
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-12">
                <div class="full">
                    <div class="heading_main text_align_center">
                        <h2><span class="theme_color"></span>Services</h2>
                    </div>
                </div>
            </div>
        </div>
        <div class="row" id="indexUsluge">

        </div>
        <div class="row margin-top_30">
            <div class="col-sm-12">
                <div class="full">
                    <div class="center">
                        <a class="main_bt" href="services.html">About more ><
/a>

                    </div>
                </div>
            </div>
        </div>
    </div>
<!-- end section -->

<!-- section -->
<div class="section layout_padding about_bg">
    <div class="container">
        <div class="row">
            <div class="col-md-6">
                <div class="full paddding_left_15">
                    <div class="heading_main text_align_left">
                        <h2>About</h2>
                    </div>
                </div>
            </div>
            <div class="full paddding_left_15">

```

<p>The brokerage services market in Forex is being actively developed, its legislation is being changed, trade mechanisms are improving, new brokers are appearing, and the latest technology are being introduced, so the question of choosing the best Forex broker for trading will always be relevant both for the beginners and for experienced traders. Premium Trading offers a special forex brokers list rating and a unique comparison of trading conditions offered by the TOP Forex brokers taking into account cash rebates from Premium Trading.</p>

```
</div>
<div class="full paddding_left_15">
  <a class="main_bt" href="about.html">Read More ></a>
</div>
</div>
<div class="col-md-6">
  <div class="full text_align_right_img">
    
  </div>
</div>
</div>
</div>
<!-- end section -->
<!-- section -->
<div class="section layout_padding padding_top_0">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="full">
          <div class="heading_main text_align_center">
            <h2><span class="theme_color"></span>News</h2>
          </div>
        </div>
      </div>
    </div>
    <div class="row" id="vestiIndex">

  </div>
</div>
</div>
<!-- end section -->
<!-- section -->
<div class="section layout_padding padding_top_0">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
```

```

        <div class="full">
            <div class="heading_main text_align_center">
                <h2><span class="theme_color"></span>Contact</h2>
            </div>
        </div>
    </div>
</div>
<!-- end section -->
<!-- contact_form -->
<div class="section contact_form">
    <div class="container">
        <div class="row">
            <div class="col-lg-6 col-sm-12 offset-lg-3">
                <div class="full">
                    <form class="contact_form_inner" method="POST" action="index.html" id="indexForma">
                        <fieldset>
                            <div class="field">
                                <input type="text" id="name" name="name" placeholder="Your name" />
                            </div>
                            <div class="field">
                                <input type="text" id="email" name="email" placeholder="Email" />
                            </div>
                            <div class="field">
                                <input type="text" id="phone" name="phone_no" placeholder="Phone number" />
                            </div>
                            <div class="field">
                                <textarea id="message" placeholder="Message">
</textarea>
                            </div>
                            <div class="field center">
                                <button id="indexFormaDugme" type="button">SEND</button>
                            </div>
                        </fieldset>
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

</div>
<!-- end contact_form -->
<!-- end section -->
<!-- Start Footer -->
<footer class="footer-box">
  <div class="container">
    <div class="row">
      <div class="col-md-12 white_fonts">
        <div class="row">
          <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
              
            </div>
          </div>
          <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
              <h3>Quick Links</h3>
            </div>
            <div class="full">
              <ul class="menu_footer">

            </ul>
            </div>
          </div>
          <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
              <div class="footer_blog full white_fonts">
                <h3>Newsletter</h3>
                <p>Subscribe to ours newsletter!</p>

                <div class="newsletter_form">
                  <form method="POST" action="index.html">
                    <input type="text" placeholder="Your Email" id="newsletterEmail" name="newsletterEmail">
                    <button id="newsletterDugme" type="button">
>Submit</button>

                  </form>
                </div>
              </div>
            </div>
          </div>
          <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
              <div class="footer_blog full white_fonts">

```

[illegible]

```

$.fn.countTo = function (options) {
    options = options || {};

    return $(this).each(function () {
        // set options for current element
        var settings = $.extend({}, $.fn.countTo.defaults, {
            from:          $(this).data('from'),
            to:            $(this).data('to'),
            speed:         $(this).data('speed'),
            refreshInterval: $(this).data('refresh-interval'),
            decimals:      $(this).data('decimals')
        }, options);

        // how many times to update the value, and how much to increment the
        value on each update
        var loops = Math.ceil(settings.speed / settings.refreshInterval),
            increment = (settings.to - settings.from) / loops;

        // references & variables that will change with each update
        var self = this,
            $self = $(this),
            loopCount = 0,
            value = settings.from,
            data = $self.data('countTo') || {};

        $self.data('countTo', data);

        // if an existing interval can be found, clear it first
        if (data.interval) {
            clearInterval(data.interval);
        }
        data.interval = setInterval(updateTimer, settings.refreshInterval);

        // initialize the element with the starting value
        render(value);

        function updateTimer() {
            value += increment;
            loopCount++;

            render(value);

            if (typeof(settings.onUpdate) == 'function') {
                settings.onUpdate.call(self, value);
            }
        }
    });

```

```

        if (loopCount >= loops) {
            // remove the interval
            $self.removeData('countTo');
            clearInterval(data.interval);
            value = settings.to;

            if (typeof(settings.onComplete) == 'function') {
                settings.onComplete.call(self, value);
            }
        }
    }

    function render(value) {
        var formattedValue = settings.formatter.call(self, value, settings);
        $self.html(formattedValue);
    }
});

$.fn.countTo.defaults = {
    from: 0,                // the number the element should start at
    to: 0,                  // the number the element should end at
    speed: 1000,            // how long it should take to count between the target numbers
    refreshInterval: 100,   // how often the element should be updated
    decimals: 0,            // the number of decimal places to show
    formatter: formatter,   // handler for formatting the value before rendering
    onUpdate: null,         // callback method for every time the element is updated
    onComplete: null       // callback method for when the element finishes updating
};

function formatter(value, settings) {
    return value.toFixed(settings.decimals);
}
})(jQuery));

jQuery(function ($) {
    // custom formatting example
    $('.count-number').data('countToOptions', {
        formatter: function (value, options) {

```

```

        return value.toFixed(options.decimals).replace(/\B(?=(?!\d){3})/g, ',');
    }
});

// start all the timers
$('.timer').each(count);

function count(options) {
    var $this = $(this);
    options = $.extend({}, options || {}, $this.data('countToOptions') || {});
    $this.countTo(options);
}
});
</script>
<script src="js/main.js"></script>
</body>

</html>

```

## 2c2 about.html

```

<!DOCTYPE html>
<html lang="en">
<!-- Basic -->

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <!-- Mobile Metas -->
    <meta name="viewport" content="width=device-width, minimum-scale=1.0, maximum-scale=1.0, user-scalable=no">

    <!-- Site Metas -->
    <title>Exchange Currency - About</title>
    <meta name="keywords" content="about, exchange, brokers, trading, dollar">
    <meta name="description" content="The brokerage services market in Forex is being actively developed, its legislation is being changed, trade mechanisms are improving, new brokers are appearing, and the latest technology are being introduced, so the question of choosing the best Forex broker for trading will always be relevant both for the beginners and for experienced traders.">
    <meta name="author" content="Jana Matovic">

    <!-- Site Icons -->

```



```

<link rel="shortcut icon" href="#" type="image/x-icon" />
<link rel="apple-touch-icon" href="#" />

<!-- Bootstrap CSS -->
<link rel="stylesheet" href="css/bootstrap.min.css" />
<!-- Pogo Slider CSS -->
<link rel="stylesheet" href="css/pogo-slider.min.css" />
<!-- Site CSS -->
<link rel="stylesheet" href="css/style.css" />
<!-- Responsive CSS -->
<link rel="stylesheet" href="css/responsive.css" />
<!-- Custom CSS -->
<link rel="stylesheet" href="css/custom.css" />

<!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
    <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
<![endif]-->
</head>

<body id="inner_page" data-spy="scroll" data-target="#navbar-wd" data-offset="98">

    <!-- LOADER -->
    <div id="preloader">
        <div class="loader">
            
        </div>
    </div>
    <!-- end loader -->
    <!-- END LOADER -->

    <!-- Start header -->
    <header class="top-header">
        <div class="header_top">

            <div class="container">
                <div class="row">
                    <div class="logo_section">
                        <a class="navbar-brand" href="index.html"></a>
                    </div>
                </div>
            </div>
        </div>
    </header>

```

```

        <div class="site_information">
            <ul>
                <li><a href="mailto:exchang@gmail.com">exchang@gmail.com</a></li>
                <li><a href="tel:exchang@gmail.com">+7123569847</a></li>
                <li><a class="join_bt" href="contact.html">Join us</a></li>
            </ul>
        </div>
    </div>
</div>
<div class="header_bottom">
    <div class="container">
        <div class="col-sm-12">
            <div class="menu_orange_section">
                <nav class="navbar header-nav navbar-expand-lg">
                    <div class="menu_section">
                        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbar-wd" aria-controls="navbar-wd" aria-expanded="false" aria-label="Toggle navigation">
                            <span></span>
                            <span></span>
                            <span></span>
                        </button>
                        <div class="collapse navbar-collapse justify-content-end" id="navbar-wd">
                            <ul class="navbar-nav">

                                </ul>
                        </div>
                    </div>
                </nav>
                <div class="search-box">
                    <input type="text" class="search-txt" placeholder="Search">
                    <a class="search-btn">
                        
                    </a>
                </div>
            </div>
        </div>
    </div>
</div>
</div>

```

```

</header>
<!-- End header -->

<!-- Start Banner -->
<div class="section inner_page_banner">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="banner_title">
                    <h3>About us</h3>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- End Banner -->

<!-- section -->
<div class="section layout_padding about_bg">
    <div class="container">
        <div class="row">
            <div class="col-md-6">
                <div class="full paddding_left_15">
                    <div class="heading_main text_align_left">
                        <h2>About</h2>
                    </div>
                </div>
                <div class="full paddding_left_15">
                    <p>The brokerage services market in Forex is being active
ly developed, its legislation is being changed, trade mechanisms are improving, n
ew brokers are appearing, and the latest technology are being introduced, so the
question of choosing the best Forex broker for trading will always be relevant bo
th for the beginners and for experienced traders. Premium Trading offers a specia
l forex brokers list rating and a unique comparison of trading conditions offered
by the TOP Forex brokers taking into account cash rebates from Premium Trading.<
/p>
                </div>
                <div class="full paddding_left_15">
                    <!-- <a class="main_bt" href="#">Read More ></a> -->
                </div>
            </div>
            <div class="col-md-6">
                <div class="full text_align_right_img">
                    
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
</div>
<!-- end section -->

<!-- section -->
<div class="section">
    <div class="container">
        <div class="row">
            <div class="col-md-6">
                <div class="full text_align_right_img">
                    
                </div>
            </div>
            <div class="col-md-6 layout_padding">
                <div class="full paddding_left_15">
                    <div class="heading_main text_align_left">
                        <h2><span class="theme_color">Welcome</span> To Exchan
ge</h2>
                    </div>
                </div>
                <div class="full paddding_left_15">
                    <p>Narrow ranges have been prevailing in risk-
cautious trading. The DXY dollar index settled around the 92.00 level, above yest
erday's 12-week low at 91.84. EUR-USD remained buoyant but off from the 12-
day peak seen yesterday at 1.1942. Cable also held within its Thursday range. USD
-JPY ebbed to a four-
day low at 103.91. The yen was concurrently steady versus the euro and the pound,
but posted respective two- and ...</p>
                </div>
                <div class="full paddding_left_15">
                    <a class="main_bt" href="exchange.html">About more ></a>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- end section -->

<!-- section -->
<div class="section white_fonts" style="background: #111;">
    <div class="container">
        <div class="row">

```



[illegible]

```

        </div>
    </div>

    <a href="#" id="scroll-to-top" class="hvr-radial-out"><i class="fa fa-angle-up"></i></a>

    <!-- ALL JS FILES -->
    <script src="js/jquery.min.js"></script>
    <script src="js/popper.min.js"></script>
    <script src="js/bootstrap.min.js"></script>
    <!-- ALL PLUGINS -->
    <script src="js/jquery.magnific-popup.min.js"></script>
    <script src="js/jquery.pogo-slider.min.js"></script>
    <script src="js/slider-index.js"></script>
    <script src="js/smoothscroll.js"></script>
    <script src="js/form-validator.min.js"></script>
    <script src="js/contact-form-script.js"></script>
    <script src="js/isotope.min.js"></script>
    <script src="js/images-loded.min.js"></script>
    <script src="js/custom.js"></script>
    <script src="js/main.js"></script>

</body>

</html>

```

## 2c3 exchange.html

```

<!DOCTYPE html>
<html lang="en">
<!-- Basic -->

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <!-- Mobile Metas -->
    <meta name="viewport" content="width=device-width, minimum-scale=1.0, maximum-scale=1.0, user-scalable=no">

    <!-- Site Metas -->
    <title>Exchange Currency - Exchange</title>
    <meta name="keywords" content="exchange, currency, dollar, eur, usd">
    <meta name="description" content="Narrow ranges have been prevailing in risk-cautious trading. The DXY dollar index settled around the 92.00 level, above yest

```

erday's 12-week low at 91.84. EUR-USD remained buoyant but off from the 12-day peak seen yesterday at 1.1942.">

```
<meta name="author" content="Jana Matovic">
```

```
<!-- Site Icons -->
```

```
<link rel="shortcut icon" href="#" type="image/x-icon" />
```

```
<link rel="apple-touch-icon" href="#" />
```

```
<!-- Bootstrap CSS -->
```

```
<link rel="stylesheet" href="css/bootstrap.min.css" />
```

```
<!-- Pogo Slider CSS -->
```

```
<link rel="stylesheet" href="css/pogo-slider.min.css" />
```

```
<!-- Site CSS -->
```

```
<link rel="stylesheet" href="css/style.css" />
```

```
<!-- Responsive CSS -->
```

```
<link rel="stylesheet" href="css/responsive.css" />
```

```
<!-- Custom CSS -->
```

```
<link rel="stylesheet" href="css/custom.css" />
```

```
<!--[if lt IE 9]>
```

```
<script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
```

```
<script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
```

```
<![endif]-->
```

```
</head>
```

```
<body id="inner_page" data-spy="scroll" data-target="#navbar-wd" data-offset="98">
```

```
<!-- LOADER -->
```

```
<div id="preloader">
```

```
<div class="loader">
```

```

```

```
</div>
```

```
</div>
```

```
<!-- end loader -->
```

```
<!-- END LOADER -->
```

```
<!-- Start header -->
```

```
<header class="top-header">
```

```
<div class="header_top">
```

```
<div class="container">
```



```

        <div class="row">
            <div class="logo_section">
                <a class="navbar-
brand" href="index.html"></a>
            </div>
            <div class="site_information">
                <ul>
                    <li><a href="mailto:exchang@gmail.com">exchang@gmail.com</a></li>
                    <li><a href="tel:exchang@gmail.com">+7123569847</a></li>
                    <li><a class="join_bt" href="contact.html">Join us</a
></li>
                </ul>
            </div>
        </div>
    </div>
    <div class="header_bottom">
        <div class="container">
            <div class="col-sm-12">
                <div class="menu_orange_section">
                    <nav class="navbar header-nav navbar-expand-lg">
                        <div class="menu_section">
                            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbar-wd" aria-controls="navbar-wd" aria-
expanded="false" aria-label="Toggle navigation">
                                <span></span>
                                <span></span>
                                <span></span>
                            </button>
                            <div class="collapse navbar-collapse justify-content-
end" id="navbar-wd">
                                <ul class="navbar-nav">

                                </ul>
                            </div>
                        </div>
                    </nav>
                    <div class="search-box">
                        <input type="text" class="search-txt" placeholder="Search">
                        <a class="search-btn">
                            
                        </a>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
        </div>
    </div>
</div>
</div>

</header>
<!-- End header -->

<!-- Start Banner -->
<div class="section inner_page_banner">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="banner_title">
                    <h3>Exchange</h3>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- End Banner -->

<!-- section -->
<div class="section">
    <div class="container">
        <div class="row">
            <div class="col-md-6">
                <div class="full text_align_right_img">
                    
                </div>
            </div>
            <div class="col-md-6 layout_padding">
                <div class="full paddding_left_15">
                    <div class="heading_main text_align_left">
                        <h2><span class="theme_color">Exchange</span> your cur
rency</h2>
                    </div>
                </div>
                <div class="full paddding_left_15">
                    <p>Narrow ranges have been prevailing in risk-
cautious trading. The DXY dollar index settled around the 92.00 level, above yest
erday's 12-week low at 91.84. EUR-USD remained buoyant but off from the 12-
day peak seen yesterday at 1.1942. Cable also held within its Thursday range. USD
-JPY ebbed to a four-

```

day low at 103.91. The yen was concurrently steady versus the euro and the pound, but posted respective two- and ...

```
</div>
<div class="full paddding_left_15">
  <!--
- <a class="main_bt" href="#">Exchange Currency </a> -->
  </div>
</div>
</div>
</div>
</div>
<!-- end section -->

<!-- Start Footer -->
<footer class="footer-box">
  <div class="container">
    <div class="row">
      <div class="col-md-12 white_fonts">
        <div class="row">
          <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
              
            </div>
          </div>
          <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
              <h3>Quick Links</h3>
            </div>
            <div class="full">
              <ul class="menu_footer">

                </ul>
            </div>
          </div>
          <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
              <div class="footer_blog full white_fonts">
                <h3>Newsletter</h3>
                <p>Subscribe to ours newsletter!</p>

                <div class="newsletter_form">
                  <form method="POST" action="exchange.html">
                    <input type="text" placeholder="Your Email" id="newsletterEmail" name="newsletterEmail">

```

[illegible]

```

<script src="js/slider-index.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/form-validator.min.js"></script>
<script src="js/contact-form-script.js"></script>
<script src="js/isotope.min.js"></script>
<script src="js/images-loded.min.js"></script>
<script src="js/custom.js"></script>
<script src="js/main.js"></script>

</body>

</html>

```

## 2c4 services.html

```

<!DOCTYPE html>
<html lang="en">
<!-- Basic -->

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <!-- Mobile Metas -->
    <meta name="viewport" content="width=device-width, minimum-
scale=1.0, maximum-scale=1.0, user-scalable=no">

    <!-- Site Metas -->
    <title>Exchange Currency - Services</title>
    <meta name="keywords" content="services, mobile apps, wallet, safe, secure">
    <meta name="description" content="Here is the list of our services!">
    <meta name="author" content="Jana Matovic">

    <!-- Site Icons -->
    <link rel="shortcut icon" href="#" type="image/x-icon" />
    <link rel="apple-touch-icon" href="#" />

    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="css/bootstrap.min.css" />
    <!-- Pogo Slider CSS -->
    <link rel="stylesheet" href="css/pogo-slider.min.css" />
    <!-- Site CSS -->
    <link rel="stylesheet" href="css/style.css" />
    <!-- Responsive CSS -->
    <link rel="stylesheet" href="css/responsive.css" />

```

```

<!-- Custom CSS -->
<link rel="stylesheet" href="css/custom.css" />

<!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
    <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
<![endif]-->

</head>

<body id="inner_page" data-spy="scroll" data-target="#navbar-wd" data-offset="98">

    <!-- LOADER -->
    <div id="preloader">
        <div class="loader">
            
        </div>
    </div>
    <!-- end loader -->
    <!-- END LOADER -->

    <!-- Start header -->
    <header class="top-header">
        <div class="header_top">

            <div class="container">
                <div class="row">
                    <div class="logo_section">
                        <a class="navbar-brand" href="index.html"></a>
                    </div>
                    <div class="site_information">
                        <ul>
                            <li><a href="mailto:exchang@gmail.com">exchang@gmail.com</a></li>
                            <li><a href="tel:exchang@gmail.com">+7123569847</a></li>
                            <li><a class="join_bt" href="contact.html">Join us</a></li>
                        </ul>
                    </div>
                </div>
            </div>

```

```

        </div>

    </div>
    <div class="header_bottom">
        <div class="container">
            <div class="col-sm-12">
                <div class="menu_orange_section">
                    <nav class="navbar header-nav navbar-expand-lg">
                        <div class="menu_section">
                            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbar-wd" aria-controls="navbar-wd" aria-
expanded="false" aria-label="Toggle navigation">
                                <span></span>
                                <span></span>
                                <span></span>
                            </button>
                            <div class="collapse navbar-collapse justify-content-
end" id="navbar-wd">
                                <ul class="navbar-nav">

                                    </ul>
                            </div>
                        </div>
                    </nav>
                    <div class="search-box">
                        <input type="text" class="search-txt" placeholder="Search">
                        <a class="search-btn">
                            
                        </a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

</header>
<!-- End header -->

<!-- Start Banner -->
<div class="section inner_page_banner">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="banner_title">
                    <h3>Services</h3>

```

```

        </div>
    </div>
</div>
</div>
<!-- End Banner -->

<!-- section -->
<div class="section layout_padding">
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-12">
                <div class="full">
                    <div class="heading_main text_align_center">
                        <h2><span class="theme_color"></span>Services</h2>
                    </div>
                </div>
            </div>
        </div>
        <div class="row" id="usluge">

        </div>
        <div class="row" id="uslugeDodatno">

        </div>
        <div class="row margin-top_30">
            <div class="col-sm-12">
                <div class="full">
                    <div class="center">
                        <a class="main_bt" href="#" id="uslugeMore">See More
></a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- end section -->

<!-- Start Footer -->
<footer class="footer-box">
    <div class="container">
        <div class="row">
            <div class="col-md-12 white_fonts">
                <div class="row">

```



```

        <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
                
            </div>
        </div>
        <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
                <h3>Quick Links</h3>
            </div>
            <div class="full">
                <ul class="menu_footer">

                    </ul>
            </div>
        </div>
        <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
                <div class="footer_blog full white_fonts">
                    <h3>Newsletter</h3>
                    <p>Subscribe to ours newsletter!</p>

                    <div class="newsletter_form">
                        <form method="POST" action="services.html">
                            <input type="text" placeholder="Your Email" id="newsletterEmail" name="newsletterEmail">
                            <button id="newsletterDugme" type="button">
                                Submit</button>
                        </form>
                    </div>
                </div>
            </div>
        </div>
        <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
                <div class="footer_blog full white_fonts">
                    <h3>Contact us</h3>
                    <ul class="full" id="futerContactPodaci">

                        </ul>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
</footer>
<!-- End Footer -->

<div class="footer_bottom">
    <div class="container">
        <div class="row">
            <div class="col-12">
                <p class="crp">© Copyrights 2019 design by html.design</p>
            </div>
        </div>
    </div>
</div>

<a href="#" id="scroll-to-top" class="hvr-radial-out"><i class="fa fa-angle-up"></i></a>

<!-- ALL JS FILES -->
<script src="js/jquery.min.js"></script>
<script src="js/popper.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<!-- ALL PLUGINS -->
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/jquery.pogo-slider.min.js"></script>
<script src="js/slider-index.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/form-validator.min.js"></script>
<script src="js/contact-form-script.js"></script>
<script src="js/isotope.min.js"></script>
<script src="js/images-loded.min.js"></script>
<script src="js/custom.js"></script>
<script src="js/main.js"></script>

</body>

</html>

```

## 2c5 news.html

```

<!DOCTYPE html>
<html lang="en">
<!-- Basic -->

```

```

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <!-- Mobile Metas -->
  <meta name="viewport" content="width=device-width, minimum-
scale=1.0, maximum-scale=1.0, user-scalable=no">

  <!-- Site Metas -->
  <title>Exchange Currency - News</title>
  <meta name="keywords" content="news, bitcoin, ethereum, pandemic, europe, lig
ht">
  <meta name="description" content="Former Microsoft Engineer Says Nigerian Exp
atriates Are Using Bitcoin to Circumvent Country's Overvalued Exchange Rate">
  <meta name="author" content="Jana Matovic">

  <!-- Site Icons -->
  <link rel="shortcut icon" href="#" type="image/x-icon" />
  <link rel="apple-touch-icon" href="#" />

  <!-- Bootstrap CSS -->
  <link rel="stylesheet" href="css/bootstrap.min.css" />
  <!-- Pogo Slider CSS -->
  <link rel="stylesheet" href="css/pogo-slider.min.css" />
  <!-- Site CSS -->
  <link rel="stylesheet" href="css/style.css" />
  <!-- Responsive CSS -->
  <link rel="stylesheet" href="css/responsive.css" />
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/custom.css" />

  <!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></sc
ript>
    <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"><
/script>
    <![endif]-->

</head>

<body id="inner_page" data-spy="scroll" data-target="#navbar-wd" data-
offset="98">

  <!-- LOADER -->
  <div id="preloader">

```

```

        <div class="loader">
            
        </div>
    </div>
    <!-- end loader -->
    <!-- END LOADER -->

    <!-- Start header -->
    <header class="top-header">
        <div class="header_top">

            <div class="container">
                <div class="row">
                    <div class="logo_section">
                        <a class="navbar-
brand" href="index.html"></a>
                    </div>
                    <div class="site_information">
                        <ul>
                            <li><a href="mailto:exchang@gmail.com">exchang@gmail.com</a></li>
                            <li><a href="tel:exchang@gmail.com">+7123569847</a></li>
                            <li><a class="join_bt" href="contact.html">Join us</a
></li>
                        </ul>
                    </div>
                </div>
            </div>

        </div>
        <div class="header_bottom">
            <div class="container">
                <div class="col-sm-12">
                    <div class="menu_orange_section">
                        <nav class="navbar header-nav navbar-expand-lg">
                            <div class="menu_section">
                                <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbar-wd" aria-controls="navbar-wd" aria-
expanded="false" aria-label="Toggle navigation">
                                    <span></span>
                                    <span></span>
                                    <span></span>
                                </button>

```

```

                <div class="collapse navbar-collapse justify-content-
end" id="navbar-wd">
                    <ul class="navbar-nav">
                        <li><a class="nav-link" href="index.html">Home</a></li>
                        <li><a class="nav-link" href="about.html">About</a></li>
                        <li><a class="nav-
link" href="exchange.html">Exchange</a></li>
                        <li><a class="nav-
link" href="services.html">Services</a></li>
                        <li><a class="nav-link" href="new.html">News</a></li>
                        <li><a class="nav-
link" href="contact.html">Contact</a></li>
                    </ul>
                </div>
            </div>
            </nav>
            <div class="search-box">
                <input type="text" class="search-txt" placeholder="Search">
                <a class="search-btn">
                    
                </a>
            </div>
        </div>
    </div>
</div>
</header>
<!-- End header -->

<!-- Start Banner -->
<div class="section inner_page_banner">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="banner_title">
                    <h3>News</h3>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- End Banner -->

<!-- section -->

```

```

<div class="section layout_padding">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="full">
          <div class="heading_main text_align_center">
            <h2><span class="theme_color"></span>News</h2>
          </div>
        </div>
      </div>
    </div>
    <div class="row" id="vesti">

    </div>

    <div class="row" id="vestiDodatno">

    </div>
    <div class="row margin-top_30">
      <div class="col-sm-12">
        <div class="full">
          <div class="center">
            <a class="main_bt" href="#" id="vestiMore">See More >
</a>

            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
<!-- end section -->

<!-- Start Footer -->
<footer class="footer-box">
  <div class="container">
    <div class="row">
      <div class="col-md-12 white_fonts">
        <div class="row">
          <div class="col-sm-6 col-md-6 col-lg-3">
            <div class="full">
              
            </div>
          </div>
          <div class="col-sm-6 col-md-6 col-lg-3">

```

```

        <div class="full">
            <h3>Quick Links</h3>
        </div>
        <div class="full">
            <ul class="menu_footer">
                <li><a href="home.html">> Home</a></li>
                <li><a href="about.html">> About</a></li>
                <li><a href="exchange.html">> Exchange</a></li>
                <li><a href="services.html">> Services</a></li>
                <li><a href="new.html">> New</a></li>
                <li><a href="contact.html">> Contact</a></li>
            </ul>
        </div>
    </div>
    <div class="col-sm-6 col-md-6 col-lg-3">
        <div class="full">
            <div class="footer_blog full white_fonts">
                <h3>Newsletter</h3>
                <p>Subscribe to ours newsletter!</p>

                <div class="newsletter_form">
                    <form method="POST" action="news.html">
                        <input type="text" placeholder="Your Email" id="newsletterEmail" name="newsletterEmail">
                        <button id="newsletterDugme" type="button">
                            Submit</button>
                    </form>
                </div>
            </div>
        </div>
    </div>
    <div class="col-sm-6 col-md-6 col-lg-3">
        <div class="full">
            <div class="footer_blog full white_fonts">
                <h3>Contact us</h3>
                <ul class="full" id="futerContactPodaci">

                </ul>
            </div>
        </div>
    </div>
</div>
</div>

```

```

        </div>
    </div>
</footer>
<!-- End Footer -->

<div class="footer_bottom">
    <div class="container">
        <div class="row">
            <div class="col-12">
                <p class="crp">© Copyrights 2019 design by html.design</p>
            </div>
        </div>
    </div>
</div>

<a href="#" id="scroll-to-top" class="hvr-radial-out"><i class="fa fa-angle-up"></i></a>

<!-- ALL JS FILES -->
<script src="js/jquery.min.js"></script>
<script src="js/popper.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<!-- ALL PLUGINS -->
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/jquery.pogo-slider.min.js"></script>
<script src="js/slider-index.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/form-validator.min.js"></script>
<script src="js/contact-form-script.js"></script>
<script src="js/isotope.min.js"></script>
<script src="js/images-loded.min.js"></script>
<script src="js/custom.js"></script>
<script src="js/main.js"></script>

</body>

</html>

```

## 2c6 contact.html

```

<!DOCTYPE html>
<html Lang="en">
<!-- Basic -->

<head>

```



```

<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">

<!-- Mobile Metas -->
<meta name="viewport" content="width=device-width, minimum-
scale=1.0, maximum-scale=1.0, user-scalable=no">

<!-- Site Metas -->
<title>Exchange Currency - Contact Us</title>
<meta name="keywords" content="contact, exchange, currency, email, address">
<meta name="description" content="Contact us if you have any questions about
currency or exchange!">
<meta name="author" content="Jana Matovic">

<!-- Site Icons -->
<link rel="shortcut icon" href="#" type="image/x-icon" />
<link rel="apple-touch-icon" href="#" />

<!-- Bootstrap CSS -->
<link rel="stylesheet" href="css/bootstrap.min.css" />
<!-- Pogo Slider CSS -->
<link rel="stylesheet" href="css/pogo-slider.min.css" />
<!-- Site CSS -->
<link rel="stylesheet" href="css/style.css" />
<!-- Responsive CSS -->
<link rel="stylesheet" href="css/responsive.css" />
<!-- Custom CSS -->
<link rel="stylesheet" href="css/custom.css" />

<!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></sc
ript>
    <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"><
/script>
<![endif]-->

</head>

<body id="inner_page" data-spy="scroll" data-target="#navbar-wd" data-
offset="98">

<!-- LOADER -->
<div id="preloader">
    <div class="loader">
        

```

```
</div>
</div>
<!-- end loader -->
<!-- END LOADER -->

<!-- Start header -->
<header class="top-header">
  <div class="header_top">

    <div class="container">
      <div class="row">
        <div class="logo_section">
          <a class="navbar-brand" href="index.html"></a>
        </div>
        <div class="site_information">
          <ul>
            <li><a href="mailto:exchang@gmail.com">exchang@gmail.com</a></li>
            <li><a href="tel:exchang@gmail.com">+7123569847</a></li>
            <li><a class="join_bt" href="contact.html">Join us</a></li>
          </ul>
        </div>
      </div>
    </div>

  </div>
  <div class="header_bottom">
    <div class="container">
      <div class="col-sm-12">
        <div class="menu_orange_section">
          <nav class="navbar header-nav navbar-expand-lg">
            <div class="menu_section">
              <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbar-wd" aria-controls="navbar-wd" aria-expanded="false" aria-label="Toggle navigation">
                <span></span>
                <span></span>
                <span></span>
              </button>
              <div class="collapse navbar-collapse justify-content-end" id="navbar-wd">
                <ul class="navbar-nav">
```

```
</ul>
</div>
</div>
</nav>
<div class="search-box">
  <input type="text" class="search-txt" placeholder="Search">
  <a class="search-btn">
    
  </a>
</div>
</div>
</div>
</div>
</div>
</div>
</header>
<!-- End header -->

<!-- Start Banner -->
<div class="section inner_page_banner">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="banner_title">
          <h3>Contact</h3>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
<!-- End Banner -->

<!-- section -->
<div class="section layout_padding">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="full">
          <div class="heading_main text_align_center">
            <h2><span class="theme_color"></span>Contact</h2>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

```

        </div>
    </div>
    <!-- end section -->

    <!-- contact_form -->
    <div class="section contact_form">
        <div class="container">
            <div class="row">
                <div class="col-lg-6 col-sm-12 offset-lg-3">
                    <div class="full">
                        <form class="contact_form_inner" method="POST" action="index.html" id="contactForm">
                            <fieldset>
                                <div class="field">
                                    <input type="text" id="name" name="name" placeholder="Your name" />
                                </div>
                                <div class="field">
                                    <input type="text" id="email" name="email" placeholder="Email" />
                                </div>
                                <div class="field">
                                    <input type="text" id="phone" name="phone_no" placeholder="Phone number" />
                                </div>
                                <div class="field">
                                    <textarea id="message" placeholder="Message">
                                </textarea>
                                </div>
                                <div class="field center">
                                    <button id="contactFormDugme" type="button">
                                        SEND</button>
                                </div>
                            </div>
                        </fieldset>
                    </form>
                </div>
            </div>
        </div>
    </div>
    <!-- end contact_form -->

    <!-- Start Footer -->
    <footer class="footer-box">
        <div class="container">

```

```

<div class="row">
  <div class="col-md-12 white_fonts">
    <div class="row">
      <div class="col-sm-6 col-md-6 col-lg-3">
        <div class="full">
          
        </div>
      </div>
      <div class="col-sm-6 col-md-6 col-lg-3">
        <div class="full">
          <h3>Quick Links</h3>
        </div>
        <div class="full">
          <ul class="menu_footer">

            </ul>
        </div>
      </div>
      <div class="col-sm-6 col-md-6 col-lg-3">
        <div class="full">
          <div class="footer_blog full white_fonts">
            <h3>Newsletter</h3>
            <p>Subscribe to ours newsletter!</p>

            <div class="newsletter_form">
              <form method="POST" action="contact.html">
                <input type="text" placeholder="Your Email" id="newsletterEmail" name="newsletterEmail">
                <button id="newsletterDugme" type="button">Submit</button>
              </form>
            </div>
          </div>
        </div>
      </div>
      <div class="col-sm-6 col-md-6 col-lg-3">
        <div class="full">
          <div class="footer_blog full white_fonts">
            <h3>Contact us</h3>
            <ul class="full" id="futerContactPodaci">

            </ul>
          </div>
        </div>
      </div>
    </div>
  </div>

```



```

<!-- Basic -->

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <!-- Mobile Metas -->
  <meta name="viewport" content="width=device-width, minimum-
scale=1.0, maximum-scale=1.0, user-scalable=no">

  <!-- Site Metas -->
  <title>Exchange Currency - Autor</title>
  <meta name="keywords" content="autor, jana, matovic, ict, student">
  <meta name="description" content="This page is about me, my info, my goals!">
  <meta name="author" content="Jana Matovic">

  <!-- Site Icons -->
  <link rel="shortcut icon" href="#" type="image/x-icon" />
  <link rel="apple-touch-icon" href="#" />

  <!-- Bootstrap CSS -->
  <link rel="stylesheet" href="css/bootstrap.min.css" />
  <!-- Pogo Slider CSS -->
  <link rel="stylesheet" href="css/pogo-slider.min.css" />
  <!-- Site CSS -->
  <link rel="stylesheet" href="css/style.css" />
  <!-- Responsive CSS -->
  <link rel="stylesheet" href="css/responsive.css" />
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/custom.css" />

  <!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></sc
ript>
    <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"><
/script>
    <![endif]-->

</head>

<body id="inner_page" data-spy="scroll" data-target="#navbar-wd" data-
offset="98">

  <!-- LOADER -->
  <div id="preloader">

```

```

        <div class="loader">
            
        </div>
    </div>
    <!-- end loader -->
    <!-- END LOADER -->

    <!-- Start header -->
    <header class="top-header">
        <div class="header_top">

            <div class="container">
                <div class="row">
                    <div class="logo_section">
                        <a class="navbar-
brand" href="index.html"></a>
                    </div>
                    <div class="site_information">
                        <ul>
                            <li><a href="mailto:exchang@gmail.com">exchang@gmail.com</a></li>
                            <li><a href="tel:exchang@gmail.com">+7123569847</a></li>
                            <li><a class="join_bt" href="contact.html">Join us</a
></li>
                        </ul>
                    </div>
                </div>
            </div>

        </div>
        <div class="header_bottom">
            <div class="container">
                <div class="col-sm-12">
                    <div class="menu_orange_section">
                        <nav class="navbar header-nav navbar-expand-lg">
                            <div class="menu_section">
                                <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbar-wd" aria-controls="navbar-wd" aria-
expanded="false" aria-label="Toggle navigation">
                                    <span></span>
                                    <span></span>
                                    <span></span>
                                </button>

```



```

        <div class="collapse navbar-collapse justify-content-
end" id="navbar-wd">
            <ul class="navbar-nav">

                </ul>
            </div>
        </div>
    </nav>
    <div class="search-box">
        <input type="text" class="search-txt" placeholder="Search">
        <a class="search-btn">
            
        </a>
    </div>
</div>
</div>
</div>

</header>
<!-- End header -->

<!-- Start Banner -->
<div class="section inner_page_banner">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="banner_title">
                    <h3>Autor</h3>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- End Banner -->

<!-- section -->
<div class="section layout_padding">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="full">
                    <div class="heading_main text_align_center">
                        <h2><span class="theme_color"></span>Autor</h2>
                    </div>

```

```

        </div>
    </div>
</div>
<!-- end section -->

<!-- contact_form -->
<div class="section">
    <div class="container">
        <div class="row">
            <div class="col-md-6">
                <div class="full text_align_right_img">
                    
                </div>
            </div>
            <div class="col-md-6 layout_padding">
                <div class="full padddding_left_15">
                    <div class="heading_main text_align_left">
                        <h2><span class="theme_color">Malo</span> 0 Meni</h2>

                        </div>
                    </div>
                    <div class="full padddding_left_15">
                        <p>Zovem se Jana Matović i rođena sam u Prijepolju. Završ
ila sam Prijepoljsku gimnaziju, prirodno - matematički smer. Oduvek sam bila odus
evljena računarima, pa sam zbog toga i upisala programiranje. Pored maternjeg jez
ika, znam engleski i malo nemački.</p>
                    </div>
                </div>
            </div>
        </div>
    </div>
<!-- end contact_form -->

<!-- Start Footer -->
<footer class="footer-box">
    <div class="container">
        <div class="row">
            <div class="col-md-12 white_fonts">
                <div class="row">
                    <div class="col-sm-6 col-md-6 col-lg-3">
                        <div class="full">
                            

```

[illegible]

```

<div class="footer_bottom">
  <div class="container">
    <div class="row">
      <div class="col-12">
        <p class="crp">© Copyrights 2019 design by html.design</p>
      </div>
    </div>
  </div>
</div>

<a href="#" id="scroll-to-top" class="hvr-radial-out"><i class="fa fa-angle-up"></i></a>

<!-- ALL JS FILES -->
<script src="js/jquery.min.js"></script>
<script src="js/popper.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<!-- ALL PLUGINS -->
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/jquery.pogo-slider.min.js"></script>
<script src="js/slider-index.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/form-validator.min.js"></script>
<script src="js/contact-form-script.js"></script>
<script src="js/isotope.min.js"></script>
<script src="js/images-loded.min.js"></script>
<script src="js/custom.js"></script>
<script src="js/main.js"></script>

</body>

</html>

```

## 2c8 sitemap.xml

```

<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
    <loc>https://janamatovic66.github.io/wp1sajt/index.html</loc>
  </url>
</urlset>

```

```

        <lastmod>2020-12-4</lastmod>
        <changefreq>daily</changefreq>
        <priority>1</priority>
    </url>
    <url>
        <loc>https://janamatovic66.github.io/wp1sajt/services.html</loc>
        <lastmod>2020-12-4</lastmod>
        <changefreq>weekly</changefreq>
        <priority>0.9</priority>
    </url>
    <url>
        <loc>https://janamatovic66.github.io/wp1sajt/exchange.html</loc>
        <lastmod>2020-12-4</lastmod>
        <changefreq>weekly</changefreq>
        <priority>0.9</priority>
    </url>
    <url>
        <loc>https://janamatovic66.github.io/wp1sajt/news.html</loc>
        <lastmod>2020-12-4</lastmod>
        <changefreq>weekly</changefreq>
        <priority>0.9</priority>
    </url>
    <url>
        <loc>https://janamatovic66.github.io/wp1sajt/about.html</loc>
        <lastmod>2020-12-4</lastmod>
        <changefreq>monthly</changefreq>
        <priority>0.7</priority>
    </url>
    <url>
        <loc>https://janamatovic66.github.io/wp1sajt/autor.html</loc>
        <lastmod>2020-12-4</lastmod>
        <changefreq>monthly</changefreq>
        <priority>0.65</priority>
    </url>
    <url>
        <loc>https://janamatovic66.github.io/wp1sajt/contact.html</loc>
        <lastmod>2020-12-4</lastmod>
        <changefreq>yearly</changefreq>
        <priority>0.55</priority>
    </url></urlset>

```

## 2d JavaScript

### 2d1 main.js

```
$(document).ready(function(){
```

```
    navigacija()
    futerNavigacija()
    futerContactPodaci()

    $("#newsletterDugme").click(newsletterProvera)

    let page = window.location.href

    if(page.indexOf('index.html') != -1){

        uslugeIndex()
        vestiIndex()

        $("#indexFormaDugme").click(FormaProvera)

    }

    if(page.indexOf('services.html') != -1){

        usluge()

    }

    if(page.indexOf('news.html') != -1){

        vesti()

    }

    if(page.indexOf('contact.html') != -1){

        $("#contactFormaDugme").click(FormaProvera)

    }
    else{
        uslugeIndex()
        vestiIndex()

        $("#indexFormaDugme").click(FormaProvera)
    }

    function navigacija(){

        let navText = [
```

```

        'Home',
        'About',
        'Exchange',
        'Services',
        "News",
        "Contact"
    ]

    let navHref = [
        'index.html',
        'about.html',
        'exchange.html',
        'services.html',
        "news.html",
        "contact.html"
    ]

    let nav = document.getElementById("navbar-wd")
    let html = "<ul class='navbar-nav'>"
    for(let i = 0; i < navText.length; i++){
        html += `<li><a class='nav-
link' href='${navHref[i]}'>${navText[i]}</a></li>`
    }

    html += '</ul>';
    nav.innerHTML = html
}

function futerNavigacija(){

    let navText = [
        '> Home',
        '> About',
        '> Exchange',
        '> Services',
        "> News",
        "> Contact",
        "> O Autoru",
        "> Dokumentacija"
    ]

    let navHref = [
        'index.html',
        'about.html',
        'exchange.html',

```

```

        'services.html',
        "news.html",
        "contact.html",
        "autor.html",
        "dokumentacija.pdf"
    ]

    let nav = document.querySelector(".menu_footer")
    let html = ""
    for(let i = 0; i < navText.length; i++){
        html += `<li><a href='${navHref[i]}'>${navText[i]}</a></li>`
    }

    nav.innerHTML = html
}

function futerContactPodaci(){

    let text = [
        'London 145<br>United Kingdom',
        'demo@gmail.com',
        '+12586954775',
    ]

    let img = [
        'images/i5.png',
        'images/i6.png',
        'images/i7.png',
    ]

    let futerContactPodaci = document.querySelector("#futerContactPodaci")
    let html = ""
    for(let i = 0; i < text.length; i++){
        html += `<li><img src='${img[i]}'><span>${text[i]}</span></li>`
    }

    futerContactPodaci.innerHTML = html
}

function uslugeIndex(){

    let uslugeText = [
        'Safe & Secure',
        "Mobile Apps",
        "Wallet",
    ]

```



```

        "Experts Support"
    ]

    let uslugeImg = [
        'images/s1.png',
        'images/s2.png',
        'images/s3.png',
        'images/s4.png'
    ]

    let usluge = document.getElementById("indexUsluge")
    let html = ""
    for(let i = 0; i < uslugeText.length; i++){
        html += `
            <div class="col-md-3 col-sm-6 col-xs-12">
                <div class="full services_blog">
                    
                    <h4>${uslugeText[i]}</h4>
                </div>
            </div>`
    }

    usluge.innerHTML = html
}

function vestiIndex(){

    let vestiText = [
        'Former Microsoft Engineer Says Nigerian Expatriates Are Using Bitcoin to Circumvent Country’s Overvalued Exchange Rate',
        "Institutional money may propel Bitcoin to $250K in one year's time, says macro investor",
        "New Research Suggests Satoshi Nakamoto Lived in London Creating Bitcoin"
    ]

    let vestiImg = [
        'images/b1.png',
        'images/b2.png',
        'images/b3.png'
    ]

    let vestiNaslov = [
        'Bitcoin News',
        'Ethereum News',

```

```

        'Light News'
    ]

    let vesti = document.getElementById("vestiIndex")
    let html = ""
    for(let i = 0; i < vestiText.length; i++){
        html += `
            <div class="col-md-4 col-sm-6 col-xs-12">
                <div class="full news_blog">
                    
                    <div class="overlay"><a class="main_bt transparent" h
ref="news.html">View</a></div>
                    <div class="blog_details">
                        <h3>${vestiNaslov[i]}</h3>
                        <p>${vestiText[i]}</p>
                    </div>
                </div>`
    }

    vesti.innerHTML = html
}

function FormaProvera(){

    let markerName = false
    let markerEmail = false
    let markerPhone = false
    let markerMessage = false

    let name = $("#name")
    let email = $("#email")
    let phone = $("#phone")
    let message = $("#message")

    let nameReg = /^[A-zšđčćž]{3,}$/
    let emailReg = /^\\w([\\.-]?\\w+\\d*)*@\\w+\\.\\w{2,6}$/
    let phoneReg = /^(06)[0-9][0-9]{6,7}$/

    if(name.val() == ''){
        name.css({
            'border': '4px solid crimson'
        })
        name.val('')
        name.attr('placeholder', 'Ime mora biti uneto')
    }

```

```

    } else if(!nameReg.test(name.val())){
        name.css({
            'border': '4px solid crimson'
        })
        name.val('')
        name.attr('placeholder', 'Ime mora imati najmanje 3 slova(Iva, ana)')
    } else{
        name.css({
            'border': 'none'
        })
        markerName = true
        name.attr('placeholder', 'Your name')
    }

    if(email.val() == ''){
        email.css({
            'border' : '4px solid crimson'
        })
        email.val('')
        email.attr('placeholder', 'Email mora biti unet!')
    } else if(!emailReg.test(email.val())){
        email.css({
            'border': '4px solid crimson'
        })
        email.val('')
        email.attr('placeholder', 'Email nije u dobrom formatu(pera@gmail.com)')
    } else{
        email.css({
            'border': 'none'
        })
        markerEmail = true
        email.attr('placeholder', 'Your email')
    }

    if(phone.val() == ''){
        phone.css({
            'border' : '4px solid crimson'
        })
        phone.val('')
        phone.attr('placeholder', 'Telefon mora biti unet!')
    } else if(!phoneReg.test(phone.val())){
        phone.css({
            'border': '4px solid crimson'
        })
    }

```

```

        phone.val('')
        phone.attr('placeholder', 'Telefon nije u dobrom formatu(060123456/06
01234567')
    } else{
        phone.css({
            'border': 'none'
        })
        markerPhone = true
        phone.attr('placeholder', 'Phone number')
    }

    if(message.val() == ''){
        message.css({
            'border' : '4px solid crimson'
        })
        message.val('')
        message.attr('placeholder', 'Poruka mora biti uneta!')
    } else{
        message.css({
            'border': 'none'
        })
        markerMessage = true
        message.attr('placeholder', 'Message')
    }

    if(markerName && markerEmail && markerPhone && markerMessage){
        alert("Podaci su ispravno popunjeni i poslati!")
        name.val('')
        email.val('')
        phone.val('')
        message.val('')
    }
}

function usluge(){

    let uslugeText = [
        'Safe & Secure',
        "Mobile Apps",
        "Wallet",
        "Experts Support"
    ]

    let uslugeTextDodatno = [
        'Bitcoin Transfers',

```

```

        "Dekstop Apps",
        "24/7 Support",
        "Safe & Secure"
    ]

    let uslugeImg = [
        'images/s1.png',
        'images/s2.png',
        'images/s3.png',
        'images/s4.png'
    ]

    let uslugeImgDodatno = [
        'images/s1.png',
        'images/s2.png',
        'images/s3.png',
        'images/s4.png'
    ]

    let html = ""

    for(let i = 0; i < uslugeText.length; i++){

        html += `
            <div class="col-md-3 col-sm-6 col-xs-12">
                <div class="full services_blog">
                    
                    <h4>${uslugeText[i]}</h4>
                </div>
            </div>`
    }

    document.getElementById("usluge").innerHTML = html

    let htmlDodatno = ""

    for(let x = 0; x < uslugeTextDodatno.length; x++){

        htmlDodatno += `<div class="col-md-3 col-sm-6 col-xs-12">
            <div class="full services_blog">
                
                <h4>${uslugeTextDodatno[x]}</h4>
            </div>
        </div>`
    }

```

```

}

document.getElementById("uslugeDodatno").innerHTML = htmlDodatno

$("#uslugeDodatno").hide()

$("#uslugeMore").click(function(e){

    e.preventDefault()

    if($("#uslugeDodatno").is(":visible")){

        $("#uslugeDodatno").slideUp(500)
        $("#uslugeMore").html("See More >")

    }else{

        $("#uslugeDodatno").slideDown(500)
        $("#uslugeMore").html("See Less >")

    }

})

}

function vesti(){

    let vestiNaslov = [
        'Bitcoin News',
        "Ethereum News",
        "Light News",
        "Experts News",
        'Pandemic News',
        'Europe News'
    ]

    let vestiNaslovDodatno = [
        'Bitcoin News',
        "Ethereum News",
        "Light News",
        "Experts News",
        'Pandemic News',
        'Europe News'
    ]
}

```

```
Let vestiText = [  
    'Former Microsoft Engineer Says Nigerian Expatriates Are Using Bitcoin to Circumvent Country's Overvalued Exchange Rate',  
    "Institutional money may propel Bitcoin to $250K in one year's time, says macro investor",  
    "New Research Suggests Satoshi Nakamoto Lived in London Creating Bitcoin",  
    'Crude Oil Prices Retreat ahead of OPEC+ Meeting, US Blacklists CNOOC',  
    'S&P 500 May Rise Further, Fed-Treasury Affray Brushed Aside for Now',  
    'Nasdaq 100, Hang Seng Weekly Open: Markets Recede from Recent Highs'  
]
```

```
Let vestiTextDodatno = [  
    'Former Microsoft Engineer Says Nigerian Expatriates Are Using Bitcoin to Circumvent Country's Overvalued Exchange Rate',  
    "Institutional money may propel Bitcoin to $250K in one year's time, says macro investor",  
    "New Research Suggests Satoshi Nakamoto Lived in London Creating Bitcoin",  
    'Crude Oil Prices Retreat ahead of OPEC+ Meeting, US Blacklists CNOOC',  
    'S&P 500 May Rise Further, Fed-Treasury Affray Brushed Aside for Now',  
    'Nasdaq 100, Hang Seng Weekly Open: Markets Recede from Recent Highs'  
]
```

```
Let vestiImg = [  
    'images/b1.png',  
    'images/b2.png',  
    'images/b3.png',  
    'images/b1.png',  
    'images/b2.png',  
    'images/b3.png'  
]
```

```
Let vestiImgDodatno = [  
    'images/b1.png',  
    'images/b2.png',  
    'images/b3.png',  
    'images/b1.png',  
    'images/b2.png',  
    'images/b3.png'
```

```

]

let html = ""

for(let i = 0; i < vestiNaslov.length; i++){

    html += `<div class="col-md-4 col-sm-6 col-xs-12">
        <div class="full news_blog">
            
            <div class="blog_details">
                <h3>${vestiNaslov[i]}</h3>
                <p>${vestiText[i]}</p>
            </div>
        </div>
    </div>`
}

document.getElementById("vesti").innerHTML = html

let htmlDodatno = ""

for(let x = 0; x < vestiNaslovDodatno.length; x++){

    htmlDodatno += `<div class="col-md-4 col-sm-6 col-xs-12">
        <div class="full news_blog">
            
            <div class="blog_details">
                <h3>${vestiNaslovDodatno[x]}</h3>
                <p>${vestiTextDodatno[x]}</p>
            </div>
        </div>
    </div>`
}

document.getElementById("vestiDodatno").innerHTML = htmlDodatno

$("#vestiDodatno").hide()

$("#vestiMore").click(function(e){

    e.preventDefault()

```



```

        if($("#vestiDodatno").is(":visible")){

            $("#vestiDodatno").slideUp(500)
            $("#vestiMore").html("See More >")

        }else{

            $("#vestiDodatno").slideDown(500)
            $("#vestiMore").html("See Less >")

        }
    })
}

function newsletterProvera(){

    let marker = false

    let email = $("#newsletterEmail")

    let emailReg = /^\\w([\\.-]?\\w+\\d*)*@\\w+\\.\\w{2,6}$/

    if(email.val() == ''){
        email.css({
            'border' : '4px solid crimson'
        })
        marker = false
        email.val('')
        email.attr('placeholder', 'Email mora biti unet!')
    } else if(!emailReg.test(email.val())){
        email.css({
            'border': '4px solid crimson'
        })
        marker = false
        email.val('')
        email.attr('placeholder', 'Email nije u dobrom formatu(pera@gmail.com)')
    } else{
        email.css({
            'border': 'none'
        })
        marker = true
        email.attr('placeholder', 'Your email')
    }
}

```

```
        if(marker == true){  
            alert("Podaci su ispravno popunjeni i poslali!")  
            email.val('')  
        }  
    }  
})
```