EX NO: 08	Develop an application to change the font and colour of the text and display toast message when the user presses the button.
DATE:	

AIM:

To develop an Android application that allows the user to change the font and colour of text displayed on the screen and display a Toast message when a button is pressed.

ALGORITHM:

1.Initialize the Android Application:

o Set up a new Android project in Android Studio.

o Create a Main Activity Java file for the main screen of the application.

2. Design the User Interface (UI):

o In the XML layout file, add the following UI components:

Text View: For displaying the text whose font and colour will be changed.

Button: To trigger the change in font and colour, and show a Toast message.

Spinner or Colour Picker: To let the user choose a colour (optional, or a simple button for a predefined colour change).

Radio Buttons or a Dropdown Menu to select different font styles (optional).

3. Declare Variables:

o Create references for the TextView, Button, Colour Picker (if used), and Radio Buttons (if used to change font style).

o Define variables for the font style, colour, and the message to display in the Toast.

4. Set Event Listener for the Button:

o Set an On Click Listener for the Button.

o Inside the on Click() method, write the logic to:

Change the font of the Text View based on the selected font style.

Change the colour of the Text View based on the selected colour.

Display a Toast message indicating the action has been performed.

5. Implement Font Style Changes:

o Change the Text View's font using set Type face() to apply a selected font style

(e.g., bold, italic).

o You can either use predefined styles (like Typeface.BOLD or Typeface.ITALIC) or let the user choose from a list of font styles.

6. Implement Color Change:

o Change the TextView's text color by using the setTextColor() method and applying the selected color (e.g., Color.RED, Color.BLUE, or a color from the Color Picker).

o If using a color picker or dropdown, get the selected color and set it on the TextView.

7. Show Toast Message:

o Display a Toast message to the user when the button is clicked, informing them that the text style or color has changed. You can also show a message like "Font and color changed!" or any other appropriate message.

8. End the Operation:

o After the changes are made, the application will display the updated TextView

with the new font and color, and the Toast message will appear to provide feedback.

CODE:

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>AIML Department Website</title>

<style>

body {

   font-family: Arial, sans-serif;

   background: linear-gradient(to right, #1e3c72, #2a5298);

   text-align: center;

   color: white;

}

.container {

   background: white;

   color: black;

   padding: 30px;

   margin: 50px auto;

   width: 50%;

   border-radius: 10px;

   box-shadow: 0 0 15px rgba(0,0,0,0.3); }
```

```
h1 {
    color: #00c6ff;
}
select, input {
    padding: 10px;
    margin: 10px;
    width: 200px;
}
button {
    padding: 10px 20px;
    background: #007BFF;
    color: white;
    border: none;
    border-radius: 5px;
    cursor: pointer;
}
button:hover {
    background: #0056b3;
}
#outputText {
    margin-top: 20px;
    font-size: 18px;
    padding: 10px;
    border: 1px solid #ccc;
}
#toast {
```

```
    visibility: hidden;
    min-width: 250px;
    background-color: #333;
    color: #fff;
    text-align: center;
    border-radius: 5px;
    padding: 15px;
    position: fixed;
    bottom: 30px;
    left: 50%;
    transform: translateX(-50%);
}
#toast.show {
    visibility: visible;
    animation: fadein 0.5s, fadeout 0.5s 2.5s;
}
@keyframes fadein {
    from {bottom: 0; opacity: 0;}
    to {bottom: 30px; opacity: 1;}
}
@keyframes fadeout {
    from {opacity: 1;}
    to {opacity: 0;}
}
</style>
</head> <body>
```

```
<h1>AIML Department Website</h1>
<div class="container">
   <h3>Customize Your Text</h3>
<label>Select Font:</label>
   <select id="fontSelect">
      <option value="Arial">Arial</option>
      <option value="Courier New">Courier New</option>
      <option value="Times New Roman">Times New Roman</option>
      <option value="Verdana">Verdana</option>
   </select>
  <label>Select Color:</label>
   <select id="colorSelect">
      <option value="black">Black</option>
      <option value="green">Green</option>
      <option value="blue">Blue</option>
      <option value="red">Red</option>
   </select>
  <br><br>
  <input type="text" id="textInput" value="Welcome to the AIML Department
Website!">
<br><br>
<button onclick="applyChanges()">Apply Changes</button>
<div id="outputText">
      Welcome to the AIML Department Website!
   </div>
</div>
<div id="toast">Changes applied successfully!</div>
```

```
<script>
function applyChanges() {
   let font = document.getElementById("fontSelect").value;
   let color = document.getElementById("colorSelect").value;
   let text = document.getElementById("textInput").value;
 let output = document.getElementById("outputText");
   output.style.fontFamily = font;
   output.style.color = color;
   output.innerText = text;
   let toast = document.getElementById("toast");
   toast.className = "show";
setTimeout(function(){
      toast.className = toast.className.replace("show", "");
   }, 3000);
}
</script>
</body>
</html>
```

OUTPUT:



RESULT:

An mobile application is developed in Android studio to change the font and color of the text and display toast message when the user presses the button.