EXP.NO: 3	Write a Servlet program that prints "Hello, World!" when accessed through a browser.
DATE:10/02/2026	

AIM:

To write a basic Servlet program that demonstrates the use of Java Servlets by printing "Hello, World!" when accessed through a browser.

ALGORITHM:

1. Input:

- The user makes an HTTP request (usually by entering a URL) through a browser.

2. Servlet Program Flow:

1. **Create a Servlet Class:**
   - Define a Java class that extends the HttpServlet class.
   - Override the doGet() method, which handles HTTP GET requests from the client (browser).
2. **Handle HTTP Request:**
   - In the doGet() method:
     - Get the **PrintWriter** object to write the response to the browser.
     - Set the response content type to **text/html**.
     - Write the **"Hello, World!"** message to the response.
3. **Compile the Servlet Class:**
   - Compile the Java Servlet file using the javac command to generate a .class file.
4. **Deploy the Servlet:**
   - Place the compiled servlet class file in the appropriate directory of the web application (typically in the /WEB-INF/classes folder).
   - Configure the servlet in the web.xml file of the web application or use annotations.
5. **Access the Servlet via Browser:**
   - Start the **Apache Tomcat** or another servlet container.
   - Access the servlet by entering the appropriate URL (e.g., http://localhost:8080/your-webapp/hello).

Code:

HTML Servelet:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Hello World</title>

<style>
body {
  margin: 0;
  background: #0d0a07;
  color: #f0e8d8;
  font-family: serif;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
}

.box {
  border: 1px solid #c9a84c;
  padding: 40px;
  text-align: center;
  max-width: 500px;
}

h1 {
  font-size: 40px;
  color: #c9a84c;
}

p {
  font-size: 16px;
  margin: 20px 0;
```

```
}

button {
  padding: 10px 25px;
  border: 1px solid #c9a84c;
  background: transparent;
  color: #c9a84c;
  cursor: pointer;
}

button:hover {
  background: #c9a84c;
  color: black;
}
</style>
</head>

<body>

<div class="box">
  <h1>Hello, World!</h1>
  <p>Student Attendance Management System</p>
  <p>Powered by Java Servlets</p>
  <button>Enter</button>
</div>

</body>
</html>
```

Java Servelet:

import java.io.*; import javax.servlet.*; import javax.servlet.http.*;

/**

- HelloWorldServlet - Lab Experiment
- AIML Department Website
- Prints "Hello, World!" when accessed through a browser.

*/ public class HelloWorldServlet extends HttpServlet {

```
@Override
public void doGet(HttpServletRequest request, HttpServletResponse
response)
        throws ServletException, IOException {

    // Set the content type of the response
    response.setContentType("text/html");

    // Get the PrintWriter to write the response
    PrintWriter out = response.getWriter();

    // Write the HTML response
    out.println("<!DOCTYPE html>");
    out.println("<html lang='en'>");
    out.println("<head>");
    out.println("    <meta charset='UTF-8'>");
    out.println("    <title>Hello World - AIML Department</title>");
    out.println("    <style>");
    out.println("        body {");
    out.println("            margin: 0; min-height: 100vh;");
    out.println("            display: flex; justify-content: center;
align-items: center;");
    out.println("            background: linear-gradient(135deg,
#1a0533, #0d1b4b, #0a2a1a);");
    out.println("            font-family: Georgia, serif;");
    out.println("        }");
    out.println("        .box {");
    out.println("            text-align: center; padding: 60px
80px;");
    out.println("            border: 2px solid rgba(255,215,0,0.4);");
    out.println("            background: rgba(255,255,255,0.05);");
    out.println("        }");
    out.println("        h1 { font-size: 4rem; color: #FFD700; letter-
spacing: 4px; }");
    out.println("        p  { color: rgba(255,255,255,0.7); font-size:
1.1rem; }");
    out.println("        .dept { color: #a78bfa; letter-spacing: 3px;
```

```
font-size:0.9rem; }");
    out.println("    </style>");
    out.println("</head>");
    out.println("<body>");
    out.println("    <div class='box'>");
    out.println("        <h1>Hello, World!</h1>");
    out.println("        <p>Welcome to your first Java Servlet
Program</p>");
    out.println("        <p class='dept'>AIML DEPARTMENT &mdash; LAB
EXPERIMENT</p>");
    out.println("    </div>");
    out.println("</body>");
    out.println("</html>");

    out.close();
}

@Override
public void doPost(HttpServletRequest request, HttpServletResponse
response)
        throws ServletException, IOException {
    doGet(request, response);
}


}
```

Output:

RESULT:

The browser will display the message "Hello, World!" returned by the Servlet.