

CSA05-DATABASE MANAGEMENT SYSTEMS

LAB OBSERVATION

EXPERIMENT:05

AIM:

To view the records from the tables using SELECT commands with WHERE Clause and Pattern matching.

QUESTION:

1. The student counselor wanted to display the registration number, student name and date of birth for all the students.

SQL QUERIES:

```
mysql> SELECT RegNo, S1Name, DOB
-> FROM STUDENT2;
```

RegNo	S1Name	DOB
191711341	Anitha	2001-06-15
191711342	Bharath	2001-07-21
191711343	Charan	2000-11-05
191711344	Divya	2001-02-28
191711345	Eshwar	2000-09-12

5 rows in set (0.00 sec)

2. The controller of examinations wanted to list all the female students

SQL QUERIES:

```
mysql> SELECT *
-> FROM STUDENT2
-> WHERE Gender = 'F';
```

RegNo	S1Name	Gender	DOB	City
191711341	Anitha	F	2001-06-15	Salem
191711344	Divya	F	2001-02-28	Madurai
191711346	Fathima	F	2000-12-01	Trichy

3 rows in set (0.00 sec)

```
mysql> █
```

3. List the Students who registered for the "C001" course.

SQL QUERIES:

```
mysql> SELECT s.RegNo, s.SName, s.Gender, r.CourseNo
-> FROM STUDENT2 s
-> JOIN REGISTRATION r ON s.RegNo = r.RegNo
-> WHERE r.CourseNo = 'C001';
```

RegNo	SName	Gender	CourseNo
191711341	Anitha	F	C001
191711342	Bharath	M	C001
191711345	Eshwar	M	C001

3 rows in set (0.00 sec)

4. Display all faculty details joined before “November 2014”

SQL QUERIES:

```
mysql> SELECT *
-> FROM FACULTY
-> WHERE JoinDate < '2014-11-01';
```

FacNo	FacName	Gender	Salary	JoinDate
101	Mohan	M	60000	2012-07-15
102	Priya	F	58000	2013-03-22

2 rows in set (0.00 sec)

5. Display all the courses not allotted to hall ‘H001’

SQL QUERIES:

```
mysql> SELECT *
-> FROM COURSE
-> WHERE HallNo <> 'H001';
```

CourseNo	CourseName	HallNo	Credits
C002	Data Structures	H002	4
C003	Database Systems	H003	4
C004	Computer Networks	H002	3

3 rows in set (0.00 sec)

6. List the students whose name ends with the substring “sh”

SQL QUERIES:

```
mysql> SELECT RegNo, S1Name, City
-> FROM STUDENT2;
-> WHERE S1Name LIKE '%sh';
```

RegNo	S1Name	City
191711342	Bharath	Salem
191711345	Eshwar	Madurai

```
2 rows in set (0.00 sec)
```

7. Display all students whose name contains the substring "sh"

SQL QUERIES:

```
mysql> SELECT RegNo, S1Name, City
-> FROM STUDENT2
-> WHERE S1Name LIKE '%sh%';
```

RegNo	S1Name	City
191711342	Bharath	Salem
191711345	Eshwar	Madurai
191711348	Akshaya	Trichy

```
3 rows in set (0.00 sec)
```

8. Find all the students who are located in cities having "Sal" as substring

SQL QUERIES:

```
mysql> SELECT RegNo, S1Name, City
-> FROM STUDENT2
-> WHERE City LIKE '%Sāl%';
```

RegNo	S1Name	City
191711341	Anitha	Salem
191711342	Bharath	Salem

```
2 rows in set (0.00 sec)
```

9. Display the students whose names do not contain six letters.

SQL QUERIES:

```
mysql> SELECT RegNo, S1Name
-> FROM STUDENT2
-> WHERE LENGTH(S1Name) <> 6;
+-----+-----+
| RegNo   | S1Name   |
+-----+-----+
| 191711341 | Anitha   |
| 191711342 | Bharath  |
| 191711344 | Divya    |
| 191711345 | Eshwar   |
+-----+-----+
4 rows in set (0.00 sec)
```

10. Find all the students whose names contains "am".

SQL QUERIES:

```
mysql> SELECT RegNo, S1Name, City
-> FROM STUDENT2
-> WHERE S1Name LIKE '%am%';
+-----+-----+-----+
| RegNo   | S1Name   | City   |
+-----+-----+-----+
| 191711341 | Anitha Ram | Salem |
| 191711343 | Charan Kumar | Chennai |
+-----+-----+-----+
2 rows in set (0.00 sec)
```

RESULT:

The records from the tables are displayed using SELECT commands with WHERE Clause and Pattern matching.