

To Supply Leftover Food To Poor

College Name: Shri Nehru Maha Vidyalaya College Of Arts & Science.

TEAM ID: NM2025TMID20745

TEAM MEMBERS:

Team Leader Name: **DHARSHAN R**

Email: wantedm607@gmail.com

Team Member: **DHAKSHATHA T**

Email: dhakshatha020@gmail.com

Team Member: **JANANI V**

Email: jananimuthu4545@gmail.com

Team Member: **KISHORE C**

Email: kishorekingbolt583@gmail.com

1. INTRODUCTION

1.1 Project Overview

The project aims to connect **restaurants, events, and households with surplus food** to **NGOs and volunteers** using Salesforce. The goal is to reduce food wastage and ensure leftover food reaches poor and needy people efficiently.



1.2 Purpose

- Reduce food wastage by collecting surplus from restaurants, events, and households.
- Distribute leftover food to poor and needy communities efficiently.
- Use Salesforce to track donors, manage drop-off points, and monitor impact.
- Generate dashboards and reports to measure outreach and effectiveness.
- Promote social responsibility by connecting donors, NGOs, and volunteers seamlessly.

DEVELOPMENT PHASE

Creating Developer Account:

By using this URL - <https://www.salesforce.com/form/developer-signup/?d=pb>

The screenshot shows the Salesforce Developer Edition sign-up page. The left side features a dark blue background with the Salesforce logo at the top. Below it, large white text reads: "Build enterprise-quality apps fast and get hands-on with Agentforce and Data Cloud." Underneath, a button says "Sign up for your Developer Edition." To the right, the form fields are displayed in a grid. The first row contains "First name" (Sreethika) and "Last name" (R). The second row contains "Job title" (Student) and "Work email" (sreethikarajara...@salesforce.com). The third row contains "Company" (Shri Nehru Maha) and "Country/Region" (India). At the bottom, there is a note about org provisioning and a checkbox for agreeing to the Main Services Agreement.

OBJECT:

- **Created Objects:**

- ✓ Venue
- ✓ Drop-Off Point
- ✓ Task
- ✓ Volunteer
- ✓ Execution Detail

orgfarm-64fd927d70-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/01lgK0000024VX7/Details/view

The screenshot shows the Salesforce Object Manager interface for the 'Venue' object. The left sidebar lists various configuration options: Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions (which is selected), Compact Layouts, Field Sets, Object Limits, and Record Types. The main panel displays the 'Details' section for the 'Venue' object. It includes fields for Description, API Name (set to 'Venue__c'), Singular Label ('Venue'), and Plural Label ('Venues'). On the right, there are checkboxes for enabling Reports, Activities, and Field History, along with status indicators for Deployment and Help Settings. The URL in the browser bar is <https://orgfarm-64fd927d70-dev-ed.develop.lightning.force.com/one/one.app#/setup/ObjectManager/01lgK0000024VX7/ButtonsLinksActions/view>.

orgfarm-64fd927d70-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/01lgK0000024OvS/Details/view

The screenshot shows the Salesforce Object Manager interface for the 'Drop-Off Point' object. The left sidebar lists the same configuration options as the previous screenshot. The main panel displays the 'Details' section for the 'Drop-Off Point' object. It includes fields for Description, API Name (set to 'Drop_Off_Point__c'), Singular Label ('Drop-Off Point'), and Plural Label ('Drop-Off Points'). On the right, there are checkboxes for enabling Reports, Activities, and Field History, along with status indicators for Deployment and Help Settings. The URL in the browser bar is <https://orgfarm-64fd927d70-dev-ed.develop.lightning.force.com/one/one.app#/setup/ObjectManager/01lgK0000024OvS/Details/view>.

orgfarm-64fd927d70-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/01gK0000024VFB/Details/view

The screenshot shows the Salesforce Object Manager interface for the 'Task' object. The left sidebar lists various configuration tabs: Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main details pane shows the following configuration:

Details	
Description	
API Name	Task_c
Custom	✓
Singular Label	Task
Plural Label	Tasks
Enable Reports	✓
Track Activities	✓
Track Field History	✓
Deployment Status	Deployed
Help Settings	Standard salesforce.com Help Window

Buttons at the top right of the details pane include 'Edit' and 'Delete'.

orgfarm-64fd927d70-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/01gK0000024Vgn/Details/view

The screenshot shows the Salesforce Object Manager interface for the 'Volunteer' object. The left sidebar lists the same configuration tabs as the Task object. The main details pane shows the following configuration:

Details	
Description	
API Name	Volunteer_c
Custom	✓
Singular Label	Volunteer
Plural Label	Volunteers
Enable Reports	✓
Track Activities	✓
Track Field History	✓
Deployment Status	Deployed
Help Settings	Standard salesforce.com Help Window

Buttons at the top right of the details pane include 'Edit' and 'Delete'.

The screenshot shows the 'Object Manager' section of the Salesforce Setup. The left sidebar lists various object types like Fields & Relationships, Page Layouts, and Buttons, with 'Execution Detail' selected. The main area displays the 'Execution Detail' object's details. The 'Details' tab is active, showing fields such as API Name (Execution_Detail__c), Singular Label (Execution Detail), and Plural Label (Execution Details). On the right, there are checkboxes for configuration options like Enable Reports, Track Activities, and Deployment Status, all of which are checked. Buttons for 'Edit' and 'Delete' are at the top right.


● Created Tabs:

The screenshot shows the 'Custom Tabs' setup page. The left sidebar has a search bar and sections for Feature Settings (Analytics, Tableau, User Interface) and Tabs. The 'Tabs' section is expanded, showing a table of custom object tabs. The table has columns for Action, Label, Tab Style, and Description. Five tabs are listed: Drop-Off Points (Car), Execution Details (Cell phone), Tasks (Computer), Venues (Airplane), and Volunteers (Balls). Below this is a 'Web Tabs' section with a note that no web tabs have been defined.

Action	Label	Tab Style	Description
Edit Del	Drop-Off Points		Car
Edit Del	Execution Details		Cell phone
Edit Del	Tasks		Computer
Edit Del	Venues		Airplane
Edit Del	Volunteers		Balls

● Created a Lightning App

Created a HOMEPage



The screenshot shows the Salesforce Lightning App Builder interface. The top navigation bar includes a back arrow, forward arrow, a refresh icon, the URL 'orgfarm-64fd927d70-dev-ed.develop.lightning.force.com/lightning/setup/FlexiPageList/home', a search bar labeled 'Search Setup', and various system icons.

The left sidebar contains a 'Quick Find' search bar and a list of setup categories:

- Setup Home
- Salesforce Go
- Service Setup Assistant
- Commerce Setup Assistant
- Field Service Setup Home (Beta)
- Hyperforce Assistant
- Release Updates
- Salesforce Mobile App
- Lightning Usage
- Optimizer
- Sales Cloud Everywhere
- ADMINISTRATION

The main content area is titled 'Lightning App Builder' and displays a message about the Lightning App Builder's purpose. Below this is a table titled 'Lightning Pages'.

Lightning Pages

Action	Label	Name	Namespace Prefix	Description	Type	Created By	Last Modified By
Edit Clone Del	Bike Card	Bike_Card			App Page	sre	9/8/2025, 11:11 AM
Edit Clone Del	HOME Page	HOME_Page			Home Page	sre	9/8/2025, 6:33 AM
Edit Clone Del	Your Bike Selection	Your_Bike_Selection			App Page	sre	9/8/2025, 12:14 PM

FIELDS:

● Creation of Relationship fields in objects

The screenshot shows the Salesforce Setup interface with the URL <https://orgfarm-64fd927d70-dev-ed.lightning.force.com/lightning/setup/ObjectManager/01lgK0000024Vgn/FieldsAndRelationships/view>. The page title is "Volunteer". On the left, there's a sidebar with options like Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, and List View Button Layout. The main content area is titled "Fields & Relationships" and shows 13 items sorted by Field Label. The table has columns: FIELD LABEL, FIELD NAME, DATA TYPE, CONTROLLING FIELD, and INDEXED. The data includes:


FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Address	Address_c	Long Text Area(32768)		▼
Age	Age_c	Number(18, 0)		▼
Available On	Available_On_c	Date		▼
Contact Number	Contact_Number_c	Number(18, 0)		▼
Created By	CreatedBy	Lookup(User)		▼
Date of Birth	Date_of_Birth_c	Date		▼

● Creation of fields for the Venue object

The screenshot shows the Salesforce Setup interface with the URL <https://orgfarm-64fd927d70-dev-ed.lightning.force.com/lightning/setup/ObjectManager/01lgK0000024VX7/FieldsAndRelationships/view>. The page title is "Venue". On the left, there's a sidebar with options like Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, and a "Venue Location" entry under Related Lookup Filters. The main content area is titled "Fields & Relationships" and shows 8 items sorted by Field Label. The table has columns: FIELD LABEL, FIELD NAME, DATA TYPE, CONTROLLING FIELD, and INDEXED. The data includes:

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Contact Email	Contact_Email_c	Email		▼
Contact Phone	Contact_Phone_c	Phone		▼
Created By	CreatedBy	Lookup(User)		▼
Last Modified By	LastModifiedBy	Lookup(User)		▼
Location	Location_c	Geolocation		▼
Owner	OwnerId	Lookup(User,Group)		▼
Venue Location	Venue_Location_c	Long Text Area(32768)		▼


● Creation of fields for the Drop-Off point object



The screenshot shows the Salesforce Setup interface for the 'Object Manager' under 'Drop-Off Point'. The left sidebar lists various setup options like Page Layouts, Lightning Record Pages, and Field Sets. The main area is titled 'Fields & Relationships' and displays a table of fields. The table columns are: FIELD LABEL, FIELD NAME, DATA TYPE, CONTROLLING FIELD, and INDEXED. The fields listed are: Created By (CreatedBy, Lookup(User)), Distance (Distance_c, Number(14, 4)), distance calculation (distance_calculation_c, Formula (Number)), Drop-Off Point Name (Name, Text(80)), Last Modified By (LastModifiedBy, Lookup(User)), and Location 2 (Location_2_c, Geolocation). The 'Name' field is marked as indexed.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedBy	Lookup(User)		
Distance	Distance_c	Number(14, 4)		
distance calculation	distance_calculation_c	Formula (Number)		
Drop-Off Point Name	Name	Text(80)		✓
Last Modified By	LastModifiedBy	Lookup(User)		
Location 2	Location_2_c	Geolocation		

● Creation of fields for the Task object



The screenshot shows the Salesforce Setup interface for the 'Object Manager' under 'Task'. The left sidebar lists various setup options like Page Layouts, Lightning Record Pages, and Field Sets. The main area is titled 'Fields & Relationships' and displays a table of fields. The table columns are: FIELD LABEL, FIELD NAME, DATA TYPE, CONTROLLING FIELD, and INDEXED. The fields listed are: Created By (CreatedBy, Lookup(User)), Date (Date_c, Date), Distance (Distance_c, Number(14, 4)), Drop-Off Point (Drop_Off_Point_c, Lookup(Drop-Off Point)), Feedback (Feedback_c, Long Text Area(32768)), and Food Category (Food_Category_c, Picklist (Multi-Select)). The 'Drop-Off Point' field is marked as indexed.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedBy	Lookup(User)		
Date	Date_c	Date		
Distance	Distance_c	Number(14, 4)		
Drop-Off Point	Drop_Off_Point_c	Lookup(Drop-Off Point)		✓
Feedback	Feedback_c	Long Text Area(32768)		
Food Category	Food_Category_c	Picklist (Multi-Select)		

● Creation of fields for the Volunteer object

The screenshot shows the Salesforce Setup interface for the 'Volunteer' object. The left sidebar lists various setup categories like Details, Fields & Relationships, Page Layouts, etc. The main content area is titled 'Fields & Relationships' and displays 13 items sorted by Field Label. The table includes columns for Field Label, Field Name, Data Type, Controlling Field, and Indexed status.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Drop-Off Point	Drop_Off_Point_c	Master-Detail(Drop-Off Point)		✓
Email	Email_c	Email		▼
Execution ID	Execution_ID_c	Auto Number		▼
Gender	Gender_c	Picklist		▼
Last Modified By	LastModifiedByld	Lookup(User)		▼
Volunteer ID	Volunteer_ID_c	Auto Number		▼
Volunteer Name	Name	Text(80)		✓


● Creation of fields for the Execution Details object

The screenshot shows the Salesforce Setup interface for the 'Execution Detail' object. The left sidebar lists various setup categories like Details, Fields & Relationships, Page Layouts, etc. The main content area is titled 'Fields & Relationships' and displays 5 items sorted by Field Label. The table includes columns for Field Label, Field Name, Data Type, Controlling Field, and Indexed status.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedByld	Lookup(User)		
Execution Detail Name	Name	Text(80)		✓
Last Modified By	LastModifiedByld	Lookup(User)		▼
Task	Task_c	Master-Detail(Task)		✓
Volunteer	Volunteer_c	Master-Detail(Volunteer)		✓

FLows:

Created Flow to create a record in Venue object



Trigger:

- Created a Trigger:

```

trigger DropOffTrigger on Drop_Off_point__c (before insert) {
    for(Drop_Off_point__c Drop : Trigger.new){
        Drop.Distance__c = Drop.distance__c;
    }
}

```

The screenshot shows the Salesforce IDE interface with the code editor open. The file is named 'DropOffTrigger.apxt'. The code defines a trigger 'DropOffTrigger' on the 'Drop_Off_point__c' object. It runs before insertions. Inside the trigger, it loops through each record in 'Trigger.new', setting the 'Distance__c' field to the value of the 'distance__c' field.

● Trigger Code:

```

trigger DropOffTrigger on Drop_Off_point__c (before insert) {
    for(Drop_Off_point__c Drop : Trigger.new){
        Drop.Distance__c = Drop.distance__c;
    }
}

```

Profiles:

The screenshot shows the Salesforce Setup page under the 'Profiles' section. The URL is 'orgfarm-64fd927d70-dev-ed.develop.lightning.force.com/lightning/setup/EnhancedProfiles/home'. The page displays a list of profiles. There is one profile listed: 'NGOs Profile', which is a 'Custom' profile assigned to the 'Salesforce Platform' user license.

Action	Profile Name	User License	Custom
<input type="checkbox"/> Edit Del ...	NGOs Profile	Salesforce Platform	<input checked="" type="checkbox"/>

USER:

● Creation of Users:

User 1, User 2 & User 3

The screenshot shows the Salesforce Setup interface for managing users. The left sidebar is collapsed, and the main area displays a list of users. The list includes columns for Action, Full Name, Alias, Username, Role, Active status, and Profile. The profiles listed are NGOs_Profile, Chatter_Free_User, System Administrator, NGOs_Profile, NGOs_Profile, System Administrator, Analytics_Cloud_Integration_User, and Analytics_Cloud_Security_User.

Action	Full Name	Alias	Username	Role	Active	Profile
<input type="checkbox"/>	Cause_Candy_Cause Candy	ccaus	iksha@candy.com	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	NGOs_Profile
<input type="checkbox"/>	Chatter_Export	Chatter	chatty00dgk000008zjuuay04l55xap26@chatter.salesforce.com	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Chatter_Free_User
<input type="checkbox"/>	EPIC_OrgFarm	OPIC	epic.779075751141@orgfarm.salesforce.com	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	System Administrator
<input type="checkbox"/>	Iksa_Foundation_Iksa Foundation	iksh	iksha@nog.com	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	NGOs_Profile
<input type="checkbox"/>	NSS_n_NSS_n	nss	iks@sss.com	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	NGOs_Profile
<input type="checkbox"/>	R_Sreethika	sre	sreethikarajarajeswaran762@agentforce.com	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	System Administrator
<input type="checkbox"/>	User_Integration	integ	integration@00dgk000008zjuuay.com	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Analytics_Cloud_Integration_User
<input type="checkbox"/>	User_Security	sec	insightssecurity@00dgk000008zjuuay.com	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Analytics_Cloud_Security_User

● Public Groups:

Public Groups - Creation of User1,User2, User3

The screenshot shows the Salesforce Setup interface with the URL <https://orgfarm-64fd927d70-dev-ed.lightning.force.com/lightning/setup/PublicGroups/home>. The left sidebar is collapsed, showing the 'Users' section with 'Public Groups' selected. The main content area is titled 'Public Groups' and contains a table of existing groups. A 'New' button is visible at the top right of the table.

Action	Label	Group Name	Created By	Created Date
Edit Del	Cause_Candy	Cause_Candy	R_Sreethika	9/6/2025, 7:11 AM
Edit Del	Iksha	Iksha	R_Sreethika	9/6/2025, 7:09 AM
Edit Del	NSS_n	NSS_n	R_Sreethika	9/6/2025, 7:10 AM

REPORT TYPES:

- Creation of Report Types:

The screenshot shows the Salesforce Setup interface. The left sidebar is expanded, showing the 'Feature Settings' section. Under 'Analytics', the 'Reports & Dashboards' sub-section is selected, and its sub-items are listed: 'Access Policies', 'Historical Trending', 'Report Types' (which is highlighted in yellow), 'Reporting Snapshots', 'Reports and Dashboards', and 'Settings'. Below this, under 'Security', there is a link to 'Guest User Sharing Rule Access Report'. A search bar at the top right contains the text 'Search Setup'. The main content area displays a list of report definitions, each with a name, description, owner, type, created date, and edit icon. The reports listed include various program progress and orchestration items.


Name	Description	Owner	Type	Created	Action
Orchestration Step Items Spr...	flow_orchestration_step_item_o...	Find out which orchestration ste...	Other Repor...	autoproc	7/20/2025, 11:07 A...
Orchestration Work Items Spr...	flow_orchestration_work_item_o...	Find out which orchestration wo...	Other Repor...	autoproc	7/28/2025, 11:07 A...
Program Definition Spring '24	Program_Definition_sfcdSESv60	Review your analytics with a pro...	Other Repor...	autoproc	7/28/2025, 11:07 A...
Program Definition Summer '...	Program_Definition_sfcdSESv61	Review your analytics with a pro...	Other Repor...	autoproc	7/28/2025, 11:07 A...
Program Item Progress Sprin...	Program_Task_Progress_sfcdSES...	Report on tasks like exercises, m...	Other Repor...	autoproc	7/28/2025, 11:07 A...
Program Item Progress Sum...	Program_Task_Progress_sfcdSES...	Report on tasks like exercises, m...	Other Repor...	autoproc	7/28/2025, 11:07 A...
Program Progress Spring '24	Program_Progress_sfcdSESv60	Report on program progress. Sp...	Other Repor...	autoproc	7/28/2025, 11:07 A...
Program Progress Summer '24	Program_Progress_sfcdSESv61	Report on program progress. Sp...	Other Repor...	autoproc	7/28/2025, 11:07 A...
Screen Flows	screen_flows_prebuilt_crt	Find out which flows get execut...	Other Repor...	autoproc	7/28/2025, 11:07 A...
Venue with DropOff with Volu...	Venue_with_DropOff_with_Volun...	Venue with DropOff with Volunt...	Other Repor...	sre	9/7/2025, 12:34 AM
Volunteers with Execution Det...	Volunteers_with_Execution_Detai...	Volunteers with Execution Detail...	Other Repor...	sre	9/7/2025, 2:31 AM

- Reports:

✓ Creation of Report on Venue with DropOff with Volunteer

✓ Creation of Report on Volunteers with Execution Details and Tasks

✓ Creation of Report on Volunteers with Execution Details and Tasks



The screenshot shows the FoodConnect Reports page. The top navigation bar includes links for Home, Venues, Drop-Off Points, Tasks, Volunteers, Execution Details, Reports (which is currently selected), and Dashboards. A search bar at the top right says "Search...". On the left, a sidebar lists categories: Reports (Recent, 4 items), Folders (All Folders, Created by Me, Shared with Me), and Favorites. The main content area displays a table of recent reports with columns: Report Name, Description, Folder, Created By, Created On, and Subscribed. The table contains the following data:

Report Name	Description	Folder	Created By	Created On	Subscribed
venue and Drop Off point		Private Reports	Sreethika R	9/7/2025, 12:43 AM	
Sample Flow Report: Screen Flows	Which flows run, what's the status of each interview, and how long do users take to complete the screens?	Public Reports	Automated Process	7/28/2025, 11:07 AM	
Volunteer Task		Private Reports	Sreethika R	9/7/2025, 2:46 AM	
Volunteer Task		Private Reports	Sreethika R	9/7/2025, 2:44 AM	

● DashBorad:

✓ Adding venue and Drop Off point Report to the Dashboard

✓ Adding Volunteer Task Report to the Dashboard

✓ Adding a Picture to the Dashboard (Optional)

The screenshot shows the FoodConnect dashboard interface. The top navigation bar includes links for Home, Venues, Drop-Off Points, Tasks, Volunteers, Execution Details, Reports, and Dashboards. The left sidebar has sections for Dashboards (Recent, Created by Me, Private Dashboards, All Dashboards), Folders (All Folders), and Favorites (All Favorites). The main content area displays a table of recent dashboards:

Dashboard Name	Description	Folder	Created By	Created On	Subscribed
Task Execution Details	Private Dashboards	Sreethika R	9/7/2025, 4:47 AM	<input type="checkbox"/>	
Custom Dashboards	Private Dashboards	Sreethika R	9/7/2025, 4:35 AM	<input type="checkbox"/>	
Custom Dashboards	Private Dashboards	Sreethika R	9/7/2025, 4:45 AM	<input type="checkbox"/>	

A detailed view of the "Enablement Dashboard Spring '24" is shown on the right, with a description: "View data on how Enablement helps drive your business outcomes. This is your main dashboard for all Enablement analytics. Don't delete it. If you want to make changes to this dashboard, duplicate it." The dashboard was created by "Automated Process" on "7/28/2025, 11:07 AM".

Sharing Rule:

✓ Creation of sharing rules:

The screenshot shows the Salesforce Setup page for Sharing Settings. The left sidebar includes links for Security, Guest User Sharing Rule Access Report, and Sharing Settings. A search bar at the top finds "sharing". The main content area displays four sections of sharing rules:


- Coputer Sharing Rules**: No sharing rules specified.
- Drop-Off Point Sharing Rules**:

Action	Criteria	Shared With	Access Level
Edit Del	(Drop-Off Point: Distance GREATER THAN 30) AND (Drop-Off Point: Distance LESS OR EQUAL 50)	Group_Cause.Candy	ReadWrite
Edit Del	Drop-Off Point: Distance LESS THAN 15	Group_Iksa	ReadWrite
Edit Del	(Drop-Off Point: Distance GREATER THAN 15) AND (Drop-Off Point: Distance LESS OR EQUAL 30)	Group_NSS_n	ReadWrite
- Task Sharing Rules**: No sharing rules specified.
- Venue Sharing Rules**: No sharing rules specified.

The URL in the address bar is <https://orgfarm-64fd927d70-dev-ed.develop.lightning.force.com/lightning/setup/SecuritySharing/home>.

HOME PAGE:

- Creation of Home Page:



Conclusion

By leveraging the Salesforce platform, the project successfully established a streamlined and transparent system for managing surplus food donations. Through efficient coordination with volunteers and timely delivery to beneficiaries, the project effectively addressed food insecurity while maximizing the utilization of available resources.