

To Supply Leftover Food to Poor

College Name: Shree Venkateshwara Arts and Science College

College Code : brubd

TEAM ID : NM2025TMID20963

TEAM MEMBERS

Team Leader Name: JANANI K

Email: jananik2023aids@gmail.com

Team Member Name: SOWMIYA S

Email: sowmiyas2023it@gmail.com

Team Member Name: DEVADHARSHINI A

Email: devadharshinia2023it@gmail.com

Team Member Name: SANGEETHA T

Email: sangeethat2023it@gmail.com

INTRODUCTION

- **Project Overview**

This project aims to provide nutritious meals to poor and underprivileged communities, ensuring food security and reducing hunger



• Purpose

purpose of this project is to eliminate hunger by distributing healthy and affordable food to poor and needy people, thereby improving their quality of life and promoting social welfare

Creating Developer Account

Build enterprise-quality apps fast and get hands-on with Agentforce and Data Cloud.

Sign up for your Developer Edition.

- ✓ Build apps fast with drag-and-drop tools
- ✓ Go further with Apex code
- ✓ Build AI agents with Agentforce
- ✓ Harmonize your data with Data Cloud
- ✓ Ground Agentforce with structured and unstructured data
- ✓ Integrate with anything using APIs

Sign up for your Developer Edition
A free Salesforce Platform environment with Agentforce and Data Cloud

First name: Last name:


Job title: Work email:

Company: Country/Region:

Your org may be provisioned on or migrated to Hyperforce, Salesforce's public cloud infrastructure.

☐ I agree to the Main Services Agreement - Developer Services and Salesforce Program Agreement. I acknowledge, as described in the Developer Documentation: (1) the Developer Edition includes autonomous and other generative AI features; and (2) Salesforce may limit use of those features and the org, and may terminate any org that has been inactive for 30 days.

We value your privacy. To learn more, visit our [Privacy Statement](#).

☐ I'm not a robot 

Sign Me Up

Object

Purpose: To track leftover food donations and their distribution to the poor.

To create an object

Create Drop-Off Point Object

The image displays two screenshots of the Salesforce Setup interface, specifically the Object Manager section, showing the configuration of two custom objects: 'venue' and 'Drop-Off Point'.


Top Screenshot: 'venue' Object Configuration

- API Name:** venue__c
- Custom:** ☒
- Singular Label:** venue
- Plural Label:** venues
- Enable Reports:** ☒
- Track Activities:** ☒
- Track Field History:** ☒
- Deployment Status:** Deployed
- Help Settings:** Standard salesforce.com Help Window


Bottom Screenshot: 'Drop-Off Point' Object Configuration



- API Name:** Drop_Off_Point__c
- Custom:** ☒
- Singular Label:** Drop-Off Point
- Plural Label:** Drop-Off Points
- Enable Reports:** ☒
- Track Activities:** ☒
- Track Field History:** ☒
- Deployment Status:** Deployed
- Help Settings:** Standard salesforce.com Help Window

Create Task Object




Create Volunteer Object







Create Execution Details Object




Tabs





The Lightning App



Fields

Creation of fields for the Volunteer object

The first screenshot shows the 'New Custom Field' wizard in the Salesforce Lightning interface. The page title is 'Volunteer' and the sub-header is 'New Custom Field'. The wizard is at 'Step 1: Choose the field type'. The left sidebar contains a navigation menu with options like 'Details', 'Fields & Relationships', 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', 'Compact Layouts', 'Field Sets', 'Object Limits', 'Record Types', 'Related Lookup Filters', 'Search Layouts', 'List View Button Layout', 'Restriction Rules', 'Scoping Rules', 'Object Access', 'Triggers', 'Flow Triggers', 'Validation Rules', and 'Conditional Field Formatting'. The main content area shows the 'Data Type' selection screen. The 'Master-Detail Relationship' option is selected. The description for this option states: 'Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where: The relationship field is required on all detail records. The ownership and sharing of a detail record are determined by the master record. When a user deletes the master record, all detail records are deleted. You can create virtual summary fields on the master record to summarize the detail records. The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list. The relationship field links this object to an external object whose data is stored outside the Salesforce org.' Below this, there are radio buttons for 'Lookup Relationship', 'External Lookup Relationship', 'Checkbox', 'Currency', 'Date', 'DateTime', 'Email', 'Geolocation', 'Number', and 'Percent'. The second screenshot shows the 'Fields & Relationships' list for the 'Volunteer' object. The page title is 'Volunteer' and the sub-header is 'Fields & Relationships'. The left sidebar is the same as in the first screenshot. The main content area shows a table with 4 items, sorted by Field Label. The table has columns: FIELD LABEL, FIELD NAME, DATA TYPE, CONTROLLING FIELD, and INDEXED. The table contains the following data:

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Drop-Off point	Drop-Off-point_c	Master-Detail(Drop-Off Point)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Volunteer Name	Name	Text(30)		✓

Creation of fields for the Drop-Off point object

Drop-Off Point

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Validation Rules

Conditional Field Formatting

Drop-Off Point

New Custom Field

Step 1: Choose the field type

Specify the type of information that the custom field will contain.

Data Type

Select one of the data types below.

☐ None Selected

☐ Auto Number

☐ Formula

☐ Roll-Up Summary

☒ Lookup Relationship

☐ Master-Detail Relationship

☐ External Lookup Relationship

☐ Checkbox

☐ Currency

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☐ Number

☐ Percent

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create roll-up summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

Allows users to select a True (checked) or False (unchecked) value.

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations, includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Creation of fields for the Task object

Drop-Off Point

Details

Fields & Relationships

5 items. Sorted by Field Label

[New](#) [Deleted Fields](#) [Field Dependencies](#) [Set History Tracking](#)

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Drop-Off Point Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User Group)		✓
venue	venue_c	Lookup(venue)		✓

Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Validation Rules

Conditional Field Formatting

Task

New Custom Field

Step 1: Choose the field type

Specify the type of information that the custom field will contain.

Data Type

Select one of the data types below:

- ☐ None Selected
- ☐ Auto Number
- ☐ Formula
- ☐ Roll-Up Summary
- ☒ Lookup Relationship
- ☐ Master-Detail Relationship
- ☐ External Lookup Relationship
- ☐ Checkbox
- ☐ Currency
- ☐ Date
- ☐ DateTime
- ☐ Email
- ☐ Location
- ☐ Number
- ☐ Percent

Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create roll-up summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

External Lookup Relationship

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

Checkbox

Allows users to select a True (checked) or False (unchecked) value.

Currency

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Date

Allows users to enter a date or pick a date from a popup calendar.

DateTime

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the DateTime field.

Email

Allows users to enter an email address, which is validated to ensure proper format. If the field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Location

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Number

Allows users to enter any number. Leading zeros are removed.

Percent

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Task

Details

Fields & Relationships

3 items, Sorted by Field Label

FIELD LABEL

FIELD NAME


DATA TYPE

CONTROLLING FIELD

INDEXED

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedBy	Lookup(User)		
Last Modified By	LastModifiedBy	Lookup(User)		
Owner	OwnerId	Lookup(UserGroup)		✓
Task Name	Name	Text(80)		✓
Venue	venue_c	Lookup(Venue)		✓

Creation of n fields for tExecution Details object



Creation of n fields for tExecution Details object

Student

venue | Salesforce

[resourceful-wolf-27abw-dev-ed.trailblaze.lightning.force.com/lightning/setup/ObjectManager/61PG500000qghJ/FieldsAndRelationships/new](#)

Setup

Home

Object Manager

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Validation Rules

Conditional Field Formatting

venue

Specify the type of information that the custom field will contain.

Data Type

None Selected

Auto Number

Formula

Roll-Up Summary

Lookup Relationship

Master-Detail Relationship

External Lookup Relationship

Checkbox

Currency

Date

DateTime

Email

Geolocation

Number

Percent

Phone

Picklist

Picklist (Multi-Select)

Select one of the data types below:

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record source of all records listed in a related list.

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Creates a special type of parent-child relationship between this object (the child, or "lookup") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The searching and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create roll-up summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

Allows users to select a True (checked) or False (unchecked) value.

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the DateTime field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Student

venue | Salesforce

[resourceful-wolf-27abw-dev-ed.trailblaze.lightning.force.com/lightning/setup/ObjectManager/61PG500000qghJ/FieldsAndRelationships/view](#)

Setup

Home

Object Manager

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Validation Rules

Conditional Field Formatting

venue

Fields & Relationships

8 Items, Sorted by Field Label

Quick Find

New

Deleted Fields

Field Dependencies

Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Contact Email	Contact_Email_c	Email		
Contact Phone	Contact_Phone_c	Phone		
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		
Location	Location_c	Geolocation		
Owner	OwnerId	Lookup(User Group)		✓
Venue Location	Venue_Location_c	Long Text Area(32768)		
venue Name	Name	Text(80)		✓

12

resourceful-wolf-27abw-dev-ed.trailblaze.lightning.force.com/lightning/setup/ObjectManager/61PS000000qHM1/FieldsAndRelationships/new

Setup Home Object Manager

Drop-Off Point

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected Select one of the data types below.

☒ Auto Number A system-generated sequence number that uses a display format you define. The number is automatically implemented for each new record.

☐ Formula A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☐ Lookup Relationship Create a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☐ Master-Detail Relationship Create a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create roll-up summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

☐ External Lookup Relationship Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

☐ Checkbox Allows users to select a True (checked) or False (unchecked) value.

☐ Currency Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

☐ Date Allows users to enter a date or pick a date from a popup calendar.

☐ Date/Time Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the DateTime field.

☐ Email Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

☐ Geolocation Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

☐ Number Allows users to enter any number. Leading zeros are removed.

☐ Percent Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

☐ Phone Allows users to enter any phone number. Automatically formats it as a phone number.

☐ Picklist Allows users to select a value from a list you define.

☐ Picklist (Multi-Select) Allows users to select multiple values from a list you define.

☐ Text Allows users to enter any combination of letters and numbers.

☐ Text Area Allows users to enter up to 255 characters on separate lines.

resourceful-wolf-27abw-dev-ed.trailblaze.lightning.force.com/lightning/setup/ObjectManager/61PS000000qHM1/FieldsAndRelationships/view

Setup Home Object Manager

Drop-Off Point



9 Items, Sorted by Field Label



Quick Find New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Distance	Distance__c	Number(14, 4)		
distance calculation	distance_calculation__c	Formula (Number)		
Drop-Off Point Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Location 2	Location_2__c	Geolocation		
Owner	OwnerId	Lookup(User Group)		✓
State	State__c	Picklist		
venue	venue__c	Lookup(venue)		✓


FLOWS

Create Flow to create a record in Venue object







Create a Trigger




Trigger Code




Profiles




Creation of Users







Public Groups


Creation of Public Group 1




Creation of Public Group 2




Reports





Dashboards



Sharing Rules

Creation of sharing rules

Drop-Off Point Sharing Rule

Use sharing rules to make automatic exceptions to your organization-wide sharing settings for defined sets of users. Note: "Roles and subordinates" includes all users in a role, and the roles below that role. You can use sharing rules only to grant record access to data, not to restrict access.

Step 1: Rule Name

Label: Rule 1
 Rule Name: Rule_1
 Description:

Step 2: Select your rule type

Rule Type: ☐ Based on record owner ☒ Based on criteria

Step 3: Select which records to be shared

Criteria	Field	Operator	Value	AND/OR
	Distance	<	100	AND
	Name	=	Home	AND
	Name	=	Home	AND
	Name	=	Home	AND
	Name	=	Home	AND

Additional Options: ☒ Include records owned by users who can't have an assigned role.

Step 4: Select the users to share with

Share with: Public Groups **Public**

Step 5: Select the level of access for the users

Access Level: **Read Only**

[Save](#) [Cancel](#)

Rule Name	Rule Type	Access Level	Help
User Preprocessing Request Sharing Rules	No sharing rules specified		User Preprocessing Request Sharing Rules Help
Web Cart Document Sharing Rules	No sharing rules specified		Web Cart Document Sharing Rules Help
Work Order Sharing Rules	No sharing rules specified		Work Order Sharing Rules Help
Work Plan Sharing Rules	No sharing rules specified		Work Plan Sharing Rules Help
Work Plan Template Sharing Rules	No sharing rules specified		Work Plan Template Sharing Rules Help
Work Step Template Sharing Rules	No sharing rules specified		Work Step Template Sharing Rules Help
Drop-Off Point Sharing Rules	No sharing rules specified		Drop-Off Point Sharing Rules Help
Task Sharing Rules	No sharing rules specified		Task Sharing Rules Help
Venue Sharing Rules	No sharing rules specified		Venue Sharing Rules Help

Conclusion

By leveraging the Salesforce platform, the project successfully established a streamlined and transparent system for managing surplus food donations. Through efficient coordination with volunteers and timely delivery to beneficiaries, the project effectively addressed food insecurity while maximizing the utilization of available resources.

