Code:

```
#include <stdio.h>

#define MAX_FRAMES 3 // Maximum number of frames in memory

void printFrames(int frames[], int n)
{
   for (int i = 0; i < n; i++)
   {
      if (frames[i] == -1)
      {
         printf(" - ");
      }
      else
      {
         printf(" %d ", frames[i]);
      }
   }
   printf("\n");
}

int main()
{
   int referenceString[] = {7, 0, 1, 2, 0, 3, 0, 4, 2, 3, 0, 3, 2};

   int n = sizeof(referenceString) / sizeof(referenceString[0]);

   int frames[MAX_FRAMES];
   int framePointer = 0; // Points to the current frame to be replaced

   // Initialize frames
   for (int i = 0; i < MAX_FRAMES; i++)
   {
      frames[i] = -1;
   }

   printf("Reference String: ");
   for (int i = 0; i < n; i++)
   {
      printf("%d ", referenceString[i]);
   }
   printf("\n\n");

   printf("Page Replacement Order:\n");

   for (int i = 0; i < n; i++)
   {
      int page = referenceString[i];
      int pageFound = 0;

      // Check if page is already in frames
      for (int j = 0; j < MAX_FRAMES; j++)
      {
         if (frames[j] == page)
         {
            pageFound = 1;
            break;
         }
      }

      if (!pageFound)
      {
         printf("Page %d -> ", page);
         frames[framePointer] = page;
         framePointer = (framePointer + 1) % MAX_FRAMES;

         printFrames(frames, MAX_FRAMES);
      }
   }

   return 0;
}
```

Output:

C:\Users\Dell\Downloads\Unt

```
Reference String: 7 0 1 2 0 3 0 4 2 3 0 3 2

Page Replacement Order:
Page 7 ->  7  -  -
Page 0 ->  7  0  -
Page 1 ->  7  0  1
Page 2 ->  2  0  1
Page 3 ->  2  3  1
Page 0 ->  2  3  0
Page 4 ->  4  3  0
Page 2 ->  4  2  0
Page 3 ->  4  2  3
Page 0 ->  0  2  3

Process returned 0 (0x0)   execution time : 0.935 s
Press any key to continue.
```