

Ex_No_14

Program :

```
#include <stdio.h>
```

```
#include <stdlib.h>
```

```
#include <fcntl.h>
```

```
#include <unistd.h>
```

```
#define BUFFER_SIZE 4096
```

```
void copy() {
```

```
    const char *sourcefile = "C:/Users/varsh/Downloads/akkk.txt";
```

```
    const char *destination_file = "C:/Users/varsh/Downloads/aksh.txt";
```

```
    // Open source file for reading
```

```
    int source_fd = open(sourcefile, O_RDONLY);
```

```
    if (source_fd < 0) {
```

```
        perror("Error opening source file");
```

```
        return;
```

```
    }
```

```
    // Open/Create destination file for writing
```

```
    int dest_fd = open(destination_file, O_WRONLY | O_CREAT | O_TRUNC, 0666);
```

```
    if (dest_fd < 0) {
```

```
        perror("Error opening destination file");
```

```
        close(source_fd);
```

```
        return;
```

```
    }
```

```
    char buffer[BUFFER_SIZE];
```

```
    ssize_t bytesRead, bytesWritten;
```

```
// Read from source and write to destination
while ((bytesRead = read(source_fd, buffer, BUFFER_SIZE)) > 0) {
    bytesWritten = write(dest_fd, buffer, bytesRead);
    if (bytesWritten != bytesRead) {
        perror("Error writing to file");
        break;
    }
}

close(source_fd);
close(dest_fd);
printf("File copied successfully.\n");
}
```

```
void create() {
    FILE *fp;
    fp = fopen("C:/Users/varsh/Downloads/akkk.txt", "w");

    if (fp == NULL) {
        perror("Error creating file");
        return;
    }

    printf("File created successfully.\n");
    fclose(fp); // Crucial: Close the file after creating it
}
```

```
int main() {
    int n;

    printf("1. Create \n2. Copy \n3. Delete\n");
```

```
printf("Enter your choice: ");
```

```
if (scanf("%d", &n) != 1) {  
    printf("Invalid input.\n");  
    return 1;  
}
```

```
switch(n) {  
    case 1:  
        create();  
        break;  
    case 2:  
        copy();  
        break;  
    case 3:  
        if (remove("C:/Users/varsh/Downloads/akkk.txt") == 0) {  
            printf("Deleted successfully.\n");  
        } else {  
            perror("Error deleting file");  
        }  
        break;  
    default:  
        printf("Invalid choice. Please enter 1, 2, or 3.\n");  
}
```

```
return 0;  
}
```

```
PS C:\AK Pattern> .\ak.exe
```

```
1. Create
```

```
2. Copy
```

```
3. Delete
```

```
Enter your choice: 1
```

```
File created successfully.
```

```
PS C:\AK Pattern> █
```